

GSW[®]

2024

YOUR FOODSERVICE EQUIPMENT LEADER
ALWAYS THE BEST FOR LESS!

MANUFACTURER AND DISTRIBUTOR
OF QUALITY FOOD SERVICE
AND CUSTOM MADE EQUIPMENT





An International Manufacturing Distributor - Restaurant Equipment & Supplies

Sales Terms

1. All orders are subject to inventory availability.
2. Back orders will be shipped freight collect except when free shipping program is eligible.
3. **Payment terms:** Net 30 days from invoice date on approved credit. Any past due invoice will be subject to a 5% interest as the late payment penalty. There will be a \$45.00 charge for any bounced payment check.
4. **All custom made orders:** Customer needs to pay 50% deposit before fabrication; and the remaining balance must be paid before the delivery of the order.
5. **Free freight program:** \$5,000 for any orders or \$3,000 per standard 40" x 48" pallet (additional pallets are \$150/each) to customer's registered address within the following States Only:
CA, NV, AZ, OR, WA, UT, CO, NM, TX.
All other States: Please contact GSW for freight order details.
Exclude Custom Build Equipment, BBQ Oven, Wok Range and Mongolian Grill. Different crating charges will be applied extra to the regular order or custom order when needed depending on the Wooden Crate size.
Crating Charge rated from \$50.00 to 500.00 based on the size of the items.
6. For any order that is less than \$200, a **\$15** handling fee will be applied.
7. No returned merchandise will be accepted after 14 days upon receiving merchandise.
All authorized returns must be with original packing and all Accessories must be included.
Returned items must be shipped prepaid freight and are subject to a 15% restocking fee.
8. All prices quoted are FOB GSW warehouses in El Monte, California or Norcross, Georgia.
9. GSW will not be responsible for damaged goods or shortages that are not stated on freight bill or reported within 24 hours.
10. Due to GSW's program of constant product improvement, prices and specifications are subject to change without prior notice.

Warranty

GSW provides a limited 1 year manufacturer warranty under the company terms.
GSW warrants all new items under proper use and installation as specified by GSW.
The company's obligation under this warranty is limited to 1 year from the original purchase receipt from the dealers / distributors to be free from manufacturer defects in materials or workmanship.
The terms of exchanging the items or parts only will be determined by the GSW management.
No labor or labor charges provided in this warranty.
Any improper use, installation or facts due to negligence will result in voiding warranty
Any inquiries, please feel free to direct your concerns through our authorized dealers.

***** In the event all transactions are subject to collection, it will be subject to California Jurisdiction.*****

**** All items are designed for commercial use only****

Go to www.GSW-USA.com to search for a product, to download a credit application, to get the latest catalog, and for the maps to both of our CA and GA locations.

Los Angeles, California

4177 Rowland Ave #B, El Monte, CA 91731

Houston, Texas

13551 Lew Briggs Rd, Houston, TX 77047

Atlanta, Georgia

1858 Meca Way, Norcross, GA 30093

Tel: 1-800-897-5999 1-626-291-5599
Fax: 1-626-286-0166
Email: sales@gsw-usa.com

Tel: 1-678-209-0808
Fax: 1-678-209-0809
Email: salesga@gsw-usa.com

INSTRUCTIONS FOR USE



Swipe up and down to turn pages

56



Locate a page directly by clicking the blue underlined page number




Return to the table of contents by clicking the back icon (bottom right corner)

NEW PRODUCTS



Hanging Waste Baskets
[Page 12](#)



Compartment Multi-Wash Sink
[Page 66](#)



Automatic Electric Wok Series
[Page 88](#)



S/S Adjustable Work Surface Stands
[Page 86](#)



Mobile Hand Wash Station
[Page 78](#)



Bar Sinks Series
[Page 57](#)



Hands-Free Sensor Faucet
[Page 28](#)



Hose Reel
Epoxy Powder Coated
[Page 25](#)



Janitorial Mop Sink Cabinet
[Page 79](#)



Swinging Traffic Door
[Page 45](#)

TABLE OF CONTENTS



CABINETS

Page

- 4" Rear Upturn Enclosed Cabinets [6](#)
- Flat Top Enclosed Cabinets [7](#)
- Wall Cabinets • Dish Cabinets [8](#)
- Drawer Cabinets & Custom-made Cabinets [9](#)



CARTS

- All-Welded Carts [10-12](#)
- Knock-Down Carts [13](#)
- Dollies • Trucks [14](#)



CASTERS & HARDWARE

- Plate Casters [15-16](#)
- Stem Casters [17-18](#)
- Equipment Legs • Hardware [19](#)



DONUT EQUIPMENT

- Donut Tables & Accessories [20](#)
- Frying Screens • Flour Bins [21](#)

FAUCETS & STRAINERS

Page

Faucets

- Pre-Rinse Faucets & Accessories [22-23](#)
- 8" Faucets & Spouts [24-25](#)
- 4" Faucets [26](#)
- Wok Range Faucets • Single Faucets [27](#)
- Hands-Free Faucets • Knee-Operated Valves [28-29](#)
- Faucet Parts & Accessories [30](#)



Strainers

- Waste Drain • Sink Strainers [31](#)
- Overflow Pipes • Floor Sinks w/ Accessories [32](#)
- Floor Drain • Floor Trough [33](#)



LOCKERS

- Premium Steel Lockers [34](#)



TABLE OF CONTENTS



RACKS	Page
● Electric Enclosed Holding Cabinet	35
● All-Welded Aluminum Pan Racks	35-38
● Knock-Down Aluminum Pan Racks ● S/S Pan Racks	39
● Wire Racks	40



RESTAURANT SUPPLIES

Cookwares

● Baskets ● Skimmers ● Ladles ● Turners	41
● Woks ● Pots	42



Supplies

● Grease Interceptors ● Trash Bins	43-44
● Swinging Traffic Doors	45
● Air Curtains ● Fly Trap Lamp ● Diffusers ● Scales	46-47
● Hand Dryers ● Signs ● Soap Dispensers ● Molding	48



SHELVES

● Wire Shelves	49
● Double Overshelves	50-51
● Wall Mount Shelves ● Drainage Shelves	52-53
● Pot Racks	54



SINKS


Bar Sinks

● Bar Sinks	56
● Glass Rack ● Liquor Display ● Blender Station	57
● Underbar Ice Bin ● Speed Units	58
● Drop-In Ice Bin	59



Compartment Sinks

● Standard Compartment Sinks	60-63
● L-Shape Corner Sinks	64
● Marine Edge Compartment Sinks	65
● Compartment Multi-Wash Sinks	66
● Drop-In Compartment Sinks	67
● Sink Bowls & Sink Accessories	68-69



DishTables

● Three-Compartment Sink Dishtables	70
● Clean Dishtables & Soiled Dishtables	71-72
● Dishtable Accessories	73

TABLE OF CONTENTS

SINKS

Page

Hand Sinks & Mop Sinks

- Wall Mount Hand Sinks [74](#)
- Drop-In Hand Sinks & Splash Guards [75](#)
- Foot & Knee-Operated Faucets [76](#)
- Towel & Soap Dispensers [77](#)
- Dipperwell Sinks • Mobile Hand Sinks [78](#)
- Floor Mount Mop Sinks & Splash Guards [79](#)



TABLES

Equipment Stands

- Rice Cooker Stand Series [80](#)
- Three Sides Upturn Equipment Stands [81](#)

Work Tables

- Work Table Series [82-84](#)
- Drawers & Stainless Steel Pans [85](#)
- Table Stands • Prep-Tables w/ Sink [86](#)
- Custom-made Work Tables [87](#)



WOK RANGES

Electric Cooking Equipment

- Automatic Induction Roller Wok [88](#)
- Automatic Stir-Frying Wok [88](#)
- Automatic Induction Stock Pot Range [89](#)
- Chinese Induction Wok Range [89](#)
- Food Warmer Series [90-92](#)



Gas Cooking Equipment

- Stock Pot Range Series & Accessories [93](#)
- Hot Plate Series • Broiler Series [94](#)
- Griddle Series • Kebob Broilers Series [95](#)
- Heavy Duty Wok Ranges [96](#)
- BBQ Oven • Mongolian BBQ [97-98](#)
- Chinese Wok Range [99](#)
- Chinese Wok Range Accessories [100](#)
- Wok Range Burners [101](#)
- Chinese Wok Range Replacement [102-103](#)



Order Number Quick Index

Item No.	Description	Page	Item No.	Description	Page
39xxA	Standard Grease Interceptors.....	43	ES	Equipment Stands	81
4xxxxA	XL Grease Interceptors	44	FF-TANK	S/S Filter Tank	96
AA	8" & 4" Faucets	24	FS	All S/S Floor Trough & Drain.....	33
AA-9xx	Pre-Rinse Faucets.....	22	FT	Adjustable Bullet Foot	19
AA-8xxx	Powder Coated Hose Reel.....	25	FT-xXxx	Wall Mount Sticky fly Trap Lamp.....	46
AA-HS	Glass Filling Stations.....	26	GRE-WSF	Wok Range Square Frame	103
AAR	Aluminum Enclosed Pan Cabinets.....	35	HI-BO6S	Hinge for BBQ oven	20
AAR-40	Aluminum Rack Series	36	HS	Hand Sinks	74
AAR-CRAW	Aluminum Can Racks.....	36	HS-CFO	C-Fold Towel Paper Dispenser	78
ACE-MWS	Multi Wash Sink	66	HS-DSR	Dipperwell Sinks	78
ACT-SETR	Sediment tray for Fry Master	41	HS-M	Mobile Hand Sink w/ Water Warmer	78
AEKR	Gas Counter Kebob Broiler	95	IB	Ice Bin Series.....	59
AEGR	Gas Counter Griddle	95	IP	Ice Cool Cold Pans.....	59
AEI	Automatic Electric Range.....	88	KP	Plate Casters	15
AEHP	Hot Plate	94	KS	Stem Casters	17
AESP	Stock Pot Range	93	KT	Threaded Stem Casters	18
AESP-AD14	Wok Ring Adaptor for Stock Pot Range ...	93	LD	Ladles	41
AEWR	13" Hole Wok Range	96	MBG	Mongolian Grill	98
AK	Hand Dryer	48	MS	Microwave Wall Mount Shelf	52
ASR	S/S Pan Racks.....	37	MT-M	Mobile Mixer Table	38
B-BH9	Basket Holder for Chinese Wok Range ...	100	P-SAPA6	Sauce Pan For Wok Range	100
BS	Bar Sink Series	57	POT	Aluminum Pressure Soup Pot	42
BX-CTD	S/S C-Fold Towel Dispenser	48	PR	Pot Racks	54
BX-TSC	S/S Toilet Seat Cover Dispenser	48	PT	Wok Range Soup Pot	100
C-23	Cart Hanging Wastebaskets.....	12	RA	Aluminum Dunnage Racks	38
C	Cart Series	10	RA-M1510	Multi-Functional Racks	40
CA	Rice Roll Steamers.....	100	S-Lxx	Braces & Sockets	19
CDN	Dish Cabinets	8	SB	S/S Sink Tubs	68
CSE2424FM	Janitorial Mop Sink Cabinet.....	79	SB-BR24	Drainboard Sink Racks	69
CS-FM45	Connecting Strip (Fry Master MJ45)	103	SC	Scales	47
CS-PC23	Connecting Strip (Pitco Fryer)	103	SD	Sink Drain Baskets	69
C-TD18	Dolly 18" Diameter	14	SE	18Ga. Compartment Sinks	56
CTD	Enclosed Work Table w/ Door	6	SH	16Ga. Compartment Sinks	60
CTN	Enclosed Work Table w/o Door	6	SI	Restroom Sign	48
CWD	Wall Cabinets	8	SP-S	Splash Guards	69
DA	S/S Drawers.....	85	ST	Food Warmer Series	90
DF	Diffusers	47	STR	Round Vegetable Basket	41
DN	Donut Table & Accessories	20	S-WRA	Trash Bin	44
DN-FB	S/S Flour Bin	21	TN	Turners	41
DR	Swinging Traffic Doors.....	45	WK	Woks	42
DS	Standard Double Overshelves.....	50	WR	Wok Range Burner & Accessories	99
DS-Bxxxx	Adjustable S/S Double Overshelves.....	51	WS-W	Wall Shelves	52
DS-xxxxA	Adjustable Double Overshelves.....	50	WS-PT	S/S Pass-Thru Serving Shelves.....	55
DT	Dish Table & Accessories	70	WSE	Expoxy Wire Shelving.....	49
DT-WS	Wall Mounted Slanted Racks.....	73	WSC	Chrome Plated Wire Shelving.....	49
DT-SS	Dishtable Sorting Shelves.....	53	WT	Work Tables	82
EL	Lockers	34	WT-PS	Prep-Table With Sink.....	86
EQ	B.B.Q Ovens.....	97	WT-S	S/S Adjustable Work Surface Stands.....	86


4" Rear Upturn Enclosed Cabinets

- 18 Gauge stainless steel
- Machine-molded with manual welding
- Full-range adjustable middle shelf
- 1-1/2" Adjustable bullet feet
- 72" Cabinets come with 6 legs

Replacement Leg:
FT-SS6-



Optional Caster:
KP6113U (w/ Brake)



No Door - 4" Upturn Cabinets

Item No.	D x W (in)	Load Cap. (lb)	G. W. (lb)	Bulk Qty.
CTN-P2436	24 x 36	400	101	3
CTN-P2448	24 x 48	420	127	3
CTN-P2460	24 x 60	450	153	3
CTN-P2472	24 x 72	480	202	3
CTN-P3036	30 x 36	500	109	3
CTN-P3048	30 x 48	520	134	3
CTN-P3060	30 x 60	550	158	3
CTN-P3072	30 x 72	580	218	3



Hinged Door - 4" Upturn Cabinets

Item No.	D x W (in)	Load Cap. (lb)	G. W. (lb)	Bulk Qty.
CTD-P2436H	24 x 36	400	117	3
CTD-P2448H	24 x 48	420	143	3
CTD-P2460H	24 x 60	450	171	3
CTD-P2472H	24 x 72	480	234	3
CTD-P3036H	30 x 36	500	125	3
CTD-P3048H	30 x 48	520	150	3
CTD-P3060H	30 x 60	550	176	3
CTD-P3072H	30 x 72	580	250	3



Sliding Door - 4" Upturn Cabinets

Item No.	D x W (in)	Load Cap. (lb)	G. W. (lb)	Bulk Qty.
CTD-P2436S	24 x 36	400	117	3
CTD-P2448S	24 x 48	420	143	3
CTD-P2460S	24 x 60	450	171	3
CTD-P2472S	24 x 72	480	234	3
CTD-P3036S	30 x 36	500	125	3
CTD-P3048S	30 x 48	520	150	3
CTD-P3060S	30 x 60	550	176	3
CTD-P3072S	30 x 72	580	250	3


Flat Top Enclosed Cabinets

- 18 Gauge stainless steel
- Machine-molded with manual welding
- Full-range adjustable middle shelf
- 1-1/2" Adjustable bullet feet
- 72" Cabinets come with 6 legs

Replacement Leg:
FT-SS6-



Optional Caster:
KP6113U (w/ Brake)



No Door - Flat Top Cabinets

Item No.	D x W (in)	Load Cap. (lb)	G. W. (lb)	Bulk Qty.
CTN-2436	24 x 36	400	99	3
CTN-2448	24 x 48	420	124	3
CTN-2460	24 x 60	450	149	3
CTN-2472	24 x 72	480	198	3
CTN-3036	30 x 36	500	106	3
CTN-3048	30 x 48	520	131	3
CTN-3060	30 x 60	550	156	3
CTN-3072	30 x 72	580	212	3



Hinged Door - Flat Top Cabinets

Item No.	D x W (in)	Load Cap. (lb)	G. W. (lb)	Bulk Qty.
CTD-2436H	24 x 36	400	115	3
CTD-2448H	24 x 48	420	140	3
CTD-2460H	24 x 60	450	165	3
CTD-2472H	24 x 72	480	230	3
CTD-3036H	30 x 36	500	122	3
CTD-3048H	30 x 48	520	147	3
CTD-3060H	30 x 60	550	172	3
CTD-3072H	30 x 72	580	244	3




Sliding Door - Flat Top Cabinets

Item No.	D x W (in)	Load Cap. (lb)	G. W. (lb)	Bulk Qty.
CTD-2436S	24 x 36	400	115	3
CTD-2448S	24 x 48	420	140	3
CTD-2460S	24 x 60	450	165	3
CTD-2472S	24 x 72	480	230	3
CTD-3036S	30 x 36	500	122	3
CTD-3048S	30 x 48	520	147	3
CTD-3060S	30 x 60	550	172	3
CTD-3072S	30 x 72	580	244	3

Wall Cabinets & Dish Cabinets

- 18 Gauge stainless steel
- Machine-molded with manual welding
- Full-range adjustable middle shelf



Hinged Door - Slope Top Wall Mounted Cabinets

Item No.	D x W (in)	G. W. (lb)	Bulk Qty.
CWD-1536H	15 x 36	83	3
CWD-1548H	15 x 48	92	3
CWD-1560H	15 x 60	101	3
CWD-1572H	15 x 72	166	3




Sliding Door - Slope Top Wall Mounted Cabinets

Item No.	D x W (in)	G. W. (lb)	Bulk Qty.
CWD-1536S	15 x 36	83	3
CWD-1548S	15 x 48	92	3
CWD-1560S	15 x 60	101	3
CWD-1572S	15 x 72	166	3

No Door - Flat Top Dish Cabinets

- 18 Gauge stainless steel
- Machine-molded with manual welding
- Welded stainless steel middle shelf
- 1-1/2" Adjustable bullet feet
- 72" Cabinets come with 6 legs



Item No.	D x W (in)	Load Cap. (lb)	G. W. (lb)	Bulk Qty.
CDN-1536	15 x 36	250	100	3
CDN-1548	15 x 48	270	140	3
CDN-1560	15 x 60	295	170	3
CDN-1572	15 x 72	320	200	3

Drawer Cabinets & Custom Made Cabinets



- All-welded stainless steel construction
- Drawers with ball bearing slides
- 5" Deep stainless steel pan
- 1" Adjustable bullet feet



Optional Caster:
KP6113U (w/Brake)

Three Drawers Flat Top Enclosed Cabinets

Item No.	Dimension (in)	Pan Model	G. W. (lb)
CTD-24-DA1520	24 x 19-7/8 x 35	DA-1520P	68
CTD-24-DA2020	24 x 25-1/2 x 35	DA-2020P	76
CTD-30-DA1520	30 x 19-7/8 x 35	DA-1520P	78
CTD-30-DA2020	30 x 25-1/2 x 35	DA-2020P	85



- All-welded stainless steel construction
- Drawers with ball bearing slides
- 5" Deep stainless steel pan
- 1" Adjustable bullet feet



Optional Caster:
KP6113U (w/Brake)

Three-Drawers Enclosed Cabinets with 4" Backsplash

Item No.	Dimension (in)	Pan Model	G. W. (lb)
CTD-P24-DA1520	24 x 19-7/8 x 35	DA-1520P	72
CTD-P24-DA2020	24 x 25-1/2 x 35	DA-2020P	80
CTD-P30-DA1520	30 x 19-7/8 x 35	DA-1520P	82
CTD-P30-DA2020	30 x 25-1/2 x 35	DA-2020P	89

Custom Made Cabinet

Beverage Cabinets with Sink



CTD-P3036H-SH



**Custom Made
Sizes Available**


All-Welded Carts

Stainless Steel Teppanyaki Ingredient Cart



- All-welded stainless steel construction
- Designed for teppanyaki service use
- 12 Pan capacity for half-size steam table pans
- 3-1/2" Spacing between runners
- Sturdy 4" swivel casters with brakes
- Cookware not included

Replacement Caster:
KP4112 (4" casters)



Item No.	Dimension (in)	Pan Cap. (half-size)	G. W. (lb)
C-TIC	18 x 27-1/2 x 36	12	56

Stainless Steel Adjustable Height Sauce Cart



- Ideal for wok range sauce serving
- Adjustable height range 34"~36"
- Slidable top pan
- 12-1/2" Clearance between shelves



Replacement Caster:
KT5111 (5" casters)



Item No.	Dimension (in)	Top Pan Size	G. W. (lb)
C-SCE	19-1/2 x 22-1/2 x 34	19-1/2 x 22-1/2	42

Stainless Steel Donut Table Cart



- All-welded stainless steel construction
- Three sides 1" upturn
- 15" x 15" Top
- Sturdy 4" swivel casters with brakes

Replacement Caster:
KP4114 (4" casters)



Item No.	Dimension (in)	G. W. (lb)
DN-CART	15 x 15 x 23	19

Aluminum Pan Transport Cart



- All-welded aluminum construction
- Reinforced cross bars
- 60 Pan capacity
- 6" swivel PU casters with brake
- 200 lb load capacity

See Page 39 for S/S & Aluminum sheet Pan



Replacement Caster:
KS6114 (6" casters)



Item No.	Dimension (in)	Pan Cap.	G. W. (lb)
AAR-2022F	20-1/4 x 26-1/2 x 34	60	15


All-Welded Carts

Stainless Steel Super Heavy Duty Cart



- Special punched holes designed to hang wastebasket **C23** and **C23-H**
- Reinforced top & side edges
- 18 Gauge stainless steel
- Dual-handles design

KP5113 (5" casters)




Item No.	D x W x H (in)	A (in)	H1 (in)	Load Cap. (lb)	G. W. (lb)
C-2333	20 x 40 x 33-1/2	32-1/2	10-1/2	350	67

Stainless Steel Heavy Duty Carts



- Special punched holes designed to hang wastebasket **C23** and **C23-H**
- Reinforced top & side edges
- 18 Gauge stainless steel

KP5113 (5" casters)




Item No.	D x W x H (in)	A (in)	H1 (in)	Load Cap. (lb)	G. W. (lb)
C-4111	16-3/8 x 29-1/2 x 32-1/2	26-1/2	10	300	29
C-4222	18 x 33-1/2 x 32-1/2	31-3/8	10-1/2	300	38

All-welded Bulk Mover Carts



- Supports a 8 bushel (57 Gal) tub on the top shelf with
- Extra space for a standard tray
- Ideal for meat, produce, fish and deli transport
- All-welded construction & rust-resistant
- Bushel tub not included

KS6114 (6" casters)




Item No.	D x W x H (in)	Material	Load Cap. (lb)	G. W. (lb)
AAR-2026	20-1/4 x 26-1/4 x 33	Aluminum	350	33
ASR-2026	20-1/4 x 26-1/4 x 33	Stainless steel	500	38

Hanging Wastebaskets

Cart Hanging Wastebaskets

- Durable black polyethylene construction
- Attaches directly to cart
- Fit for Models (C-31K, C-32K, C-3111, C-3222, C-3111K, C-3222K, C-23WM, C-23WL)
- Optional Hanger (C-23A) Needed for C-2333, C-4111, C-4222
- Optional Hanger (C-23A) Available for Purchase



C-23H



C-23


Item No.	Dimensions (in)	Description	G. W. (lb)	Qty./Case
C-23	9-1/4 x 13 x 22	Full-size hanging waste basket	5	1
C-23H	9-1/4 x 13 x 7	Half-size hanging waste basket	2	1

Stainless Steel Angle Leg Utility Carts

- Three sides with 1" upturn on top
- 18 Gauge stainless steel



KP5113TRP (5" casters)



Item No.	D x W x H (in)	Style	A (in)	Load Cap. (lb)	G. W. (lb)
C-3111	15-1/2 x 27 x 33-1/2	All-Welded	24	200	27
C-3222	18 x 30 x 34	All-Welded	27	220	38
C-3111K	15-7/8 x 27-7/8 x 33-3/4	Knock-Down	24-1/2	170	30
C-3222K	18 x 30 x 34	Knock-Down	27	190	41



Knock-Down Carts

Knock-Down Stainless Steel Economic Food Carts



- All stainless steel
- Shipped knock-down
- Donut shaped protect bumper (C-23-C)

Replacement Parts:





Item No.	D x W x H (in)	H1 (in)	Load Cap. (lb)	G. W. (lb)
C-23S	16 x 28 x 33	8-1/2	150	18
C-23M	18 x 32 x 34	9	190	22
C-23L	21 x 34 x 37	10-1/2	230	29

Knock-Down Durable Plastic Carts



- Four sides upturn on shelves
- Shipped knock-down

KS5141 (5" casters)





Item No.	D x W x H (in)	H1 (in)	Load Cap. (lb)	G. W. (lb)
C-23WM	16-3/8 x 33-1/4 x 39	12-3/8	150	17
C-23WM-N	15-3/4 x 31-3/8 x 38-1/4	12	200	17
C-23WL	19-1/2 x 40-3/4 x 37-1/2	11-1/2	200	25
C-23WL-N	19-3/4 x 41 x 38-3/8	12-1/8	300	27

Knock-Down Stainless Steel Three Sides 1" Upturn Utility Carts



- 18 Gauge stainless steel
- Shipped knock-down
- Easy to assemble

KS5124 (5" casters)



Item No.	D x W x H (in)	A (in)	H1 (in)	Load Cap. (lb)	G. W. (lb)
C-31K	15-1/2 x 26-1/2 x 35-1/4	24	13	170	33
C-32K	18 x 29-1/2 x 35-1/4	27	13	190	38

Dollies & Trucks

Knock-Down Stainless Steel Dish Rack Dolly With Handle



- All stainless steel construction
- Single stack rack dolly
- Designed for 20" x 20" glass racks
- Platform design
- Glass rack not included

KP5113 (5" casters)



Item No.	Dimension (in)	Load Cap. (lb)	G. W. (lb)
C-PD2020HS	24-1/2 x 21-1/2 x 36-1/2	200	32

Fold-Down Platform Truck



- Fold-down handle
- Tough plastic structure
- 5" swivel caster

C-D1828: KP5012CB & CF
C-D2435: KP6012CB & CF



Item No.	Dimension (in)	Brake	Load Cap. (lb)	G. W. (lb)
C-D1828	18 x 28 x 34	No	300	18
C-D1828B	18 x 28 x 34	Yes	300	18
C-D2435	24 x 35 x 34	No	600	30
C-D2435B	24 x 35 x 34	Yes	600	30

Heavy Duty Aluminum Bun Pan Dolly



- Ideal for transporting 18" x 26" bun pans
- Use to easily transport sheet pans
- Pan not included

KP6112 (6" casters)



Item No.	Dimension (in)	Pan Size (in)	Load Cap. (lb)	G. W. (lb)
C-PD2027	20 x 27 x 7	18 x 26 x 2-1/2	150	21

Twist-Off Dolly

Item No.	Dia. x H (in)	Load Cap. (lb)	G.W. (lb)	Qty./case
C-TD18	18 x 6-1/4	300	45	5

- Provides easy mobility for round trash containers (20, 32, 45, 55 Gallon)
- Locks onto container bottom
- Comes with (5) 3-1/2" stem casters



Replacement Casters:
KT-4TD18



Dolly For Rice Cooker Stand

Item No.	Dimension (in)	Load Cap. (lb)
ES-RC3024-D	24 x 19-3/4 x 5-1/2	100

- Perfectly fit GSW rice cooker stand

ES-RC3024



KP4112 (side brake)






Plate Casters

Universal Swivel Plate Casters



- Comes with brake only
- Low-temperature resistance PU caster




Item No.	Configuration Data (in)						Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	A1	B	B1	C	D			
KP5113U	3-1/2	2-3/4	3-1/2	1-3/4	4	5	330	29	20
KP5114U	4	2-3/4	4	1-3/4	4	5	330	32	20
KP6113U	3-1/2	2-3/4	3-1/2	1-3/4	5	6-1/4	330	40	20
KP6114U	4	2-3/4	4	1-3/4	5	6-1/4	330	46	20

High-Temperature Resistance Plate Casters



- Only Available in Brake Version
- 475°F temperature resistance
- Phenolic material



Item No.	Configuration Data (in)					Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	B	C	D	E			
KP5113HT	4	5	3 x 3	2-1/4 x 2-1/4	5/16	300	48	20
KP6112HT	5	6	3-1/8 x 4-1/8	2-1/8 x 3-1/8	3/8	300	58	20


Plate Caster



KPx012CB



KPx012CF



Item No.	Configuration Data (in)					Caster Style	Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	B	C	D	E				
KP5012CB	4	5	2-1/2 x 3-3/4	1-3/4 x 3	3/8	Rigid rear wheel	330	29	20
KP5012CF	4	5	2-1/2 x 3-3/4	1-3/4 x 3	3/8	Swivel front wheel	330	32	20
KP6012CB	5	6	3-7/8 x 4-1/2	2-3/4 x 3-1/4	3/8	Rigid rear wheel	370	40	20
KP6012CF	5	6	3-7/8 x 4-1/2	2-3/4 x 3-1/4	3/8	Swivel front wheel	370	46	20

Plate Casters

Swivel Plate Casters

Non-Brake




Application: GSW Carts, Other Brands and Kitchen Equipment




A



B



C



D



E

Item No.	Configuration Data (in)					Wheel Width	Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	B	C	D	E				
KP4012	3	4	3-1/8 x 4-1/8	2-1/8 x 3-1/8	3/8	1-1/8	290	40	20
KP4014	3	4	2-1/2 x 2-1/2	1-7/8 x 1-7/8	1/4	1-1/8	290	34	20
KP5012	4	5	3-1/8 x 4-1/8	2-1/8 x 3-1/8	3/8	1-1/8	330	40	20
KP6012	5	6	3-1/8 x 4-1/8	2-1/8 x 3-1/8	3/8	1-1/8	370	46	20

Side-Brake



KP3114




KP5113TRP




A



B



C



D



E

Item No.	Configuration Data (in)					Wheel Width	Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	B	C	D	E				
KP3114	2	3-1/16	2-9/16 x 2-9/16	1-7/8 x 1-7/8	1/4	1	150	28	20
KP4112	3	4	3-1/8 x 4-1/8	2-1/8 x 3-1/8	3/8	1-1/8	290	40	20
KP4113	3	4	3 x 3	2-1/4 x 2-1/4	3/8	1-1/4	330	38	20
KP4114	3	4	2-1/2 x 2-1/2	1-7/8 x 1-7/8	1/4	1-1/8	290	34	20
KP5112	4	5	3-1/8 x 4-1/8	2-1/8 x 3-1/8	3/8	1-1/8	330	46	20
KP5113	4	5	3 x 3	2-1/4 x 2-1/4	5/16	1-1/8	330	29	20
KP5113TRP	4	5	3 x 3	2-1/4 x 2-1/4	5/16	1-1/8	330	27	20
KP5143C	4	5	3 x 3	2-1/4 x 2-1/4	5/16	1-1/8	330	29	20
KP6112	5	6	3-1/8 x 4-1/8	2-1/8 x 3-1/8	3/8	1-1/8	370	54	20
KP6115	5	6	2-5/8 x 3-3/4	1-3/4 x 2-15/16	3/8	1-1/8	370	46	20

Industrial Swivel Plate Casters

Non-Brake



KP6011

Side-Brake



KP6111


Application: Heavy Equipment




A



B



C



D



E

Item No.	Style	Configuration Data (in)					Wheel Width	Load Cap. (lb)	G. W. (lb)	Qty./Case
		A	B	C	D	E				
KP6011	Non-Brake	5	6-3/8	4 x 4-1/2	2-3/4 x 3-3/8	7/16	1-5/8	600	46.5	10
KP6111	Brake	5	6-3/8	4 x 4-1/2	2-3/4 x 3-3/8	7/16	1-5/8	600	48	10

Stem Casters


High-Temperature Resistance Stem Casters



Side-Brake



Application: GSW & Other Brand Pan Racks




Item No.	Description	Configuration Data (in)					Wheel Width	Load Cap. (lb)	G. W. (lb)	Qty./Case
		A	B	C	D	E				
KS5114HT	475°F temperature resistance	4	5	2	7/8 x 7/8	1	1-1/8	300	40	20
KS6114HT	475°F temperature resistance	5	6	2	7/8 x 7/8	1	1-1/8	300	48	20
KS6114HC	-18 to 212°F temperature resistance	5	6	2	7/8 x 7/8	1	1-1/8	300	50	20

Expanding Stem Casters

Non-Brake



Application: GSW Worktables | Equipment Stands | Wire Shelvings




Item No.	Configuration Data (in)					Wheel Width	Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	B	C	D					
KS4013	3	4	2-1/2	1-1/2		1-1/8	290	38	20
KS5013	4	5	2-1/2	1-1/2		1-1/8	330	39	20
KS6013	5	6	2-1/2	1-1/2		1-1/8	370	42	20

Side-Brake



KS6112
For wire shelvings



Item No.	Configuration Data (in)					Wheel Width	Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	B	C	D					
KS4113	3	4	2-1/2	1-1/2		1-1/8	290	38	20
KS5113	4	5	2-1/2	1-1/2		1-1/8	330	42	20
KS6112	5	6	2-1/2	7/8		1-1/8	370	43	20
KS6113	5	6	2-1/2	1-1/2		1-1/8	370	45	20

Grip Ring Stem & Wire Shelving Casters

Side-Brake




KS5141



KS5115T

Application: For GSW Carts C-23WM & C-23WL



Item No.	Configuration Data (in)					Wheel Width	Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	B	C	D	E				
KS5141	4	5-1/8	1-1/2	1/2	3/8	1-1/8	200	18	20
KS5115T	4	5	2	1-1/4		1-1/4	330	42	20
KS6115T	5	6	2	1-1/4		1-1/4	370	43	20

Stem Casters

Square Stem Casters

Side-Brake



Application: GSW Carts C-31K & C-32K



A



B



C



D

Item No.	Configuration Data (in)					Wheel Width	Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	B	C	D					
KS5124	4	4-7/8	1-5/16	7/8 x 7/8		1-1/8	200	20	20

Side-Brake



KS6114



KS6114A



KS6114B

Application: GSW & Other Pan Rack



A



B



C



D



E

Item No.	Configuration Data (in)					Wheel Width	Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	B	C	D	E				
KS6114	5	6-1/4	2	7/8 x 7/8	1	1-1/8	370	42	20
KS6114A	5	5-3/4	2	7/8 x 7/8	1	1	250	35	20
KS6114B	5	6	2	7/8 x 7/8	1	1-1/8	300	39	20

Threaded Stem Casters

Non-Brake



Application: Most Refrigerators



A



B



C



D

Item No.	Configuration Data (in)					Wheel Width	Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	B	C	D					
KT4011	3	4	1	1/2-13 UNC		1-1/8	290	30	20
KT5011	4	5	1	1/2-13 UNC		1-1/8	330	34	20
KT6011	5	6	1	1/2-13 UNC		1-1/8	370	38	20

Side-Brake



Application: GSW Cart C-SCE



A



B



C



D


Item No.	Configuration Data (in)					Wheel Width	Load Cap. (lb)	G. W. (lb)	Qty./Case
	A	B	C	D					
KT2111	2	2-5/8	3/4	M10 x 1.5		3/4	250	12	20
KT3111	2	3	1	1/2-13 UNC		1-1/8	200	16	20
KT4111	3	4	1	1/2-13 UNC		1-1/8	290	32	20
KT-4TD18	3	3-3/4	1-1/4	M12x1.75		1	300	30	20
KT5111	4	5	1	1/2-13 UNC		1-1/8	330	37	20
KT6111	5	6	1	1/2-13 UNC		1-1/8	370	42	20

Hardware

Plastic Bullet Feet

Item No.	G. W. (lb)	Qty./Case
FT-P3	18	200


Ø1-5/8" O.D. tube



Stainless Steel Bullet Feet

Item No.	G. W. (lb)	Qty./Case
FT-S3	30	72


Ø1-5/8" O.D. tube



Ø3-1/2" Flanged Bullet Feet


Item No.	G. W. (lb)	Qty./Case
FT-SP3	36	50

Ø1-5/8" O.D. tube



Equipment Legs w/ Plate


Item No.	G. W. (lb)	Qty./Case
FT-SS5	34	24
FT-SS6	41	24
FT-SS6-	41	24



S/S Surface Mount Hinge

Item No.	G. W. (lb)	Qty./Case
HI-BO6S	11	20


Secure with 5mm countersunk screws



S/S Surface Mount Hinge


Item No.	G. W. (lb)	Qty./Case
HI-BBQ48	11	20

Secure with 5mm countersunk screws




Countertop Appliance Leg

Item No.	A	G. W. (lb)	Qty./Case
FT-ZN2N	M10	28	72
FT-ZN4N	3/8	37	72




Stainless Steel Leg Socket

Item No.	G. W. (lb)	Qty./Case
S-LS3	36	50



Stainless Steel Leg Socket

Item No.	G. W. (lb)	Qty./Case
S-LST2	24	50



Aluminum Corner Brace Socket

Item No.	G. W. (lb)	Qty./Case
S-LAC	13	27

Designed for 1-5/8" O.D. vertical legs and 1-1/4" O.D. horizontal cross rails



Aluminum End Brace Socket

Item No.	G. W. (lb)	Qty./Case
S-LAE	17	50

Designed for 1-5/8" O.D. vertical legs and 1-1/4" O.D. horizontal cross rails



Aluminum Middle Brace Socket

Item No.	G. W. (lb)	Qty./Case
S-LAM	14	16

Designed for 1-5/8" O.D. vertical legs and 1-1/4" O.D. horizontal cross rails




Donut Tables & Accessories


Donut Glazing Tables

- 16 gauge stainless steel
- Ideal for making and glazing donuts
- All-welded construction for rigidity
- Rolls easily on heavy duty 5" stem casters
- Reinforced top and side edges provide extra strength
- Donut glazing accessories included
- Fryer screen not included

Premium Donut Table




Replacement:




KS 5113



DN-TBL & DN-TBLS pan



DN-TBLS-N pan






With 1" ball valve



Item No.	D x W x H (in)	Cut Out for DN-PAN	G. W. (lb)
DN-TBL	34-1/8 x 66-1/4 x 36	25 x 30-7/8	232

Donut Glazing Table



DN-TBLS-N pan has an angled edge with 1" NPS valve

Item No.	D x W x H (in)	Cut Out for DN-PAN-N	G. W. (lb)
DN-TBLS-N	33-9/16 x 29-1/4 x 35	26-1/4 x 30-9/16	71

Accessories


DN-BSS




DN-COVER



DN-DPR




DN-PAN-N (w/ drain)
For DN-TBL&DN-TBLS-N




Item No.	Description	Dimension (in)	G. W. (lb)	Qty./Case
DN-BSS	Donut Table Bottom Basket	23-5/8 x 23-5/8 x 14	26	1
DN-COVER	S/S Donut Table Cover		12	1
DN-DPR	S/S Glazing Dipper	4 x 24 x 9	25	5
DN-PAN-N	S/S Top Glazing Sugar Pan with 1" NPS Drain	24-1/4 x 30 (Inner Dimension)	17	1

Frying Screen & Flour Bins

Donut Frying Screens



DN-S1725
DN-S2424



DN-FS19
DN-FS23
DN-FS23N

Order No.	W x L (in)	Material	A (Ø in/mm)	B (Ø in/mm)	WS (in/mm)	Mesh #	G. W. (lbs)	Qty./Case
DN-FS19	19 x 19	Stainless Steel	0.251 / 6.4	0.043 / 1	0.197 / 5	4	29	10
DN-FS23	23 x 23	Stainless Steel	0.251 / 6.4	0.043 / 1	0.197 / 5	4	36	10
DN-FS23N	23 x 23	Stainless Steel	0.251 / 6.4	0.043 / 1.5	0.276 / 7	3	39	10
DN-S1725	25 x 17	Nickel Plated	0.248 / 6.3	0.133 / 3.4	0.63 / 16	/	37	10
DN-S2424	24 x 24	Nickel Plated	0.248 / 6.3	0.133 / 3.4	0.63 / 16	/	43	10


Two-Step Sliding Cover Flour Bins



Square Edge



Replacement Caster:
KP 4114



Item No.	Dimension (in)	Load Cap. (qt)	G. W. (lb)
DN-FB84	14-3/8 x 24 x 23-1/2	84	35
DN-FB100	14 x 29 x 23-1/2	100	39
DN-FB124	17 x 29 x 23-1/2	124	47

Plastic Flour Bin Cover



- Cover only
- For 9-1/4" x 14-1/4" bin opening

Item No.	Dimension (in)	G.W. (lb)	Qty./case
DN-FBC1510P	9-5/8 x 14-7/8	16	12

Pre-Rinse Faucets

Lead Free Faucets

All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

ANSI/A 112.18.1
1.8 GPM MAX @
60 PSI



Deck Mount

AA-981G




AA-984G



AA-985G



Replacement Parts



**AA-102G
AA-103G**

Optional Add-On Faucet:



AA-940G ~ AA-945G

Wall Mount


AA-987GT



AA-988GT



Replacement Parts



**AA-800RC
AA-800LH**

Optional Add-On Faucet:



AA-940G ~ AA-945G

Pre-Rinse Faucets

- Approximately 45" overall height
- Heavy duty brass construction and polished chrome finish
- Integral spring check valves to prevent cross-flow of hot & cold water

Item No.	Description	Inlets (in)	G. W. (lb)	Qty./Case
AA-981G	Single Deck Mount With 4" Spreader Unit Pre-Rinse Faucet	1/4 NPT or 1/2 NPS Male inlets	52	4
AA-984G	4" Deck Mount Heavy Duty Pre-Rinse Faucet	1/2 NPT Female	47	4
AA-985G	8" Deck Mount Heavy Duty Pre-Rinse Faucet		52	4
AA-987GT	8" Wall Mount w/ Vacuum Brake Heavy Duty Pre-Rinse Faucet		44	4
AA-988GT	8" Wall Mount Heavy Duty Pre-Rinse Faucet		50	4

Pre-Rinse Faucet Accessories

Lead Free Faucets


All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

ANSI/A 112.18.1
1.8 GPM MAX @
60 PSI

AA
FAUCET

NSF

Pre-rinse Faucet Parts & Accessories



Item No.	Description	G. W. (lb)	Qty./Case
AA-901G	12" & 18" Riser	31	25
AA-902G	Spring Retainer	51	100
AA-903	Rise Hook	19	100
AA-904	Spring Hose Guard	38	25
AA-905	Wall Bracket	21	20
AA-906G	Hose Grid	9	20
AA-911G	44" Hose Assembly w/ Grid	31	20
AA-912G	60" Hose Assembly w/ Grid	42	20
AA-910G	Pre-Rinse Spray Valve Assembly	26	20
AA-913	Plastic Handle for Spray Valve	10	100
AA-800RC	Stem Check Unit (Cold)	53	100
AA-800LH	Stem Check Unit (Hot)	53	100
AA-110G	Stem Check Unit	40	100

Pre-Rinse Add-On Faucet:



Add-on Faucets

Item No.	Description	G. W. (lb)	Qty./Case
AA-940G	Add-On Faucet (Base Only)	30	20
AA-941G	Rise For Add-On Faucet	8	50
AA-942G	Add-On Faucet w/ 8" Spout	42	24
AA-943G	Add-On Faucet w/ 10" Spout	49	24
AA-944G	Add-On Faucet w/ 12" Spout	50	24
AA-945G	Add-On Faucet w/ 14" Spout	56	24

8" Faucets

Lead Free Faucets
All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

ANSI/A 112.18.1
1.8 GPM MAX @
60 PSI

AA
FAUCET

NSF

8" Commercial Duty Faucet



Replacement Parts:



AA-700S



AA-700W



AA-RWNG



AA-100G & AA-101G
Standard Stem



AA-100C & AA-101C
Ceramic Stem

Item No.		Description	G. W. (lb)	Qty./Case
AA-700G	AA-700C	Base Only, No Spout	29	12
AA-700S	AA-700S	Supply Inlet for AA-7xx Series	25	100
AA-700W	AA-700W	Rubber Washer for AA-7xx Series	1.7	1000
AA-706G	AA-706C	Base w/ 6" Spout (AA-006)	39	12
AA-708G	AA-708C	Base w/ 8" Spout (AA-008)	39.5	12
AA-710G	AA-710C	Base w/ 10" Spout (AA-010)	40	12
AA-712G	AA-712C	Base w/ 12" Spout (AA-012)	40.5	12
AA-714G	AA-714C	Base w/ 14" Spout (AA-014)	41	12
AA-716G	AA-716C	Base w/ 16" Spout (AA-016)	41.5	12
AA-RWNG	AA-RWNG	Rear Pipe Nipple Washer & Lock Nut Set	6.1	100

- 1/2 NPT female inlets
- AA-700G comes with **standard** stem
- AA-700C comes with **ceramic** stem

8" Heavy Duty Faucet



Replacement Parts:



AA-800S



AA-800W



AA-800RC
AA-800LH



AA-RWNG

Item No.	Description	G. W. (lb)	Qty./Case
AA-800GT	Base Only, No Spout	51	12
AA-800S	Supply Inlet for AA-8xx Series	50	100
AA-800W	Rubber Washer	2	1000
AA-806GT	Base w/ 6" Spout (AA-006)	57	12
AA-808GT	Base w/ 8" Spout (AA-008)	57	12
AA-810GT	Base w/ 10" Spout (AA-010)	58	12
AA-812GT	Base w/ 12" Spout (AA-012)	59	12
AA-814GT	Base w/ 14" Spout (AA-014)	60	12
AA-816GT	Base w/ 16" Spout (AA-016)	61	12

- 1/2 NPT female inlets

8" All Stainless Steel Grade Faucet



Replacement Parts:



AA-800SS



AA-800W



AA-800RCS
AA-800LHS



AA-RWNG

Item No.	Description	G. W. (lb)	Qty./Case
AA-800GS	Base Only, No Spout	51	12
AA-800SS	Supply Inlet for AA-8xx Series	50	100
AA-800W	Rubber Washer	2	1000
AA-806GS	Base w/ 6" Spout (AA-006GS)	56	12
AA-808GS	Base w/ 8" Spout (AA-008GS)	57	12
AA-810GS	Base w/ 10" Spout (AA-010GS)	58	12
AA-812GS	Base w/ 12" Spout (AA-012GS)	59	12
AA-814GS	Base w/ 14" Spout (AA-014GS)	60	12
AA-816GS	Base w/ 16" Spout (AA-016GS)	61	12

- 1/2 NPT female inlets

8" Faucets

Lead Free Faucets
All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

ANSI/A 112.18.1
1.8 GPM MAX @
60 PSI

AA
FAUCET

NSF

8" Heavy Duty Service Sink Faucets



AA-840E



AA-840

Item No.	Description	Model	G. W. (lb)
AA-840	1/2" NPS Male Inlets	Old	60
AA-840E	1/2" NPS Male Inlets	New	60

- 5" spout, vacuum breaker & wall mounting bracket

AA-840E
Replacement Parts:



AA-840E-B

AA-840
Replacement Parts:



AA-840-P

new

4" & 8" Heavy Duty Deck Mount Faucet Base

Item No.	Description	G. W. (lb)	Qty./Case
AA-400G	4" Deck Mount	83	24
AA-891G	8" Deck Mount	48	12
AA-890G	8" Deck Mount	24	12

- 1/2" NPS female inlets



AA-891G



AA-890G



Replacement Parts:
AA-102G
AA-103G



Replacement Parts:
AA-161G
AA-162G

Black Epoxy Powder Coated Hose Reel

Item No.	W x L x H (in)	Hose Length	Qty./case	G. W. (lb)
AA-8535	15 x 15 x 7	35 ft	1	31
AA-8550	18 x 18 x 7.5	50 ft	1	40

- Designed for wall, ceiling or under counter mounting in a variety of commercial kitchen and janitorial locations.



Replacement Parts:
AA-910G




Optional:
AA-91085



Spouts

Gooseneck



Swivel



Double Joint Swivel



Item No.		Spout Type	L (in)	H (in)	G. W. (lb)
Brass	Stainless Steel				
AA-001G	AA-001GS	Gooseneck Spout	3-1/4	7-3/4	18
AA-002G	AA-002GS	Gooseneck Spout	6	8-1/4	20
AA-003G	AA-003GS	Gooseneck Spout	8-1/2	14	28
AA-006G	AA-006GS	Swivel Spout	6	3-7/8	17
AA-008G	AA-008GS	Swivel Spout	8	4-3/8	18
AA-010G	AA-010GS	Swivel Spout	10	4-3/4	18.5
AA-012G	AA-012GS	Swivel Spout	12	5-1/8	19
AA-014G	AA-014GS	Swivel Spout	14	5-5/8	20
AA-016G	AA-016GS	Swivel Spout	16	5-3/8	22
AA-018G	AA-018GS	Double Joint Swivel Spout	18	8-3/4	36

All **AA-xxxG** parts are made of brass & all **AA-xxxGS** parts are stainless steel.

4" Faucets

Lead Free Faucets
All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

ANSI/A 112.18.1
1.8 GPM MAX @
60 PSI

AA FAUCET

NSF

4" Wall Mount Faucets

AA-410G



Item No.		Description	G. W. (lb)	Qty./Case
AA-401G	AA-401C	Base Only, 4" Wall Mount	52	24
AA-410G	AA-410C	Base w/ 3-1/2" Gooseneck Spout	28	12
AA-412G	AA-412C	Base w/ 6" Gooseneck Spout	40	24

- 1/2" NPS male inlets
- AA-410G comes with **standard** stem
- AA-410C comes with **ceramic** stem

Replacement Parts:



AA-124
AA-125



AA-122GT
AA-123GT



AA-161G
AA-162G



AA-100C
AA-101C

4" Deck Mount Faucets

AA-420G



Item No.		Description	G. W. (lb)	Qty./Case
AA-402G	AA-402C	Base Only, 4" Deck Mount	55	24
AA-420G	AA-420C	Base w/ 3-1/2" Gooseneck Spout	33	12
AA-422G	AA-422C	Base w/ 6" Gooseneck Spout	48	24

- 1/2" NPS male inlets
- AA-420G comes with **standard** stem
- AA-420C comes with **ceramic** stem

Replacement Parts:



AA-124
AA-125



AA-122GT
AA-123GT



AA-161G
AA-162G



AA-100C
AA-101C

Glass Filler Faucet

Item No.	Dimension (in)	G. W. (lb)	Qty./Case
AA-HS157	5-1/4 x 12-1/8	3	1

- 1/2" NPS male inlet



Drop-In Glass Filling Station

Item No.	Dimension (in)	Sink Size (in)	Cut-Out Size (in)	G. W. (lb)
AA-HS1214	12 x 14 x 3	9 x 9	11 x 13	4.5
AA-HS1311	12-5/8 x 10-5/8 x 1-3/4	10 x 4-1/2	10-1/2 x 5	4

AA-HS157 faucet included

- 18 Gauge stainless steel
- 1/2" NPS male inlet



AA-HS1311



AA-HS1214

Wok Range & Single Faucets

Lead Free Faucets
All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

ANSI/A 112.18.1
1.8 GPM MAX @
60 PSI

AA
FAUCET

NSF

Manual Wok Range Faucets



- Heavy duty brass construction
- Polished chrome body
- Heavy duty, double O-ring swivel spout
- Chrome plated brass flange
- 1/2" NPS male inlets

Replacement Parts:



AA-104G-N

Item No.	Description	Thread NPT Male Inlet (in)	G. W. (lb)	Qty./Case
AA-513G	Chinese Wok Range Faucet w/ 14" Spout	1/2	50	20



- 2 years limited warranty (parts only)
- All stainless steel construction
- Commercial quality
- 1/2" NPS male inlets

Replacement Parts:



AA-513LHS

Item No.	Description	Thread NPT Male Inlet (in)	G. W. (lb)	Qty./Case
AA-513GS	Single Wall Mount Faucet w/ 14" Spout	1/2	50	20

Automatic Wok Range Faucets



- Chrome plated brass construction
- Thread NPT male inlet
- Center-on for use over one wok

Item No.	Thread Male Inlet (in)	Spout (in)	G. W. (lb)	Qty./Case
AA-510G	3/8	14	36	20
AA-511G	3/8	17	38	20
AA-517G	1/2	14	36	20

Dipperwell Faucet

Item No.	Description	G. W.
AA-503G	Dipperwell No Lead Faucet	0.7 lb
AA-503G-Stem	Stem for AA-503G	

- Heavy duty brass construction
- Polished chrome body
- 1/2" NPS male inlet

AA-503G

AA-503G-Stem



Beverage Dispensing Faucets

Item No.	Description	G.W. (lb)	Qty./Case
AA-150G	Faucet	53	96
AA-151	For AA-150G Repair Kit	19	100

- 1-1/32"-14 UNS male inlet
- Pressure 14 PSI, 0.93 BAR
- Max. temperature 212 °F, 100°C

AA-150G

AA-151



Hands-Free Faucets

Lead Free Faucets
All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

ANSI/A 112.18.1
1.8 GPM MAX @
60 PSI

AA FAUCET

NSF

Wall Mounted Hand Free Sensor Faucet



- Chrome plated brass construction
- Below-deck manual mixing valve
- Includes control module & water mixing valve
- 2.2 GPM flow rate gooseneck spout

new

Replacement:

AA-515HF-BOX AA-515HF-WM




Optional:

AA-EZB



AA-515HF-WM Installation:



Item No.	Description	G. W. (lb)	Qty./Case
AA-515HF	Hands-Free Sensor Faucet	41	6
AA-515HF-WM	Manual Water Mixing Valve	20	30

Foot & Knee Operated Single Valve

AA-202GSM



AA-203GSM



AA-203GSMB



AA-203GS



AA-202GS



- 1/2" NPT female inlet (x1)
- 1/2" NPT female outlet (x1)
- Made of stainless steel w/ built-in water mixer (AA-202GSM, AA-203GSM, AA-203GSMB)

Suggested Accessories:

AA-515G AA-515HF-WM AA-EZB AA-907GS AA-907G



Item No.	Description	G. W. (lb)	Qty./Case
AA-202GSM	Adj-Temp Single Pedal Foot Valve	42	10
AA-203GSM	Adj-Temp Single Pedal Knee Valve	43	9
AA-203GSMB	Adj-Temp Single Pedal Knee Valve w/Mounting Cover	50	8
AA-202GS	Foot Pedal Operation Valve	30	12
AA-203GS	Knee Action Valve	38	12

Foot & Knee Operated Double Valves

AA-202G



AA-203G



- 1/2" NPT female inlets (x2)
- 1/2" NPT female outlet (x1)

Suggested Accessories:

AA-515G AA-EZB AA-907GS AA-907G



Item No.	Description	G. W. (lb)	Qty./Case
AA-202G	Foot Pedal Operation Valve	45	12
AA-203G	Knee Action Valve	52	12

Faucet Parts & Glass Filler

Lead Free Faucets

All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.


ANSI/A 112.18.1
1.8 GPM MAX @
60 PSI

AA
FAUCET

NSF


Easy To Install & Flexible Water Supply Hose

new




AA-EZB

- 30" long hot & cold water hoses
- Stainless steel braided exterior
- 3/8" female compression adaptor included



Included & Replacement Parts:



Item No.	Description	Qty	G. W. (lb)	Qty./Case
AA-EZB	Flexible water supply installation kit w/ 30" hose	1 set / 2 pc	36	20
AA-EZA	1/2" NPS male w/ 3/8" female compression adaptor	1 set / 2 pc	38	20
AA-EZK	1/2" NPT elbow w/ shank, washer & lock nut	1 set / 1 pc	36	20

Single Wall Mount Faucet

Item No.	Dimension (in)	G. W. (lb)	Qty./Case
AA-515G	3-1/2 Gooseneck Spout	27	20

- Plated heavy duty
- Double O-ring swivel spout
- 1/2" NPT elbow
- Brass body with polished chrome
- Washer & locknut attached
- Single gooseneck spout



Single Deck Mount Faucet

Item No.	Dimension (in)	G. W. (lb)	Qty./Case
AA-516D	3-1/2 Gooseneck Spout	27	20


- Plated heavy duty
- Double O-ring swivel spout
- 1/2" NPS
- Brass body with polished chrome
- Washer & locknut attached
- Single gooseneck spout



Single Manual Operated Wall Mount Faucet Base

Item No.	Dimension (in)	G. W. (lb)
AA-501G	1/2" NPT	1.5 lb


- Single base lever handle
- 1/2" connection size
- Chrome plated brass construction
- Faucet base only



Single Manual Operated Deck Mount Faucet Base

Item No.	Dimension (in)	G. W. (lb)
AA-516G	1/2" NPS	1.5 lb

- Single base lever handle
- 1/2" connection size
- Chrome plated brass construction
- Faucet base only



Faucet Parts & Accessories

Lead Free Faucets
All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

ANSI/A 112.18.1
1.8 GPM MAX @
60 PSI

AA
FAUCET

NSF

Compression Stem Unit		
AA-100G-N	Right	Cold
AA-101G-N	Left	Hot
(For AA-7xxG Series)		
		32 lb 100 /case

Ceramic Stem Unit		
AA-100C	Right	Cold
AA-101C	Left	Hot
(For AA-4xxC & AA-7xxC Series)		
		32 lb 100 /case

Cartridge Stem Unit		
AA-102G	Right	Cold
AA-103G	Left	Hot
(For AA-9xxG & AA-8xxG Series)		
		43 lb 100 /case

Compression Stem Unit		
AA-104G-N	Right	Cold
(For AA-513G)		
		40 lb 100 /case

Cartridge Stem Unit		
AA-110G	Right	Cold
(For AA-940 Series)		
		40 lb 100 /case

Cartridge Stem Unit		
AA-800RC	Blue Index	
AA-800LH	Red Index	
(For AA-988GT & AA-8xxGT only)		
		43 lb 100 /case

Cartridge Stem Unit		
AA-800RCS	Blue Index	
AA-800LHS	Red Index	
(For AA-8xxGS only)		
		42 lb 100 /case

Cartridge Stem Unit		
AA-513LHS	Metal Index	
(For AA-513GS only)		
		42 lb 100 /case

Compression Stem		
AA-161G-N	Right	Cold
AA-162G-N	Left	Hot
(For AA-890G, AA-41x, AA-42x)		
		10 lb 100 /case

Glass Rinser	
AA-520	6" x 6" x 3-1/8"
G1/2" Cold	
	
0.83 lb 1 /case	


Handles with Index Kit		
AA-122	Blue Index	
AA-123	Red Index	
		
16 lb 100 /case		

4" Wrist Handles Kit		
AA-124	Right	Cold
AA-125	Left	Hot
		
23 lb 100 /case		


Supply Nipple Unit	
AA-RWNG	1-1/2" x 3-3/8"
1/2" NPT	
	
0.13 lb 1 /case	

Stem for AA-503G	
AA-503G-Stem	
• For AA-503G	
	

Spray Valve Bonnet	
AA-907G	For AA-910G, AA-20xGx
AA-907GS	For AA-20xGSM
	
25 lb 100 /case	

1/2" NPT Male 3/8" Female Adaptor		
AA-EZA	0.5 lb	1 set / 2 pc
• 1/2" NPS male. 3/8" female compression adaptor		
		
1/2" NPS male adaptor 9/16-24 UN female (3/8" compression)		

Faucet Aerators	
AA-00S05	0.5 GPM
AA-00S15	1.5 GPM
AA-00GS	4.0 GPM
(For AA-513G)	
	
3 lb 100 /case	

1/2" NPT Elbow With Shank		
AA-EZK	0.5 lb	1 set / 1 pc
• 1/2" NPT elbow with shank, washer & lock nut		
		
1/2" NPT male close elbow 1/2" NPT inlet shank Shank lock nut Brass lock washer		

1/2" NPT Kit Wall Mount Faucet		
AA-KIT	0.5 lb	1 set / 1 pc
• 1/2" NPT 90 degree brass sweat elbows • For 1/2" NPT female faucet water inlets • 1/2" NPT brass pipe nipples • Deep rosette basin washers		
		

Waste Drains & Strainers



Lever Handle Operated Waste Drain

Item No.	Sink Opening (in)	Drain Outlet (in)	G. W. (lb)	Qty./Case
AA-300	3-1/2	1-1/2	46	12
AA-302	3-1/2	2	46	12
AA-300B	S/S Bracket for Lever Handle		0.28	1



AA-300B Installation:



Twist Handle Operated Waste Drain

Item No.	Sink Opening (in)	Drain Outlet (in)	G. W. (lb)	Qty./Case
AA-301	3-1/2	1-1/2	47	12
AA-303	3-1/2	2	46	12
AA-301B	S/S Bracket for Twist Handle		0.26	1



AA-301B Installation:




Twist Handle Operated Waste Drain With Overflow

Item No.	Sink Opening (in)	Drain Outlet (in)	G. W. (lb)	Qty./Case
AA-307	3-1/2	2	29	4




AA-307 Installation:



1" NPT Drain Outlet Stainless Steel Linear Drains

Item No.	D x W (in)	Cut Out Size (in)	lb/ ea.
WT-PS30S	3-1/2 x 30	3-1/2 x 30	4
WT-PS36S	3-1/2 x 36	3-1/2 x 36	5
WT-PS42S	3-1/2 x 42	3-1/2 x 42	6
WT-PS48S	3-1/2 x 48	3-1/2 x 48	7
WT-PS60S	3-1/2 x 60	3-1/2 x 60	8

See page 85 for more information



3-1/2" Sink Opening Strainer

Item No.	lb/ ea.	Qty./Case
AA-137	0.8	50

1-1/2" NPS Drain Outlet
For 3-1/2" Sink Opening

Replacement Parts:



AA-142



AA-155

2" Snap-On Shower Drain

Item No.	Material	lb/ ea.	Qty./Case
AA-153	Plastic	0.44	50
AA-153S	S/S	0.7	50

For 3-1/2" Sink Opening



3-1/2" Basket Drain with Waste Strainer

Item No.	lb/ ea.	Qty./Case
AA-139D	0.44	50
AA-139	0.7	50

For 3-1/2" Sink Opening



AA-139



AA-139D

Sink Strainer Replacement Parts

Item No.	Description	Qty./Case
AA-142	S/S Basket	200
AA-155	S/S Strainer	50
AA-135	S/S Strainer for AA-143	50
AA-136	S/S Strainer for AA-144	50

AA-142

AA-155

AA-135

AA-136



Sink Strainer Replacement Parts

Item No.	Description	Qty./Case
AA-300-O	2" O-Ring Plunger	2000
AA-300-OF	3-1/2" Rubber Gasket	1000

AA-300-O

AA-300-OF




Overflow Pipes & Floor Sinks w/ Accessories



1" Bar Sink Drains

Item No.	D1	D2	Height (in)	lb/ ea.
AA-143	1"	2"	1-1/2"	0.26
AA-144	1"	2"	3-1/4"	0.43

1" NPS Drain Outlet for 1-3/8" Sink Opening




Optional: AA-135



1-1/4" Bar Sink Drains

Item No.	D1	D2	Height (in)	lb/ ea.
AA-144-8	1-1/8"	1-5/8"	2"	0.44

1" NPS Drain Outlet for 1-1/4" Sink Opening



Optional: AA-136



1-7/8" S/S Basket Strainer

Item No.	lb/ ea.	Qty./Case
AA-141	0.33	100

1-1/2" NPS Drain Outlet for 1-7/8" Sink Opening



Optional:
AA-141-A




Replacement:
AA-141-I




S/S Overflow Pipes for 1" Drain

Item No.	D	L	lb/ ea.
AA-146	1"	8"	0.16
AA-147	1"	10"	0.18




S/S Overflow Pipes for 1-1/4" Drain

Item No.	D	L	lb/ ea.
AA-148-8	1-1/8"	8"	0.2
AA-148	1-1/8"	10"	0.22



S/S Overflow Pipes for 1-7/8" Drain

Item No.	D	L	lb/ ea.
AA-149	1-3/4"	10"	0.26
AA-149-8	1-3/4"	8"	0.24



Drop-In Floor Sink & Accessories



- 12" x 12" drop-in floor sink
- Available with 2" and 3" drain hole
- Comes with dome strainer
- Works well with sink basket or grate

Floor Sink & Dome Strainer

Item No.	Description	lb/ ea.
FS-1262	12" x 12" x 6", 2" drain	25
FS-1263	12" x 12" x 6", 3" drain	26
FS-DS	Ø5-1/2" dome strainer	0.4



FS-DS

Cover Floor Sink Basket

Item No.	Description	lb/ ea.
FS-BS	10" x 10" x 2-1/2"	1
FS-BS5	10" x 10" x 5"	1.9



FS-BS



FS-BS5

Drop-In Floor Sink Basket

Item No.	Description	lb/ ea.
FS-PB	8-1/2" x 8-1/2"	0.4
FS-BSI	8-1/2" x 8-1/2" x 3"	1.1



FS-PB



FS-BSI

9-3/8" x 9-3/8" Floor Sink Grate

Item No.	Description	lb/ ea.
FS-T1/2	1/2 open	0.5
FS-T3/4	1/4 open	0.51
FS-TF	closed	0.52



FS-T3/4

FS-T1/2

FS-TF



Floor Drains & Floor Troughs


• This floor trough can be installed beneath steam equipment for convenient end-of-day draining.

• Also can be used at any other operation that requires draining of excessive amounts of water.

Replacement Accessory

Item No.	Material	Qty./Case
AA-153S	S/S	50

For 2" Pipe




FSD-xxxx


Overall height 4-1/2"
(from top to drain opening)

FST-xxxx, FST-C & FST-Exx

Overall height 5-3/4"
(from top to bracket bottom)




Dash line: bracket




All S/S Floor Trough w/ Grating


Item No.	D x W x H (in)	Drain outlet (in)	lb/ ea.
FST-1224	14 x 22 x 5-3/4	Ø3-1/2	25
FST-1236	14 x 34 x 5-3/4	Ø3-1/2	39
FST-1248	14 x 46 x 5-3/4	Ø3-1/2	44
FST-1260	14 x 58 x 5-3/4	Ø3-1/2	60
FST-1272	14 x 70 x 5-3/4	Ø3-1/2	70
FST-C	20 x 20 x 5-3/4	No Drain	24
FST-E12	14 x 11 x 5-3/4	No Drain	25
FST-E24	14 x 23 x 5-3/4	Ø3-1/2	25



FST-1248



FST-E



FST-C

• Custom Made Sizes Available •

All S/S Floor Drain w/ Grating

Item No.	D x W x H (in)	Drain outlet (in)	lb/ ea.
FSD-1212	14 x 14 x 4-1/2	Ø3-1/2	12
FSD-1224	14 x 26 x 4-1/2	Ø3-1/2	25
FSD-1236	14 x 38 x 4-1/2	Ø3-1/2	39
FSD-1248	14 x 50 x 4-1/2	Ø3-1/2	44
FSD-1260	14 x 62 x 4-1/2	Ø3-1/2	60
FSD-1272	14 x 74 x 4-1/2	Ø3-1/2	77

FSD-1248



• Custom Made Sizes Available •

Lockers



Ideal for restaurants, schools, industry, offices and recreational facilities!

- Constructed of strong steel coated in gray powder finish
- Leg space for easy cleaning
- Louvered door with flush pull or handle that will accept padlock
- Name plate or tag holder included
- Ship assembled or unassembled

Item No.	Doors Opening (in)	Dimension (in)	Doors	G. W. (lb)
EL-2DR	10-3/16 x 33-9/16	12 x 20 x 77	2	60
EL-5DR	10-3/16 x 13	12 x 20 x 77	5	65
EL-6DR	10-3/16 x 10-9/16	12 x 20 x 77	6	70
ELS-5DR	10-3/16 x 13	12 x 16 x 77	5	60
ELS-6DR	10-3/16 x 10-9/16	12 x 16 x 77	6	65



- Comes with hanging coat tube

Item No.	Doors Opening (in)	Dimension (in)	Doors	G. W. (lb)
ELS-4DR	10-3/16 x 10-9/16	45 x 16 x 13	4	42

ELS-16DR is combination of 1 ELS-4DR with 2 ELS-6DR



- Comes with hanging coat tube

Item No.	Doors Opening (in)	Dimension (in)	Doors	G. W. (lb)
ELS-16DR	10-3/16 x 10-9/16	68 x 16 x 77	16	175

Electric Enclosed Holding Cabinets

Electric Enclose Mobile Holding Cabinet



**Holding
Proofing**



Holding



Model No.	Dimension (in)	Style	Function	Capacity	G.W. (lb)
AAR-40EH	20-1/2 x 29-3/4 x 66-1/2	Non-Insulated	Holding	35x Sheet Pans (18" x 26")	136
AAR-40E	20-1/2 x 29-3/4 x 66-1/2	Non-Insulated	Holding & Proofing	35x Sheet Pans (18" x 26")	140
AAR-40EI	20-1/2 x 29-3/4 x 66-1/2	Insulated	Holding & Proofing	35x Sheet Pans (18" x 26")	150

LED Electric Enclose Mobile Holding Cabinet



Item No.	AAR-40E-LED
Dimension (in)	20-1/2 x 29-3/4 x 66-1/2
Style:	Non-Insulated
Capacity:	28x Sheet Pans (18" x 26")
G. W. (lb)	235

- 16 Amps, 120V & 2000W

Item No.	AAR-40EI-LED
Dimension (in)	20-1/2 x 29-3/4 x 66-1/2
Style:	Insulated
Capacity:	28x Sheet Pans (18" x 26")
G. W. (lb)	250

- 16 Amps, 120V & 2000W

Heavy Duty Electric Insulated Mobile Pan Cabinet



AAR-40EHIS

Item No.	AAR-40EHIS
Dimension (in)	27-3/8 x 32 x 71
Style:	Single Door Insulated
Capacity:	18x Sheet Pans (18" x 26") 34x Full Size Food Pans
G. W. (lb)	197

- 16 Amps, 120V & 2000W

Half Size Electric Enclose Mobile Holding Cabinet



Item No.	AAR-40ES
Dimension (in)	20-1/2 x 29-3/4 x 30-1/2
Style:	Non-Insulated
Capacity:	11x Sheet Pans (18" x 26")
G. W. (lb)	125

- 16 Amps, 120V & 1440W

Item No.	AAR-40ESI
Dimension (in)	20-1/2 x 29-3/4 x 66-1/2
Style:	Insulated
Capacity:	11x Sheet Pans (18" x 26")
G. W. (lb)	150

- 16 Amps, 120V & 1440W



AAR-40EHID

Item No.	AAR-40EHID
Dimension (in)	27-3/8 x 32 x 71
Style:	Dutch Door Insulated
Capacity:	18x Sheet Pans (18" x 26") 34x Full Size Food Pans
G. W. (lb)	250

- 16 Amps, 120V & 2000W

All-welded Racks

All-welded Enclose Mobile Pan Cabinet



Item No.	AAR-40
Dimension (in)	20-3/4 x 26-3/4 x 67-7/8
Pan Size	18 x 26
G. W. (lb)	87
Pan Capacity	40

- For 18" width bun pans
- Welded angle slides
- Non-insulated
- 1-1/2" between tracks

KP6112 (6" casters)



All-welded Bun Rack



Item No.	AAR-2022W
Dimension (in)	20-1/4 x 26 x 70
Pan Size	18 x 26
G. W. (lb)	34
Pan Capacity	20
Load Capacity	300

- For 18" width bun pans
- Welded angle slides
- Aluminum

KS6114B (6" casters)



All-welded Half Size Pan Rack



Item No.	AAR-0922W
Dimension (in)	20-1/4 x 26 x 42
Pan Size	18 x 26
G. W. (lb)	25
Pan Capacity	9

- For 18" width bun pans
- Welded angle slides
- Aluminum

KS6114B (6" casters)



Space Saving Bun Pan Rack



Knock-Down Version

Item No.	AAR-2022S
Dimension (in)	20 x 26 x 70
Rack Size	18 x 26 x 2-1/2
G. W. (lb)	38
Pan Capacity	20
Load Capacity	400lb

- For 18" width bun pans
- Welded angle slides
- Aluminum

All-Welded Version

Item No.	AAR-2022S-W
Dimension (in)	20 x 26 x 70
Rack Size	18 x 26 x 2-1/2
G. W. (lb)	38
Pan Capacity	20
Load Capacity	400lb

- For 18" width bun pans
- Welded angle slides
- Aluminum

KS6114A



All-welded Can Rack



Item No.	AAR-CRAW
Dimension (in)	26 x 35 x 71
Levels	9
G. W. (lb)	57

- Holds up to 162 cans (#10) or 216 cans (#5)
- Easy product access
- Convenient selection inventory
- Aluminum

KS6113CR
(6" casters)



Half-Size Version

Item No.	AAR-CRAW41
Dimension (in)	25 x 35 x 42
Levels	4
G. W. (lb)	51

- Holds up to 72 cans (#10) or 95 cans (#5)
- Mobile counter alloy construction 3/16"
- Easy product access
- Aluminum

KS6113CR
(6" casters)



All-welded Racks

All-welded Glassware Rack



Item No.	AAR-9GW
Dimension (in)	22-1/4 x 22 x 70
Rack Size	20-1/4 x 26 x 6-1/2
G. W. (lb)	25
Pan Capacity	9

- Store 20" x 20" glass racks
- Welded angle slides
- Glassware racks excluded
- Aluminum

KS6114B (6" casters)



All-welded Bun Pan Rack



Item No.	ASR-2022W
Dimension (in)	20-1/4 x 26 x 72
Rack Size	18 x 26 x 2-1/2
G. W. (lb)	61
Pan Capacity	20
Load Capacity	400lb

- For 18" width bun pans
- Welded angle slides
- Stainless steel

KS6114 (6" casters)



All-welded Bun Pan Rack



Item No.	ASR-2022WH
Dimension (in)	21-1/2 x 26 x 71
Pan Size	18 & 13
G. W. (lb)	133
Pan Capacity	20
Load Capacity	500lb

- For 18" & 13" width pans
- Welded angle slides
- Stainless steel

KP6111 (6" casters)



All-welded Oval Tray Rack



Item No.	ASR-2426W
Dimension (in)	24-1/2 x 26 x 58-1/2
G. W. (lb)	98
Pan Capacity	5

- Holds 75 lb per level, not to excess 375 lb per unit
- Comes with corner bumper
- Stainless steel

KP6112(6" casters)



All-welded Pan Tree Rack



Item No.	DN-RA16
Dimension (in)	21 x 21 x 65
Pan Size	20 x 21 x 2-1/2
G. W. (lb)	77
Pan Capacity	16

- 2-1/2" between shelves
- Welded hard frame
- Stainless steel

KP4114 (4" casters)



All-welded Universal Rack



Item No.	AAR-0620W
Dimension (in)	20 x 26 x 70
Pan Size	18 x 26 x 10
G. W. (lb)	38
Pan Capacity	6

- For 18" width bun pans
- 10" shelf spacing
- Aluminum

KS6114B (6" casters)



All-welded Racks

All-welded Dunnage Racks




- Aluminum
- Use in packing area, storage and display
- Ideal for any off floor storage application
- All-welded, high tensile aluminum tube construction
- **Only 60" long comes with 6 legs**



Item No.	Dimension (in)	G. W.	Qty./Case
RA-1214	12 x 14 x 8	24 lb	6
RA-2414	24 x 14 x 8	34 lb	6
RA-3614	36 x 14 x 8	43 lb	6
RA-4814	48 x 14 x 8	55 lb	6
RA-6014	60 x 14 x 8	69 lb	6



Item No.	Dimension (in)	G. W.	Qty./Case
RA-1220	12 x 20 x 8	31 lb	6
RA-2420	24 x 20 x 8	51 lb	6
RA-3620	36 x 20 x 8	58 lb	6
RA-4820	48 x 20 x 8	68 lb	6
RA-6020	60 x 20 x 8	92 lb	6



Item No.	Dimension (in)	G. W.	Qty./Case
RA-2424	24 x 24 x 8	50 lb	6
RA-3624	36 x 24 x 8	67 lb	6
RA-4824	48 x 24 x 8	83 lb	6
RA-6024	60 x 24 x 8	104 lb	6

Heavy Duty B-Lift Bakery Oven Rack

Item No.	Dimension (in)	Pan Cap.	Material	Load Style
AAR-1828HT	18 x 28-1/2 x 69	10	Aluminum	Side Load
AAR-2026HT	20-3/8 x 26 x 69	15	Aluminum	End Load
ASR-1828HT	18 x 28-1/2 x 69	10	S/S	Side Load
ASR-2026HT	20-3/8 x 26 x 69	15	S/S	End Load



- High Quality Hi-Temp Resistant 5" swivel casters for easy maneuvering

KS5113HT (5" casters)



Rack Lift Style
For Baxter B-lift Oven

Bun Pan Rack Cover



Item No.	Description
AAR-20CC	Clear Plastic
AAR-20CW	White Plastic cover w/ clear front

- For 21" x 26" x 70" rack
- Comes w/ two zippers
- Plastic

AAR-20CC AAR-20CW

All-welded 6 Pans Rack Work Top Cart

Item No.	Dimension (in)	Load Cap.	G. W. (lb)
MT-M3024	30 x 24 x 28	350 lb	46
MT-M3030	30 x 30 x 28	400 lb	56

- 1/2" deep marine edge
- Shelf capacity: 30lb each level
- 2-7/8" between shelves
- Stainless steel



KS5113 (5" casters)



Knock-Down Racks

Knock-Down Aluminum Countertop 7 Pan Rack



Item No.	AAR-1507
Dimension (in)	24 x 20-1/4 x 23
Pan Size	18 x 26 x 2-1/2
Load Style	End Load
G. W. (lb)	10

- End load style half size rack
- Designed for 18" x 26" pans
- 7 pans load capacity



Knock-Down Pan Rack



Item No.	ASR-1915
Dimension (in)	15 x 22 x 68
Pan Size	13 x 21
G. W. (lb)	51
Pan Capacity	19

- For 12-13/16" steam table pan
- Welded angle slides
- Shipped knock-down
- Stainless steel

KS6114 (6" casters)



Knock-Down Refrigerator Storage Pan Rack



Item No.	AAR-1520
Dimension (in)	20-1/8 x 23 x 50
Pan Size	18 x 26 x 2-1/2
G. W. (lb)	25
Pan Capacity	15

- For 18" width bun pans
- Welded angle slides
- Shipped knock-down
- Casters optional
- Aluminum

Knock-Down Bun Rack



Item No.	AAR-2022 AAR-2022A
Dimension (in)	20-1/4 x 26 x 72
Pan Size	18 x 26 x 2-1/2
G. W. (lb)	38
Pan Capacity	20

- For 18" width bun pans
- Welded angle slides
- Knock-Down design
- Aluminum

KS6114B

KS6114A



For AAR-2022



For AAR-2022A

Knock-Down Bus Boxes Storage Rack



Item No.	AAR-0618
Dimension (in)	18-1/8 x 26 x 70
Box Size	15 x 26
G. W. (lb)	26
Pan Capacity	6
Load Capacity	300lb

- Store 15" bus box
- Welded sanitary aluminum
- Bus box excluded
- Shipped knock-down

KS6114B (6" casters)



Knock-Down Display Rack



Item No.	AAR-0629S
Dimension (in)	29 x 18 x 71
Pan Size	18 x 26
G. W. (lb)	28
Pan Capacity	7

- For 18" width bun pans
- Welded angle slides
- Knock-Down design
- Aluminum

KS6114B (6" casters)



Wire Racks

S/S & Aluminum Sheet Pan




- Rod reinforced beaded rim for durability
- Perfect for toasting, baking & broiling
- Non-rusting reinforce rod
- Provides even heat distribution
- Tapered design for easy stacking

Item No.	Dimension (in)	Material	Gauge
ASR-1915F22	12-3/4 x 20-3/4 x 1-1/4	S/S	22
AAR-2022F16	18 x 26 x 1-1/4	Aluminum	16
AAR-2022F18	18 x 26 x 1-1/4	Aluminum	18

Compatible Model					
Item No.	Qty.	Item No.	Qty.	Item No.	Qty.
AAR-0629S	7	AAR-2022F	100	AAR-40E	35
AAR-0620W	6	AAR-2022W	20	C-PD2027	10
AAR-0922W	9	AAR-1507	7	MT-M3024/30	6
AAR-1520	15	ASR-2022W	20	ASR-1915	19
AAR-2022	20	AAR-40	40	DN-TBL	10

Easy Lift Bucket Rack



- All-welded stainless steel construction
- Axis rotate 115 degree
- Pull force is less than 5 lb
- Draining height 8"
- Fit for Ø13" x 16" height buckets

Item No.	Dimension (in)	G. W. (lb)	Qty./Case
ASR-SL11	15 x 16-1/2 x 20-1/2	15	1

T-Shirt Bag Rack

Item No.	Diameter (in)	G. W. (lb)	Qty./Case
ACT-CSBR	12-1/4 x 13 x 13-7/8	9	2



- Designed to work perfectly w/ 1/6 & 1/5 size bags
- Keeps check-out & take-out lines moving quickly



Chrome Plated Wire Multi-Functional Rack

Item No.	Diameter (in)	G. W. (lb)	Load Cap. (lb)
RA-M1510	15 x 10 x 8	4.5	500
RA-M1524	15 x 25-1/4 x 8	8.5	900



- Use in packing area and storage
- Perfect for displaying product
- Ideal for off floor storage application
- All-welded, high tensile Ø7.7mm rod



Pan Cover Wire Rack

Item No.	Diameter (in)	G. W. (lb)	Qty./Case
RA-PC1124	11 x 24 x 7-1/2	4	1



- All-Welded stainless steel construction
- Keeps all pot & pan lids organized



Cutting Board Wire Rack

Item No.	Diameter (in)	G. W. (lb)	Qty./Case
CBR-C	12 x 13 x 10	9	2



- All-Welded chrome plated cutting board rack
- It can hold 8 cutting boards



Cookwares

Stainless Steel Ladles

Item No.	Ladles Dia. (in)	Capacity (oz)	G. W. (lb)
LD-S	4-3/8	7.2	31
LD-M	4-3/4	9.2	41
LD-L	5-1/8	10.4	44
LD-XL	5-3/4	15.2	49
LD-32	6-1/2	32	45



25/case

LD-32



50/case

LD

Stainless Steel Turners

Item No.	Open Width (in)	G. W. (lb)
TN-S	3-3/4	26
TN-M	4	31
TN-L	4-1/4	38
TN-XL	4-1/2	44



50/case

Stainless Steel Turners

Item No.	Skimmer Dia. (in)	Handle (in)	G. W. (lb)
SK-9	9	6-1/2	30
SK-10	10	6-1/2	33
SK-12	12	7-1/2	38



25/case

Wooden Handles

Item No.	Handle Made for Specific Model	G. W. (lb)
LD-WHS	LD-S, TN-S & TN-M	30
LD-WHM	LD-M, LD-L & TN-L	33
LD-WHL	LD-XL & TN-XL	38




50/case

Nickel Sediment Tray

Item No.	Dimension (in)	G. W. (lb)	Qty./Case
ACT-SETR35	11-1/4 x 14-5/8 x 4	15	4
ACT-SETR45	12-1/4 x 14 x 6-1/2	16	4

- ACT-SETR35 is sediment tray for MJ-35
- ACT-SETR45 is sediment tray for MJ-45



S/S Wire Vegetable Basket

Item No.	Diameter (in)	G. W. (lb)	Qty./Case
STR-P09	9	22	20



Heat Resistant Stainless Steel Ladles

Item No.	Ladles Dia. (in)	Capacity (oz)	G.W.(lb)
SP-S4	3-1/8	4	30




100 /case

Woks & Pots

Woks

WK-09SC



(Cover included)

WK-14S



**Hand Hammered Wok:
WK-xx**



Item No.	Material	Handle Type	Dia. (in)	Wok Height (in)	G. W. (lb)	Qty./Case
WK-09SC	Stainless Steel 18 gauge	2 Handles	9	2-1/2	20	12
WK-14S		Single Handle	14	4	37	12
WK-16S			16	4	39	12
WK-16	Iron 18 gauge	2 Handles	16	5	19	5
WK-17			17	5	23	5
WK-18			18	5-1/2	26	5
WK-19			19	6	29	5
WK-20			20	6	31	5
WK-22			22	7	35	5
WK-24			24	7	37	5
WK-26			26	9	42	5
WK-28			28	9	47	5
WK-30			30	9-1/2	70	5
WK-18P		Single Handle	18	5-1/2	28	5
WK-20P			20	6	33	5

Pots

POT-xxxxP



Optional Accessories:

**Perforated Pot Basket
(all sizes)**



POT-xxxxB

- Stainless steel pot
- Cover included

Custom Option




Drain Valve

Item No.	Dia. x H (in)	Gauge	Qt.	G. W. (lb)	Qty./Case
POT-1616P	15-3/4 x 15-3/4	19	53	18	1
POT-2024P	19-3/4 x 23-3/4	18	120	37	1
POT-2424P	23-3/4 x 23-3/4	18	170	51	1
POT-1616B	13 x 13	19		10	1
POT-2024B	17 x 21	18		22	1

Grease Interceptors

Grease Interceptors


- New quick-connect latching system & removable baffles allows for easy cleaning
- Injection molded in high quality thermoplastic
- Recess extension risers are available
- 10 years extended warranty



GPM: Gallons Per Minute
LPS: Liters Per Second

Item No.	Size GPM/ lb	Connection Size (in)	Flow Rate GPM / LPS	Actual Grease Cap. lb.	kg	Dimension (in) W x L x H	G. W. (lb)
3915A02	15 / 30	2	15 / 0.94	40.97	18.58	17.5 x 14.5 x 16.4	22.1
3920A02	20 / 40	2	20 / 1.26	76.4	34.65	17.31 x 23.5 x 16.5	26.85
3925A02LO	25 / 50	2	25 / 1.58	53.4	24.22	31 x 23.5 x 11	45
3925XTA03	25 / 50	3	25 / 1.58	73.01	33.11	31.25 x 18.5 x 16.25	37.77
3935A03	35 / 70	3	35 / 2.21	138.5	62.8	31 x 23.5 x 17.5	54
3935A04	35 / 70	4	35 / 2.2	138.5	62.8	31 x 23.5 x 17.5	57
3950A03	50 / 100	3	50 / 3.15	122	55.3	31 x 23.5 x 23.5	65
3950A04	50 / 100	4	50 / 3.15	122	55.3	31 x 23.5 x 23.5	70

Grease Interceptors Extension Kits



3925A02LO

LO-PRO

- Based on the same dimensional footprint as our successful 35gpm and 50 gpm models
- This latest 25gpm addition has an overall height of just 11inches, which still meets the requirements of ASME a112.14.3

Item No.	A (in)	B (in)	For	G. W. (lb)
3920AX6	23.6	7	3915A02C, 3920A02, 3925A03	10
3935AX6	31	7	3935A03, 3935A04, 3950A03, 3950A04	70
3925AX6	-	-	3925XTA03	2

Grease Interceptors

XL Grease Interceptors


- Offering the highest fat, oil & grease separation efficiency that is compacted in a high capacity footprint
- Using the latest materials technology & hydromechanical design
- Designed from the ground up to offer convenience & durability

Inlet baffle / flow control opens and closes for easy inspection and cleaning.

XL75



XL100



GPM: Gallons Per Minute
LPS: Liters Per Second

Item No.	Size GPM/ lb	Connection Size (in)	Flow Rate GPM/ LPS	Actual Grease Capacity (ASME 112.14.3)		G. W. (lb)
4075A04	75 / 150	4	75 / 4.73	559lb.	253kg	251
4075A04T	75 / 150	4	75 / 4.73	559lb.	253kg	254
40100A04	100 / 200	4	100 / 6.31	1058lb.	480kg	302
40100A04T	100 / 200	4	100 / 6.31	1058lb.	480kg	302

Full Stainless Steel Waste Receptacles



- All S/S waste receptacle w/ top tray shelf
- Single Ø10-1/2" opening for refuse disposal
- Doors open 270 degrees for easy access to waste bins
- Durable stainless steel construction for easy-to-clean applications



Replacement Part:
FT-ZN2N
2-1/2" adjustable leg



Optional Replacement:
KT-2111
2-5/8" Caster w/ brake

Item No.	Dimension (in)	Inner Space (in)	Trash Can Gallon	G. W. (lb)
S-WRA	21-1/2 x 21-1/2 x 54-1/2	20 x 19-1/4 x 32-1/2	27	101
S-WRA32	26 x 26 x 54-1/2	24-1/2 x 23-3/4 x 32-1/2	32	138

Swinging Traffic Doors



Swinging Traffic Door

new



- Available in aluminum and stainless steel
- Easy to open from both sides
- Reinforced doors allow for years of use
- Safety hinge assembly and bottom pins included
- Increases speed and efficiency while separating customer and service areas

Replacement: DR-AD-H or DR-SD-H



Custom Made
Sizes Available

Item No.		Dimension (in)	Description	Qty./Case
Aluminum	Stainless Steel			
DR-AS1882	DR-SS1882	18 x 84	Single swing door	1
	DR-SS2482	24 x 84	Single swing door	1
DR-AS3082		30 x 84	Single swing door	1
DR-AS3682	DR-SS3682	36 x 84	Single swing door	1
DR-AD6082	DR-SD6082	60 x 84	Double swing door	1
DR-AD7282	DR-SD7282	72 x 84	Double swing door	1
DR-AD-H	DR-SD-H	-	Door hinge	1

Aluminum Double Swinging Café Door

new



- Light weight
- Easy to open from both sides
- Reinforced surface spines allow for years of use
- Safety hinge assembly and bottom pins included
- Increases speed and efficiency while separating customer and service areas

Custom Made
Sizes Available


Aluminum	Dimension (in)	Description	Qty./Case
DR-AD4846	48 x 46	Double swing door	1
DR-AD-H	-	Door hinge	1

Air Curtains & Fly Trap Lamp

Super Power Commerical Air Curtains



- Fire proof and anti-erosive metal case
- Voltage: 110-120V AC, 60 Hz
- Max installation height: 84"
- Indoor use only
- Magnetic door switch included
- UL certified



MAG-SW
magnetic switch

Item No.	Dimension (in)	Voltage (V/ Hz)	Power		Air Speed (FPM)		Noise (dB)		Air Volume (CFM)		G. W. (lb)
			Watt	HP	Hi	Lo	Hi	Lo	Hi	Lo	
FM-1509S (36")	35-1/2 x 8-5/8 x 10-3/8	120V 60Hz	300	0.4	2559	1968	58	56	1177	942	33.1
FM-1510S (42")	41-3/4 x 8-5/8 x 10-3/8		350	0.47			58	56	1354	1059	37.5
FM-1512S (48")	47-5/8 x 8-5/8 x 10-3/8		350	0.47			59	57	1648	1295	43
FM-1515S (60")	59 x 8-5/8 x 10-3/8		400	0.54			60	58	2119	1648	48.5
TZ-MAG-SW	Magnetic Door Switch Included (12 VDC, Normally Open)										

TZ-6001



TZ-6002



TZ-6003



TZ-6104



Item No.	Description	Current Limit	G. W. (lb)/ ea.	Qty./Case
TZ-6001-15A	Micro Switch, Plunger Only	15A	0.3	50
TZ-6001-20A	Micro Switch, Plunger Only	20A	0.3	50
TZ-6002-15A	Micro Switch, Plunger & Horizontal Roller	15A	0.3	50
TZ-6002-20A	Micro Switch, Plunger & Horizontal Roller	20A	0.3	50
TZ-6003-15A	Micro Switch, Plunger Only & Vertical Roller	15A	0.3	50
TZ-6003-20A	Micro Switch, Plunger Only & Vertical Roller	20A	0.3	50
TZ-6104-20A	Micro Switch, Roller Plunger	20A	0.3	50

Wall Mount Sticky Fly Trap Lamp

FT-1C18



FT-1E36



FT-3W45



FT-2F30




- Designed specifically to protect & sanitize area from flies
- Purple UV light attracts insects, glue board stick insects
- This device kills mosquitoes, flies, moths, and other insects
- No noise, odor or gas

Item No.	Dimension (in)	Voltage	Watts	Coverage (sq. ft.)	Qty./Case
FT-1C18	14-5/8 x 5-3/8 x 7-5/8	110V AC 60Hz	18	900	6
FT-1E36	18-3/4 x 3-1/8 x 11-1/8		36	1650	5
FT-3W45	21-3/8 x 4 x 14-1/4		45	3250	4
FT-2F30	19 x 3 x 11-1/8	110V-240V, 50/60Hz	11	1650	5

Diffusers & Scales

White Powder Coated Drop Down Diffusers



- 4-way adjustable blades

Item No.	D x W x H (in)	Edge Dimension (in)	G. W. (lb)	Qty./Case
DF-14P	14 x 14 x 6	16 x 16	7	1
DF-16P	16 x 16 x 6	18 x 18	9	1
DF-18P	18 x 18 x 6	20 x 20	11	1
DF-20P	20 x 20 x 6	22 x 22	14	1
DF-22P	22 x 22 x 6	24 x 24	16	1
DF-24P	24 x 24 x 6	26 x 26	20	1

Stainless Steel Finish Diffusers



- 4-way adjustable blades

Item No.	Dimension (in)	Edge Dimension (in)	G. W. (lb)	Qty./Case
DF-14S	14 x 14 x 6	16 x 16	7	1
DF-16S	16 x 16 x 6	18 x 18	9	1
DF-18S	18 x 18 x 6	20 x 20	11	1
DF-20S	20 x 20 x 6	22 x 22	14	1
DF-22S	22 x 22 x 6	24 x 24	16	1
DF-24S	24 x 24 x 6	26 x 26	20	1

Mechanical Portion Scale Series



- Stainless steel platform and coated metal body
- Extra large platform w/ easy to read rotatable dial for quick taring
- Removable face cover for easy cleanup

Item No.	Capacity (lb/ kg)	Graduation	Dial Dia. (in)	S/S Flat Plate Dimension (in)	Dimension (in)	G. W. (lb)	Qty./Case
SC-P2	2 / 1	1/4oz / 5g	6-1/2	8 x 8	5-1/2 x 9 x 8-1/2	16	8
SC-P6	6 / 3	1/2oz / 20g	6-1/2	8 x 8	5-1/2 x 9 x 8-1/2	16	8
SC-P11	11 / 5	1oz / 20g	8	9-1/2 x 9-1/2	7 x 10-1/4 x 10	17	6
SC-P22	22 / 10	1oz / 50g	8	9-1/2 x 9-1/2	7 x 10-1/4 x 10	17	6
SC-P44	44 / 20	2oz / 50g	8	9-1/2 x 9-1/2	7 x 10-1/4 x 10	17	6
SC-P55	55 / 25	4oz / 100g	9-1/2	12-1/2 x 12-1/2	8-1/4 x 12 x 13	14.3	2
SC-P110	110 / 50	8oz / 200g	9-1/2	12-1/2 x 12-1/2	8-1/4 x 12 x 13	14.3	2

Hand Dryers, Signs & Soap Dispensers

Hand Dryers

- Power capacity: 1400W. 110V
- Drying time: 10-12 seconds
- Waterproof grade: IPX1
- Wind speed " 90 m/s
- 62 dB noise rating

AK2901



AK2803B



AK2805



Item No.	Dimension (in)	Power/ Voltage	Material	G. W. (lb)	Certificated
AK2901	11-3/4 x 6-1/2 x 12-1/8	1460w/ 120v	Stainless Steel	9.2	UL
AK2803B	6-1/8 x 6-7/8 x 10	1350w/ 120v	Stainless Steel	6.6	UL
AK2805	6 x 6-1/2 x 11	1350w/ 120v	Stainless Steel	6.6	UL

Stainless Steel Toilet Seat Cover

Item No.	Dimension (in)	Fold	G.W.	Pc/case
BX-TSC	16 x 2 x 11H	250	54 lb	20
BX-TSE	16 x 2 x 11H	250	30 lb	12

BX-TSC



BX-TSE



new

Stainless Steel Towel Dispenser

Item No.	Dimension (in)	C-Fold	M-Fold
BX-CTD	11 x 14-1/2	400	600



62.4 lb
12 /case

Stainless Steel Paper Roll Dispenser

Item No.	Dimension (in)	Paper Roll Size (in)
BX-MR8	9 x 9-1/2 x 10	8



new
6 lb
1 /case

No Smoking Sign

Item No.	Dimension (in)	Color
SI-NS69	6 x 9	Black



12 lb
24 /case

Men Handicap Sign W/ Braille

Item No.	Dimension (in)	Color
SI-MH69	6 x 9	Blue



12 lb
24 /case

Wash Hand Sticker

Item No.	Dimension (in)	Color
SI-STK107	10-1/4 x 7	Yellow



1 lb
24 /case

S/S Wall Base Molding

Item No.	H x W (in)	Material
HW-SS10	5-3/4 x 120	S/S



new

Plastic Soap Dispenser

Item No.	Dimension (in)	Oz.
AA-138	Ø2 x 6	12
AA-145	4-1/8 x 4-1/4 x 6-1/8	30

AA-138



3 lb 50/case

AA-145



49 lb 50/case

Automatic Soap Dispenser

Item No.	Dimension (in)	Oz.
AA-138A	7 x 14 x 7	85



new
4 lb
1 /case

Wire Shelving

Heavy Duty Commercial-Grade Wire Shelving

new



- Movable with optional casters
- Green epoxy series (WSE) Can use in all environment
- Chrome series (WSC) Can use ONLY in dry environment



Optional Posts			
Green Epoxy	Chrome Plated	Height (in)	Pcs /Pk
WSE-P08	WSC-P08	8	4
WSE-P34	WSC-P34	34	4
WSE-P41	WSC-P41	41	4
WSE-P63	WSC-P63	63	4
WSE-P72	WSC-P72	74	4
WSE-P86	WSC-P86	86	4

Height (in) is for post only (Without foot and top cap)

Optional Brackets			
Green Epoxy	Chrome Plated	Size (in)	Pcs /Pk
WSE-14B	WSC-14B	16 x 7	2
WSE-18B	WSC-18B	20 x 7	2
WSE-24B	WSC-24B	26 x 9	2
WSE-14BD	WSC-14BD	16 x 7	4
WSE-18BD	WSC-18BD	20 x 7	2
WSE-24BD	WSC-24BD	26 x 9	2

Replacement:



WSH-SS



WSH-ALF

Optional:



KS6112
(6" Caster)



KS6115T
(6" Caster)



KT5115
(5" Caster)



KS5115T
(5" Caster)



WSH-12S



WSH-PC





WSH-SC

Item No.		W x L (in)	Master Pack	Each Shelf Max Load Cap. (lb)	Approx. Weight (lb)
Green Epoxy	Chrome Plated				
WSE-1424	WSC-1424	14 x 24	2	500	10
WSE-1430	WSC-1430	14 x 30	2	500	12
WSE-1436	WSC-1436	14 x 36	2	500	14
WSE-1442	WSC-1442	14 x 42	2	600	17
WSE-1448	WSC-1448	14 x 48	2	600	20
WSE-1454	WSC-1454	14 x 54	2	800	22
WSE-1460	WSC-1460	14 x 60	2	800	25
WSE-1472	WSC-1472	14 x 72	2	800	29
WSE-1824	WSC-1824	18 x 24	2	500	12
WSE-1830	WSC-1830	18 x 30	2	500	15
WSE-1836	WSC-1836	18 x 36	2	500	17
WSE-1842	WSC-1842	18 x 42	2	600	19
WSE-1848	WSC-1848	18 x 48	2	600	23
WSE-1854	WSC-1854	18 x 54	2	800	26
WSE-1860	WSC-1860	18 x 60	2	800	29
WSE-1872	WSC-1872	18 x 72	2	800	34
WSE-2124	WSC-2124	21 x 24	2	500	15
WSE-2130	WSC-2130	21 x 30	2	500	18
WSE-2136	WSC-2136	21 x 36	2	500	21
WSE-2142	WSC-2142	21 x 42	2	600	24
WSE-2148	WSC-2148	21 x 48	2	600	27
WSE-2154	WSC-2154	21 x 54	2	800	30
WSE-2160	WSC-2160	21 x 60	2	800	33
WSE-2172	WSC-2172	21 x 72	2	800	39
WSE-2424	WSC-2424	24 x 24	2	500	17
WSE-2430	WSC-2430	24 x 30	2	500	20
WSE-2436	WSC-2436	24 x 36	2	500	24
WSE-2442	WSC-2442	24 x 42	2	600	28
WSE-2448	WSC-2448	24 x 48	2	600	31
WSE-2454	WSC-2454	24 x 54	2	800	35
WSE-2460	WSC-2460	24 x 60	2	800	38
WSE-2472	WSC-2472	24 x 72	2	800	45

Double Over-Shelves



Standard Double Over-Shelves



Item No.	D x W x H (in)	Load Cap. (lb)	G. W. (lb)
DS-1230	12 x 30 x 30	200	21
DS-1236	12 x 36 x 30	200	27
DS-1244	12 x 44 x 30	200	34
DS-1248	12 x 48 x 30	200	38
DS-1258	12 x 58 x 30	200	44
DS-1260	12 x 60 x 30	200	46
DS-1272	12 x 72 x 30	200	53
DS-1630	16 x 30 x 30	200	32
DS-1636	16 x 36 x 30	200	35
DS-1644	16 x 44 x 30	200	39
DS-1648	16 x 48 x 30	200	44
DS-1658	16 x 58 x 30	200	48
DS-1660	16 x 60 x 30	200	52
DS-1672	16 x 72 x 30	200	62
DS-1830	18 x 30 x 30	200	34
DS-1836	18 x 36 x 30	200	39
DS-1844	18 x 44 x 30	200	45
DS-1848	18 x 48 x 30	200	49
DS-1858	18 x 58 x 30	200	57
DS-1860	18 x 60 x 30	200	59
DS-1872	18 x 72 x 30	200	66

- Shipped knock-down

Adjustable Double Over-Shelves



Item No.	D x W x H (in)	Load Cap. (lb)	G. W. (lb)
DS-1236A	12 x 36-3/4 x 36	200	25
DS-1248A	12 x 48-3/4 x 36	200	40
DS-1260A	12 x 60-3/4 x 36	200	46
DS-1272A	12 x 72-3/4 x 36	200	53
DS-1636A	16 x 36-3/4 x 36	200	31
DS-1648A	16 x 48-3/4 x 36	200	44
DS-1660A	16 x 60-3/4 x 36	200	52
DS-1672A	16 x 72-3/4 x 36	200	62
DS-1836A	18 x 36-3/4 x 36	200	30
DS-1848A	18 x 48-3/4 x 36	200	43
DS-1860A	18 x 60-3/4 x 36	200	52
DS-1872A	18 x 72-3/4 x 36	200	66

- Shelving can be vertically adjusted on 1" (25 mm) increments for the entire post length
- Shipped knock-down
- Stainless steel
- Capable for side mount & deck mount

Deck Mount



Side Mount



Replacement:



WSH-SS



WSH-ALF

Optional:



WSH-PC




KT5115T
(5" Caster)



KT6115T
(6" Caster)

Double Over-Shelf

S/S Adjustable Double Over-Shelf




Item No.	D x W x H (in)	No. of Posts	Load Cap. (lb)	G. W. (lb)
DS-B1428	14 x 28 x 27	2	200	34
DS-B1436	14 x 36 x 27	2	200	38
DS-B1448	14 x 48 x 27	2	200	46
DS-B1460	14 x 60 x 48	2	200	47
DS-B1472	14 x 72 x 48	3	200	52
DS-B1484	14 x 84 x 48	3	200	57
DS-B1496	14 x 96 x 48	3	200	62

- Additional accessory for prep table
- All 18 gauge stainless steel polished finish
- Rear mounted design for better support
- Each shelf holds up to 100 lb
- 72" or longer shelf has 3 legs to provide extra strength

Stainless Steel Economic Wall Mount Shelf

- 20 Gauge SS201 shelf
- Mounting hardware included
- Mounts directly to wall
- Makes the most of unused wall space
- Easy to clean with no sharp edges



Replacement Bracket:
WS-E12B
WS-E16B

Item No.	D x W x H (in)	Brackets	Load Cap. (lb)	Bulk Qty.	G. W. (lb)
WS-E1224	12 x 24 x 11	2	150	40	7
WS-E1236	12 x 36 x 11	3	200	40	10
WS-E1248	12 x 48 x 11	3	250	40	13
WS-E1260	12 x 60 x 11	4	300	40	16
WS-E1272	12 x 72 x 11	4	300	40	18
WS-E1284	12 x 84 x 11	5	300	40	22
WS-E1296	12 x 96 x 11	5	300	40	26
WS-E1424	14 x 24 x 11	2	150	40	8
WS-E1436	14 x 36 x 11	3	200	40	11
WS-E1448	14 x 48 x 11	3	250	40	14
WS-E1460	14 x 60 x 11	4	300	40	18
WS-E1472	14 x 72 x 11	4	300	40	20
WS-E1484	14 x 84 x 11	5	300	40	24
WS-E1496	14 x 96 x 11	5	300	40	29
WS-E1624	16 x 24 x 13-1/4	2	150	40	12
WS-E1636	16 x 36 x 13-1/4	3	200	40	14
WS-E1648	16 x 48 x 13-1/4	3	250	40	17
WS-E1660	16 x 60 x 13-1/4	4	300	40	22
WS-E1672	16 x 72 x 13-1/4	4	300	40	27
WS-E1684	16 x 84 x 13-1/4	5	300	40	22
WS-E1696	16 x 96 x 13-1/4	5	300	40	27

Marked items qualifies for **Bulk Quantities!**


Wall Mount Shelves

Stainless Steel Wall Mount Shelf

Standard Items:
Regular Wall Shelf




- All 18 gauge stainless steel polished finish



Bracket designed for dual mounting methods (top and bottom)





Custom made: (Additional Part)
Wall Shelf with 2" Flat Rack
For **WS-W12 & WS-W14** Wall Shelves



Suggested accessory:
Pot Hook Included
(PR-RHK)



Custom made: (Additional Option)
Wall Shelf with 1" Dia. Round Tube
For **WS-W12 & WS-W14** Wall Shelves only




Item No.	D x W x H (in)	Brackets	Load Cap. (lb)	Bulk Qty.	G. W. (lb)
WS-W1224	12 x 24 x 12	2	255	40	9
WS-W1236	12 x 36 x 12	2	300	40	12
WS-W1248	12 x 48 x 12	2	345	40	15
WS-W1260	12 x 60 x 12	3	395	40	19
WS-W1272	12 x 72 x 12	3	395	40	21
WS-W1284	12 x 84 x 12	4	395	40	25
WS-W1296	12 x 96 x 12	4	395	40	29
WS-W1424	14 x 24 x 14	2	255	40	10
WS-W1436	14 x 36 x 14	2	300	40	13
WS-W1448	14 x 48 x 14	2	345	40	17
WS-W1460	14 x 60 x 14	3	395	40	21
WS-W1472	14 x 72 x 14	3	395	40	23
WS-W1484	14 x 84 x 14	4	395	40	27
WS-W1496	14 x 96 x 14	4	395	40	32
WS-W1624	16 x 24 x 16	2	255	40	12
WS-W1636	16 x 36 x 16	2	300	40	18
WS-W1648	16 x 48 x 16	2	345	40	21
WS-W1660	16 x 60 x 16	3	395	40	25
WS-W1672	16 x 72 x 16	3	395	40	31
WS-W1824	18 x 24 x 18	2	255	40	14
WS-W1836	18 x 36 x 18	2	300	40	20
WS-W1848	18 x 48 x 18	2	345	40	23
WS-W1860	18 x 60 x 18	3	395	40	27
WS-W1872	18 x 72 x 18	3	395	40	33
WS-W12B	12" Shelf Bracket	2	250		2
WS-W14B	14" Shelf Bracket	2	250		2.5
WS-W16B	16" Shelf Bracket	2	250		2.66
WS-W18B	18" Shelf Bracket	2	250		2.85

Marked items qualifies for **Bulk Quantities!**

Stainless Steel Microwave Oven Wall Shelf




- Two sizes available
- All polished stainless steel
- Space saver wall mount design
- Shipped knock-down
- Shelf holds up to 100 lb





Item No.	Gauge	D x W x H (in)	Load Cap. (lb)	G. W. (lb)
MS-1818	18	18 x 18 x 12	100	11
MS-2418	18	24 x 18 x 12	100	14

Drainage Shelves

Tubular Wall Mounted Drainage Shelves



- Stainless steel construction, 1-5/8" diameter tubing
- Perfect for organizing dish racks or accessories
- Extra space to load racks for draining and storage
- Shipped knock-down
- Mounting hardware included





Item No.	D x W x H (in)	Number of Brackets	Load Cap. (lb)	G. W. (lb)
WS-WD1636	16 x 36 x 9	2	200	25
WS-WD1648	16 x 48 x 9	3	200	33
WS-WD1660	16 x 60 x 9	3	200	41
WS-WD1672	16 x 72 x 9	3	200	48

Tubular Dishtable Sorting Shelves




- Extra space to load racks for washing and storage
- Stainless steel construction
- Extremely durable
- Easy to organize standard size racks
- Shipped knock-down





Item No.	D x W x H (in)	Number of Rack Can Fit	Load Cap. (lb)	G. W. (lb)
DT-SS1822	18 x 22 x 11-1/4	1	200	20
DT-SS1842	18 x 42 x 11-1/4	2	200	28
DT-SS1862	18 x 62 x 11-1/4	3	200	35
DT-SS1882	18 x 82 x 11-1/4	4	200	43

Pot Rack

Stainless Steel Ceiling Mount Pot Rack



- Stainless steel 304 flat bar
- 10 Gauge stainless steel polished finish
- Plated chain & "S" hooks are not included
- Shipped knock-down



Suggested accessory:

Pot Hook Included
(**PR-RHK**)

Item No.	D x W x H (in)	Hook No.	G. W. (lb)
PR-CM4	22 x 48 x 12	4	28
PR-CM5	22 x 60 x 12	5	32
PR-CM6	22 x 72 x 12	6	37

Single Bar Wall Mounted Pot Rack



- 1/4" Thick high quality stainless steel
- Comes in handy
- Easy installation
- Great for hanging kitchenwares
- Pot hook included



Suggested accessory:



Pot Hook Included
(**PR-RHK**)

Item No.	D x W x H (in)	Hanging space (in)	Support Bar	Hook No.	G. W. (lb)
PR-SWM4	8-1/2 x 53 x 2	48	No	4	11
PR-SWM5	8-1/2 x 65 x 2	60	Yes	5	13
PR-SWM6	8-1/2 x 77 x 2	72	Yes	6	14

Stainless Steel Double Wall Mount Pot Rack



- Stainless steel 304 flat bar
- 10 Gauge stainless steel polished finish
- Shipped knock-down




Suggested accessory:

Pot Hook Included
(**PR-RHK**)

Item No.	D x W x H (in)	Hook No.	G. W. (lb)
PR-WM4	11-3/4 x 46 x 11-3/4	4	19
PR-WM5	11-3/4 x 58 x 11-3/4	5	22
PR-WM6	11-3/4 x 70 x 11-3/4	6	31

Pass-Through Serving Shelves

L-Shape Brackets Pass-Through Serving Shelves



18" Models With Straight Turn Down Brackets



- Promotes "pass-thru" area from kitchen to serving area
- Straight edge w/ 90° turned down edge on all four ends
- Screws included for installation
- Adjustable brackets for different wall thickness

**Custom Made
Sizes Available**

Item No.	D x W x H (in)	G. W. (lb)
WS-PT1824	18 x 24 x 5-1/2	36
WS-PT1836	18 x 36 x 5-1/2	39
WS-PT1848	18 x 48 x 5-1/2	44
WS-PT1860	18 x 60 x 5-1/2	55
WS-PT1872	18 x 72 x 5-1/2	70
WS-PT1884	18 x 84 x 5-1/2	81
WS-PT1896	18 x 96 x 5-1/2	110
WS-PT18108	18 x 108 x 5-1/2	120
WS-PT18120	18 x 120 x 5-1/2	134
WS-PT18132	18 x 132 x 5-1/2	144
WS-PT18144	18 x 144 x 5-1/2	159

Marked models are special order only.

Triangle Brackets Pass-Through Serving Shelves



24" Models With Triangle brackets



- Promotes "pass-thru" area from kitchen to serving area
- Straight edge w/ 90° turned down edge on all four ends
- Screws included for installation
- Adjustable brackets for different wall thickness

**Custom Made
Sizes Available**

Item No.	D x W x H (in)	Brackets	G. W. (lb)
WS-PT2424	24 x 24 x 9-1/2	4	40
WS-PT2436	24 x 36 x 9-1/2	4	46
WS-PT2448	24 x 48 x 9-1/2	4	52
WS-PT2460	24 x 60 x 9-1/2	6	63
WS-PT2472	24 x 72 x 9-1/2	6	79
WS-PT2484	24 x 84 x 9-1/2	6	94
WS-PT2496	24 x 96 x 9-1/2	6	122
WS-PT24108	24 x 108 x 9-1/2	8	134
WS-PT24120	24 x 120 x 9-1/2	8	147
WS-PT24132	24 x 132 x 9-1/2	8	162
WS-PT24144	24 x 144 x 9-1/2	8	176

Marked models are special order only.

Bar Sinks Series

Compartment Bar Sinks Without Drainboard



Item No.	Dimension (in)	Number of Sinks	G. W. (lb)
SE10141DNB	18-1/2 x 12 x 33-1/4	1	32
SE10142DNB	18-1/2 x 24 x 33-1/4	2	55
SE10143DNB	18-1/2 x 36 x 33-1/4	3	72

- All-welded stainless steel with adjustable bullet feet
- 10" x 14" x 10" sink bowls
- 1" NPS drain with 7-1/2" removable overflow tube included
- Countertop to floor 30"

Replacement:



Optional:




Compartment Bar Sinks With Drainboard



Item No.	Dimension (in)	Description	G. W. (lb)
SE10141D36B	18-1/2 x 36 x 33-1/4	13" Drainboard w/ 1 Sinkbowl	59
SE10142D48B	18-1/2 x 48 x 33-1/4	13" Drainboard w/ 2 Sinkbowls	78
SE10143D60B	18-1/2 x 60 x 33-1/4	13" Drainboard w/ 3 Sinkbowls	90
SE10143D72B	18-1/2 x 72 x 33-1/4	19" Drainboard w/ 3 Sinkbowls	98

- All-welded stainless steel with adjustable bullet feet
- 10" x 14" x 10" sink bowls
- 1" NPS drain with 7-1/2" removable overflow tube included
- Countertop to floor 30"

Replacement:



Optional:



Corner Drainboard




Item No.	Dimension (in)	G. W. (lb)
SE1014CORNER	19-5/8 x 19-5/8 x 14-1/8	27

- Stainless steel top with galvanized sides
- Wall Mount style with holes on the sides for screws
- Designed for all GSW underbar sinks



For Models:
SE1014xDxB
SE1014xNB

Replacement:




Bar Sink Series

Stainless Steel Glass Rack Storage Cabinet

new



- All stainless steel construction
- 18 Gauge, 304 stainless steel
- Open front; 6 7/8" high sections
- Hold 3 full size glass racks
- Adjustable bullet feet




Item No.	Top Style	Dimension (in)	No. of Rack	Rack Spacing	G. W. (lb)
BS-GRSC24	Corrugated	24 x 24 x 33-1/4	3	6-7/8"	85

Five-Tier Stainless Steel Liquor Display Racks

new




- All stainless steel construction
- 5-Tiered step to display liquor bottles
- Steel straps secure bottles on steps
- Stainless steel legs w/ adjustable bullet feet



Item No.	D x W x H (in)	Surface Height (in)	Capacity	G. W. (lb)
BS-LDR2424	24 x 24 x 33-1/4	30	30 Bottles	40
BS-LDR2436	24 x 36 x 33-1/4	30	45 Bottles	50


Stainless Steel Blender Station with Dump Sink

new



- All stainless steel construction
- Dump sink bowl: 10" x 10" x 7" H
- Recessed step with grommet hole for power cords
- Integrated 3" backsplash
- Stainless steel legs w/ adjustable bullet feet

Included:




Item No.	D x W x H (in)	Surface Height (in)	Drain Size	Sink Bowl (in)	G. W. (lb)
BS-BS2412	24 x 12 x 33-1/4	30	1-1/2 NPS	10 x 10 x 7	20

Bar Sinks Series

Stainless Steel Speed Unit with Dump Sink and Glass Rinser

new



- All stainless steel construction
- Dump sink bowl: 10" x 10" x 7" H
- Integrated 3" backsplash
- High performance glass rinser, G1/2 cold
- Stainless steel legs w/ adjustable plastic bullet feet

Included:



Item No.	Dimension (in)	Surface Height (in)	Drain Size	Sink Bowl (in)	G.W. (lb)
BS-SU2412	24 x 12 x 33-1/4	30	1-1/2 NPS	10 x 10 x 7	58


Stainless Steel Speed Unit with Dump Sink, Glass Rinser and Dipperwell

new



- All stainless steel construction
- Dump sink bowl: 10" x 16" x 7" H
- Integrated 3" backsplash
- High performance glass rinser, G1/2 cold
- Dipperwell with faucet, 1/2" NPS cold
- Stainless steel legs w/ adjustable bullet feet

Included:



Item No.	Dimension (in)	Surface Height (in)	Drain Size	Sink Bowl (in)	G.W. (lb)
BS-SU2418	24 x 18 x 33-1/4	30	1-1/2 NPS	10 x 16 x 7	58


Stainless Steel Underbar Ice Bin

new



- All stainless steel construction
- 3" backsplash protects walls
- Include ice bin cover and 2 bottle holders
- Ø1" Drain opening
- Stainless steel legs w/ adjustable bullet feet

Replacement:



Item No.	Dimension (in)	Surface Height (in)	Capacity	G. W. (lb)
BS-IB1924	19 x 24 x 33-1/4	30	52lb	60
BS-IB1930	19 x 30 x 33-1/4	30	65lb	72
BS-IB1936	19 x 36 x 33-1/4	30	78lb	85

S/S Speed Rails




Item No.	Dimension (in)
BS-ASR12	4-1/2 x 12
BS-ASR18	4-1/2 x 18
BS-ASR24	4-1/2 x 24
BS-ASR30	4-1/2 x 30
BS-ASR36	4-1/2 x 36
BS-ASR48	4-1/2 x 48
BS-ASR60	4-1/2 x 60
BS-ASR72	4-1/2 x 72

Drop-In Ice Bin & Ice Cool Cold Pan

Drop-In Ice Bins

Item No.	Dimension (in)	Cut-out Size (in)	G. W. (lb)
IB1218	18 x 12 x 14	17 x 11	11
IB2018	18 x 20 x 14	17 x 19	24
IB2818	18 x 28 x 14	17 x 27	36
IB3618	18 x 36 x 14	17 x 35	49



9" x 14" Double Walled Ice Bin with 1" NPT drain



Drop-In Ice Bin with Sink

Item No.	Dimension (in)	Cut-out Size (in)	G. W. (lb)
IBS1821	18 x 21 x 14	17 x 11	13

AA-420G faucet included



9" x 14" Double Walled Ice Bin with 1" NPT drain



Drop-In Ice Bin with Water Station - Horizontal

Item No.	Dimension (in)	Cut-out Size (in)	G. W. (lb)
IBWS-H	18 x 21 x 14	17 x 20	12

AA-HS157 faucet included




9" x 14" Double Walled Ice Bin with 1" NPT drain



Drop-In Ice Bin with Water Station - Vertical

Item No.	Dimension (in)	Cut-out Size (in)	G. W. (lb)
IBWS-V	21 x 18 x 14	20 x 17	12

AA-HS157 faucet included





9" x 14" Double Walled Ice Bin with 1" NPT drain



Ice Cool Cold Pans



- High density closed cell polyurethane
- 304 stainless steel tub
- 1" NPT drain
- Include removable bars to support pans




Item No.	W	BW	PAN	Cut-Out Size (in)	G. W. (lb)
IP1826	18	11-7/8	1	24-1/2 x 16-5/16	35
IP3126	31-5/8	25-1/2	2	24-1/2 x 30	54
IP4526	45-5/8	39-1/4	3	24-1/2 x 43-3/4	73
IP5926	59-1/2	53	4	24-1/2 x 57-1/2	94
IP7226	73-1/8	66-3/4	5	24-1/2 x 71-1/4	113


Standard Compartment Sinks

One Compartment Sinks

- Stainless steel legs with cross bracing
- Extra welding under tubs for longevity
- Strainer included, Ø3-1/2" opening
- Faucet not included



Suggested Accessory:



ONE TUB FOOD PREP SINKS

Item No.	D x W x H (in)	BD x BW x BH (in)	Gauge	G. W. (lb)
SE15151P	18-1/4 x 18-1/8 x 45	15 x 15 x 13	18	25
SE18181P	21 x 21-1/8 x 45	18 x 18 x 13	18	31
SEE18181P (Econ.)	21 x 21-1/8 x 45	18 x 18 x 13	18	29
SH24241P	27-1/2 x 27-1/8 x 45	24 x 24 x 13	16	46
SHH24241P (Econ.)	27-1/2 x 27-1/8 x 45	24 x 24 x 13	16	42



ONE TUB SINK W/ LEFT DRAINBOARDS

Item No.	D x W x H (in)	BD x BW x BH (in)	A (in)	Gauge	G. W. (lb)
SE15151L	21 x 33-1/8 x 45	15 x 15 x 12	15	18	31
SE18181L	24 x 39-1/8 x 45	18 x 18 x 12	18	18	41
SEE18181L (Econ.)	24 x 39-1/8 x 45	18 x 18 x 12	18	18	38
SE18181L24	24 x 45-1/8 x 45	18 x 18 x 12	24	18	42
SH18241L	30 x 39-1/8 x 45	18 x 24 x 14	18	16	64
SH24241L	30 x 51-1/8 x 45	24 x 24 x 14	24	16	66



ONE TUB SINK W/ RIGHT DRAINBOARDS

Item No.	D x W x H (in)	BD x BW x BH (in)	A (in)	Gauge	G. W. (lb)
SE15151R	21 x 33-1/8 x 45	15 x 15 x 12	15	18	31
SE18181R	24 x 39-1/8 x 45	18 x 18 x 12	18	18	41
SEE18181R (Econ.)	24 x 39-1/8 x 45	18 x 18 x 12	18	18	38
SE18181R24	24 x 45-1/8 x 45	18 x 18 x 12	24	18	42
SH18241R	30 x 39-1/8 x 45	18 x 24 x 14	18	16	64
SH24241R	30 x 51-1/8 x 45	24 x 24 x 14	24	16	66




ONE TUB SINK W/ 2 DRAINBOARDS

Item No.	D x W x H (in)	BD x BW x BH (in)	A (in)	Gauge	G. W. (lb)
SE18181D	24 x 54-1/8 x 45	18 x 18 x 12	18	18	44
SH24241D	30 x 72-1/8 x 45	24 x 24 x 14	24	16	84

Standard Compartment Sinks

Two Compartment Sinks

- Stainless steel legs with cross bracing
- Extra welding under tubs for longevity
- Strainer included, Ø3-1/2" opening
- Faucet not included



Suggested Accessory:



N
None



L
Left Board



D
Left & Right Board



R
Right Board

TWO TUB SINKS W/ NO DRAINBOARD

Item No.	D x W x H (in)	BD x BW x BH (in)	Drainboard (in)	Gauge	G. W. (lb)
SE15152N	21 x 36-1/4 x 45	15 x 15 x 12	N/A	18	46
SE18182N	24 x 42-1/4 x 45	18 x 18 x 12	N/A	18	51
SH24242N	30 x 54-1/4 x 45	24 x 24 x 14	N/A	16	90



TWO TUBS SINKS W/ LEFT DRAINBOARD

Item No.	D x W x H (in)	BD x BW x BH (in)	Drainboard (in)	Gauge	G. W. (lb)
SE15152L	21 x 48-1/4 x 45	15 x 15 x 12	15	18	51
SE18182L	24 x 57-1/4 x 45	18 x 18 x 12	18	18	57
SH24242L	30 x 75-1/4 x 45	24 x 24 x 14	24	16	101



TWO TUBS SINKS W/ RIGHT DRAINBOARD

Item No.	D x W x H (in)	BD x BW x BH (in)	Drainboard (in)	Gauge	G. W. (lb)
SE15152R	21 x 48-1/4 x 45	15 x 15 x 12	15	18	51
SE18182R	24 x 57-1/4 x 45	18 x 18 x 12	18	18	57
SH24242R	30 x 75-1/4 x 45	24 x 24 x 14	24	16	101



TWO TUBS SINKS W/ 2 DRAINBOARDS

Item No.	D x W x H (in)	BD x BW x BH (in)	Drainboard (in)	Gauge	G. W. (lb)
SE15152D	21 x 60-1/4 x 45	15 x 15 x 12	15	18	55
SE18182D	24 x 72-1/4 x 45	18 x 18 x 12	18	18	68
SEE18182D (Econ.)	24 x 72-1/4 x 45	18 x 18 x 12	18	18	64
SE18182D24	24 x 84-1/4 x 45	18 x 18 x 12	24	18	75
SH18242D	30 x 72-1/4 x 45	24 x 18 x 14	18	16	95
SH20242D	30 x 80-1/4 x 45	24 x 20 x 14	20	16	103
SH24242D	30 x 96-1/4 x 45	24 x 24 x 14	24	16	117




Standard Compartment Sinks


Three Compartment Sinks

- Stainless steel legs with cross bracing
- Extra welding under tubs for longevity
- Strainer included, Ø3-1/2" opening
- Faucet not included

Item No.	GA	Stainless Steel Type
SE	18	304
SEE	18	201
SH	16	304
SHH	17	201



Suggested Accessory:



THREE TUBS SINKS W/ NO DRAIN BOARD

Item No.	D x W x H (in)	BD x BW x BH (in)	Drainboard (in)	Gauge	G. W. (lb)
SE15153N	21 x 51-3/8 x 45	15 x 15 x 12	N/A	18	57
SE18183N	24 x 60-3/8 x 45	18 x 18 x 12	N/A	18	81
SH24243N *	30 x 78-3/8 x 45	24 x 24 x 14	N/A	16	119



THREE TUBS SINKS W/ LEFT DRAINBOARD

Item No.	D x W x H (in)	BD x BW x BH (in)	Drainboard (in)	Gauge	G. W. (lb)
SE15153L	21 x 63-1/4 x 45	15 x 15 x 12	15	18	64
SE18183L	24 x 75-1/4 x 45	18 x 18 x 12	18	18	75
SH18243L	30 x 75-1/4 x 45	24 x 18 x 14	18	16	129
SH24243L *	30 x 99-1/4 x 45	24 x 24 x 14	24	16	143



THREE TUBS SINKS W/ RIGHT DRAINBOARD

Item No.	D x W x H (in)	BD x BW x BH (in)	Drainboard (in)	Gauge	G. W. (lb)
SE15153R	21 x 63-1/4 x 45	15 x 15 x 12	15	18	64
SE18183R	24 x 75-1/4 x 45	18 x 18 x 12	18	18	75
SH18243R	30 x 75-1/4 x 45	24 x 18 x 14	18	16	129
SH24243R *	30 x 99-1/4 x 45	24 x 24 x 14	24	16	143

Models marked with * have two sets of faucets holes.

Standard Compartment Sinks

Three Compartment Sinks

- Stainless steel legs with cross bracing
- Extra welding under tubs for longevity
- Strainer included, Ø3-1/2" opening
(Except SE10143D strainer opening Ø1-7/8")
- Faucet not included




Suggested Accessory:

AA-7xxG



AA-8xxGS



THREE TUBS SINKS W/ 2 DRAINBOARDS

Item No.	D x W x H (in)	BD x BW x BH (in)	Drainboard (in)	Gauge	G. W. (lb)
SE10143D	21 x 54-3/8 x 41	14 x 10 x 10	12	18	48
SE15153D	21 x 75-3/8 x 45	15 x 15 x 12	15	18	70
SE16203D18	26 x 84-3/8 x 45	20 x 16 x 12	18	18	84
SE16203D24	26 x 96-3/8 x 45	20 x 16 x 12	24	18	88
SE18183D	24 x 90-3/8 x 45	18 x 18 x 12	18	18	91
SEE18183D (Econ.)	24 x 90-3/8 x 45	18 x 18 x 12	18	18	88
SE18183D20	24 x 94-3/8 x 45	18 x 18 x 12	20	18	93
SE18183D24	24 x 102-3/8 x 45	18 x 18 x 12	24	18	96
SH18243D	30 x 90-3/8 x 45	24 x 18 x 14	18	16	125
SHH18243D (Econ.)	30 x 90-3/8 x 45	24 x 18 x 14	18	16	123
SH18243D24	30 x 102-3/8 x 45	24 x 18 x 14	24	16	130
SH20203D	26 x 100-3/8 x 45	20 x 20 x 14	20	16	112
SH20243D	30 x 100-3/8 x 45	24 x 20 x 14	20	16	136
SHH20243D (Econ.)	30 x 100-3/8 x 45	24 x 20 x 14	20	16	132
SH20283D *	34 x 100-3/8 x 45	28 x 20 x 14	20	16	145
SHH20283D (Econ.) *	34 x 100-3/8 x 45	28 x 20 x 14	20	16	140
SH24243D *	30 x 120-3/8 x 45	24 x 24 x 14	24	16	155
SHH24243D *	30 x 120-3/8 x 45	24 x 24 x 14	24	16	151

Models marked with * have two sets of faucets holes.

L-Shape Corner Sinks

Four Compartment Sinks

- Stainless steel legs with cross bracing
- Extra welding under tubs for longevity
- Strainer included, Ø3-1/2" opening
- Drainboard on both sides
- Faucet not included
- Accepts two sets of 8" faucets

Suggested Accessory:

AA-7xxG




AA-8xxGS



SE16204D18



SH16204D18



Item No.	D x W x H (in)	BD x BW x BH (in)	Drainboard (in)	Gauge	G. W. (lb)
SE16204D18	26 x 100-1/2 x 45	20 x 16 x 12	18	18	101
SH16204D18	26 x 102-1/4 x 45	20 x 16 x 14	18-7/8	16	115

Three Tubs L-Shape Corner Sinks


- Stainless steel legs with cross bracing
- Extra welding under tubs for longevity
- Strainer included, Ø3-1/2" opening
- Drainboard on both sides
- Faucet not included
- Accepts two sets of 8" faucets

Suggested Accessory:

AA-7xxG



AA-8xxGS



Item No.	D x W x H (in)	BD x BW x BH (in)	Drainboard (in)	B (in)	Gauge	G. W. (lb)
SE15153C	48-1/8 x 48-1/8 x 45	15 x 15 x 12	15	21	18	80
SE18183C	57-1/2 x 57-1/2 x 45	18 x 18 x 12	15	24	18	91
SH24243C	75-1/2 x 75-1/2 x 45	24 x 24 x 16	22-1/2	30	16	160

Compartment Marine Edge Multi Sinks

Marine Edge Three Compartment Sinks



- All made of 18 gauge stainless steel
- Multiple models of faucet available per customer request
- Z" clip bracket for hanging support included
- Drainboard on both sides
- Strainers included

Suggested Accessories:

AA-7xxG



AA-8xxGS



Item No.	D x W x H (in)	BD x BW x BH (in)	Strainer Opening (in)	Drainboard (in)	G. W. (lb)
SE10143DB4	18-5/16 x 48 x 33-1/4	14 x 10 x 10	Ø2	8-3/4	45
SE10143DB5	18-5/16 x 60 x 33-1/4	14 x 10 x 10	Ø2	14-11/16	52
SE15153DB	20-1/4 x 75-1/2 x 33-1/4	15 x 15 x 12	Ø3-1/2	15	66

Marine Edge Utility Sinks



* Faucet not included

- Designed to fit next to GSW worktables & cabinets
- Stainless steel legs with cross bracing
- Strainer included, Ø3-1/2" opening
- 8" center faucet holes with 10" backsplash



Suggested Accessories:

AA-7xxG



AA-8xxGS




Item No.	D x W x H (in)	Sink Bowl Dimension (in)	Number of Sink Bowls	Gauge	G. W. (lb)
SE18181N-M	24 x 23 x 44	18 x 18 x 14	1	18	45
SE18182N-M	24 x 41-1/8 x 44	18 x 18 x 14	2	18	52
SE18183N-M	24 x 59-1/4 x 44	18 x 18 x 14	3	18	60
SH18241N-M	30 x 23 x 44	24 x 18 x 14	1	16	48
SH18242N-M	30 x 41-1/8 x 44	24 x 18 x 14	2	16	57
SH18243N-M	30 x 59-1/4 x 44	24 x 18 x 14	3	16	66

Compartment Multi Wash Sinks

Special Compartment Multi Wash Sinks

- Stainless steel legs
- Number of faucet holes per customer request



Regular Multi Wash Sink



Wall Mount Style

SPECIAL COMPARTMENT MULTI WASH SINK

Item No.	D x W x H (in)	BD x BW x BH (in)	Gauge	G. W. (lb)
ACE-MWS-1836	17-1/2 x 36 x 28	14 x 33 x 8	18	30
ACE-MWS-1848	17-1/2 x 48 x 28	14 x 45 x 8	18	39
ACE-MWS-1860	17-1/2 x 60 x 28	14 x 57 x 8	18	48
ACE-MWS-1872	17-1/2 x 72 x 28	14 x 69 x 8	16	57

Recommended Preset Package

ADA
Compliant



Optional: Side Splashguards

ADA
Compliant



Optional: Side Splashguards

WALL MOUNTED COMPARTMENT MULTI WASH SINK

Item No.	D x W x H (in)	BD x BW x BH (in)	Faucet	G. W. (lb)
ACE-MWS-1836K	17-3/4 x 36 x 22-1/2	14 x 33 x 8	1	35
ACE-MWS-1848K	17-3/4 x 48 x 22-1/2	14 x 45 x 8	2	50
ACE-MWS-1860K	17-3/4 x 60 x 22-1/2	14 x 57 x 8	3	64
ACE-MWS-1872K	17-3/4 x 72 x 22-1/2	14 x 69 x 8	3	75

Include: AA-515G & AA-203G

FREESTANDING COMPARTMENT MULTI WASH SINK

Item No.	D x W x H (in)	BD x BW x BH (in)	Faucet	G. W. (lb)
ACE-MWS-1836L	17-3/4 x 36 x 42	14 x 33 x 8	1	35
ACE-MWS-1848L	17-3/4 x 48 x 42	14 x 45 x 8	2	50
ACE-MWS-1860L	17-3/4 x 60 x 42	14 x 57 x 8	3	64
ACE-MWS-1872L	17-3/4 x 72 x 42	14 x 69 x 8	3	75

Include: AA-515G & AA-203G

Recommended Faucet Options:

Single Knee-Operated



AA-203GSMB



AA-515G

Dual Knee-Operated




AA-203G

Freestanding Style



Hands-Free Sensor Faucet



AA-515HF



Wall Mounted Faucet



AA-410G



AA-7xxG

Drop-In Compartment Sinks

Drop-In Compartment Sink w/ 8" Splash & Marine Edge and Drainboards



- Strainers included, Ø3-1/2" opening
- 12" drainboards on both sides
- Marine Edge
- 8" wall mount faucet holes from center
- Faucet not included

Suggested Accessory:

AA-7xxG



AA-8xxGS



Item No.	Dimension (in)	Sink Bowl Size (in)	Gauge	G. W. (lb)
SH12123DWN	18-1/2 x 60 x 19-3/4	12 x 12 x 12	18	57
SH12143DWN	20-1/2 x 60 x 19-3/4	14 x 12 x 12	18	65

Drop-In Compartment Sinks w/ 1-1/2" Rear Upturn & Marine Edge and Drainboards



- Strainer included, Ø3-1/2" opening
- 12" drainboards on both sides
- 1-1/2" Rear Upturn
- Marine Edge
- 8" deck mount faucet holes from center
- Faucet not included

Suggested Accessory:

AA-890G
AA-008G



Item No.	Dimension (in)	Sink Bowl Size (in)	Gauge	G. W. (lb)
SH12123DDN	18 x 60 x 14	12 x 12 x 12	18	45
SH12163DDN	22 x 60 x 14	12 x 16 x 12	18	51

Drop-In Compartment Sinks w/ Marine Edge and Drainboards



- Strainer included, Ø3-1/2" opening
- 12" drainboards on both sides
- Marine Edge
- 8" deck mount faucet holes from center
- Faucet not included

Suggested Accessory:

AA-890G
AA-008G



Item No.	Dimension (in)	Sink Bowl Size (in)	Gauge	G. W. (lb)
SH12123DDI	19-1/2 x 60 x 10	12 x 12 x 12	18	43
SH12163DDI	23-1/2 x 60 x 10	12 x 16 x 12	18	49

Flat Drop-In Compartment Sinks

SH10141DDI

SH10142DDI

SH10143DDI



- Strainer included, Ø3-1/2" opening
- 4" deck mount faucet holes from center
- Faucet not included

Suggested Accessory:


AA-422G
AA-010G



Item No.	Dimension (in)	Sink Bowl Size (in)	Gauge	G. W. (lb)
SH10141DDI	18-3/8 x 13-1/2 x 10	10 x 14 x 10	18	12
SH10142DDI	18-3/8 x 25 x 10	10 x 14 x 10	18	23
SH10143DDI	18-3/8 x 36-1/2 x 10	10 x 14 x 10	18	34

Stainless Steel Sink Bowls & Prep Sinks

Stainless Steel Sink Bowls



Item No.	D x W x H (in)	SO (in)	G. W. (lb)	Qty./Case
SB-101410	14 x 10 x 10	Ø1-7/8	31	3
SB-121210	12 x 12 x 10	Ø1-7/8	32	3
SB-141414	14 x 14 x 14	Ø3-1/2	33	2
SB-161614	16 x 16 x 14	Ø3-1/2	58	3
SB-162014	16 x 20 x 14	Ø3-1/2	66	3
SB-181814	18 x 18 x 14	Ø3-1/2	68	3
SB-182414	24 x 18 x 14	Ø3-1/2	82	3
SB-202008	20 x 20 x 08	Ø3-1/2	52	3
SB-202014	20 x 20 x 14	Ø3-1/2	80	3
SB-202212	22 x 20 x 12	Ø3-1/2	71	3
SB-202414	24 x 20 x 14	Ø3-1/2	87	3
SB-202816	28 x 20 x 16	Ø3-1/2	107	3
SB-222214	22 x 22 x 14	Ø3-1/2	90	3
SB-242416	24 x 24 x 16	Ø3-1/2	107	3
SB-262416	26 x 24 x 16	Ø3-1/2	113	3



- Ideal for custom-made sinks
- Machine sanded and polished
- Quality 304 series stainless steel

One Compartment Commercial Prep Sinks



Item No.	D x W x H (in)	BD x BW x BH (in)	G. W. (lb)
SH24301P	28 x 30 x 44	24 x 27 x 16	52
SH24361P	28 x 36 x 44	24 x 33 x 16	63
SH24421P	28 x 42 x 44	24 x 39 x 16	74
SH24481P	28 x 48 x 44	24 x 45 x 16	85

- 16"H sink bowl accommodates large items
- 3/4" Radius edge for easy cleaning
- 1-1/2" NPS drain connection
- 3-5/8" Strainer opening,
- 2-1/2" Deep back-splash for extra spacing




Suggested Accessories:



Sink Accessories

Sink Splashguards


1



Item No.	Dimension (in)	G. W.
SP-SH1810L	22 x 11 Left	51 lb
SP-SH1810R	22 x 11 Right	51 lb
SP-SH2410L	28 x 11 Left	65 lb
SP-SH2410R	28 x 11 Right	65 lb
SP-SH18xx For 18" Width Compartment Sinks		
SP-SH24xx For 24" Width Compartment Sinks		
10 items per case		

Drain board Sink Rack


2



Item No.	Dimension (in)	G. W.
SB-BR24	14-1/2 x 24-3/4	60 lb

Sink Splash Guard For Compartment Sinks

3



Item No.	Dimensions (in)	G. W.
SP-S1812	20 Wide x 12 Height	38 lb
SP-S1820	20 Wide x 20 Height	58 lb
SP-S2412	26 Wide x 12 Height	50 lb
SP-S2420	26 Wide x 20 Height	74 lb
SP-S18xx For 18" Sink Bowls		
SP-S24xx For 24" Sink Bowls		
10 Items Per Case		

Compartment Sink Drain Baskets


4a



Item No.	Dimension (in)	G. W.
SD-1818	17-1/2 x 17-1/2 x 4	7 lb
SD-2020	19-1/2 x 19-1/2 x 4	8 lb
SD-2424	23-1/2 x 23-1/2 x 4	10 lb
1 Item Per Case		

Scrap Baskets

4b




Item No.	For Sink Bowl (in)	G. W.
SD-1818B	18 x 18 x 6-3/8	13 lb
SD-1824B	18 x 24 x 6-3/8	16 lb
SD-2020B	20 x 20 x 6-3/8	15 lb
1 Item Per Case		



Sink Bowl Covers


5a



Item No.	For Sink Bowl (in)	G. W.
SC-1818	18 x 18	16 lb
SC-1824	18 x 24	18 lb
SC-2020	20 x 20	18 lb
SC-2024	20 x 24	20 lb
SC-2424	24 x 24	22 lb
2 Items Per Case		

Sink Bowl Racks

5b




Item No.	For Sink Bowl (in)	G. W.
SC-S1818	18 x 18	53 lb
SC-S1824	18 x 24	58 lb
SC-S2020	20 x 20	62 lb
SC-S2024	20 x 24	67 lb
SC-S2424	24 x 24	73 lb
10 Items Per Case		

Three Sinks & Under Counter Dish Tables


Three Compartment Sink Dishtables

DT18243D-L



- Table has formed-down lip to fit most standard dishwasher
- Stainless steel legs with cross bracing
- 8" wall mount faucet holes
- 11-1/2" backsplash

Suggested Accessories:




Item No.	Side	Item No.	Side	D x W x H (in)	BD x BW x BH (in)	Drainboard (in)	DO (in)	G. W. (lb)
DT18243D-L	Left	DT18243D-R	Right	30 x 90-1/4 x 45-1/2	24 x 18 x 14	18	21-1/2	125


Under Counter Design Dishtables

Left Side Model

Right Side Model



- 16 Ga. 304 Polished stainless steel work surface
- 16 Ga. 304 S/S Sink bowl 20in x 20in x 8in
- Fit standard undercounter dishwashers
- Left or right models;
- Stainless steel legs with cross braced
- Ø3-1/2 Stainer opening
- 11-1/2 Backsplash
- Faucet and scrap basket are not included




Item No.	D x W x H (in)	Drainboard (in)	G. W. (lb)
DT48U-L	30 x 48 x 45-1/2	24-1/4	50
DT48U-R	30 x 48 x 45-1/2	24-1/4	50
DT60U-L	30 x 60 x 45-1/2	36-1/4	57
DT60U-R	30 x 60 x 45-1/2	36-1/4	57


Clean Dishtables

Clean Dishtables

- 16 Ga. 304 Polished stainless steel work surface
- Table has formed-down lip to fit most standard dishwashers
- Left or right models
- Stainless steel legs with cross braced
- 11-1/2" back-splash
- 72" and up models come with 4 legs



Item No.	D x W x H (in)	G. W. (lb)
DT24C-L	30 x 24 x 45-1/2	29
DT24C-R	30 x 24 x 45-1/2	29
DT30C-L	30 x 30 x 45-1/2	34
DT30C-R	30 x 30 x 45-1/2	34
DT36C-L	30 x 36 x 45-1/2	41
DT36C-R	30 x 36 x 45-1/2	41
DT48C-L	30 x 48 x 45-1/2	53
DT48C-R	30 x 48 x 45-1/2	53
DT60C-L	30 x 60 x 45-1/2	62
DT60C-R	30 x 60 x 45-1/2	62
DT72C-L	30 x 72 x 45-1/2	76
DT72C-R	30 x 72 x 45-1/2	76
DT84C-L	30 x 84 x 45-1/2	77
DT84C-R	30 x 84 x 45-1/2	77
DT96C-L	30 x 96 x 45-1/2	87
DT96C-R	30 x 96 x 45-1/2	87




Left Side Model

Right Side Model


Soiled Dishtables

Soiled Dishtables

- 16 Ga. 304 Polished stainless steel work surface
- 16 Ga. 304 Sinkbowl 20in x 20in x 8in
- Table has formed-down lip to fit most standard dishwashers
- Stainless steel cross braced legs
- Ø3-1/2 Stainer opening
- 11-1/2" back-splash,
- Faucet and scrap basket are not included
- 72" and up models come with 4 legs



Item No.	D x W x H (in)	A (in)	G. W. (lb)
DT24S-L	30 x 24 x 45-1/2	1-1/4	39
DT24S-R	30 x 24 x 45-1/2	1-1/4	39
DT30S-L	30 x 30 x 45-1/2	6	44
DT30S-R	30 x 30 x 45-1/2	6	44
DT36S-L	30 x 36 x 45-1/2	6	48
DT36S-R	30 x 36 x 45-1/2	6	48
DT48S-L	30 x 48 x 45-1/2	6	59
DT48S-R	30 x 48 x 45-1/2	6	59
DT60S-L	30 x 60 x 45-1/2	6	67
DT60S-R	30 x 60 x 45-1/2	6	67
DT72S-L	30 x 72 x 45-1/2	6	77
DT72S-R	30 x 72 x 45-1/2	6	77
DT84S-L	30 x 84 x 45-1/2	6	87
DT84S-R	30 x 84 x 45-1/2	6	87
DT96S-L	30 x 96 x 45-1/2	6	97
DT96S-R	30 x 96 x 45-1/2	6	97




Left Side Model

Right Side Model

Dishtable Accessories

Dishtable Tubular Rack




**Custom Made
Sizes Available**




Item No.	Dimension (in)	G. W. (lb)	Qty./case
DT-SD	Tubular Rack (Custom)	-	1

Dishtable Accessories


DT-WS2442
(Basket not included)



DT-WS2422



DT-SS Series



SD-2020



SD-2020B



DT-RS



Item No.	Description	G. W. (lb)	Qty./Case
DT-RS	Rack Slide For 20" x 20" Sink Bowl	28	10
DT-SS Series	See Page 52 For More Options	-	1
DT-WS2422	Wall Mount Shelf For Glass Rack 22" x 24" x 17-1/2"	15	1
DT-WS2442	Wall Mount Shelf For Glass Rack 42" x 24" x 17-1/2"	24	1
SD-2020	Scrap Basket 20" x 20" More Sizes on Page 67	8	1
SD-2020B	Scrap Basket w/ Pack Slide 20" x 20" More Sizes on Page 67	16	1

Wall Mount Hand Sinks

Mini Hand Sink



Item No.	Dimension (in)	Sink Bowl Size (in)	Opening (in)	G. W. (lb)
HS-1608W	8 x 15-5/8 x 5-1/2	6-1/8 x 12-3/8	Ø1-7/8	9

Wall Mount Hand Sink With Deck Mount Faucet




Item No.	Dimension (in)	Sink Bowl Size (in)	Opening (in)	G. W. (lb)
HS-1416D	16-5/8 x 14-3/8 x 13-5/8	9-5/8 x 12-3/8	Ø1-7/8	9

Wall Mount Hand Sinks

HS-1615W-HF

- Faucet & strainer included

HS-1615W-HF: include AA-515HF



Item No.	Faucet	D x W x H (in)	BD x BW x BH (in)	S (in)	G. W. (lb)
HS-0810W	4" Faucet	12-1/4 x 12 x 12-3/4	8 x 10 x 5	7-1/4	8
HS-1217W	4" Faucet	17-7/8 x 12-5/8 x 13-3/8	13-1/4 x 9-3/4 x 5-5/8	9-3/4	10
HS-1615W	4" Faucet	15-1/4 x 15-3/4 x 13-3/8	9-3/4 x 12-1/2 x 5-5/8	8-3/4	10
HS-1615W-HF	Hands-Free Faucet	15-1/4 x 15-3/4 x 13-3/8	9-3/4 x 12-1/2 x 5-5/8	8-3/4	10
HS-1715W	4" Faucet	17 x 15-3/4 x 13-3/8	14-1/4 x 10-1/8 x 5	8-7/8	11
HS-2017W	4" Faucet	17-1/2 x 20-1/2 x 14-3/4	12-3/4 x 17-3/4 x 7	9-3/4	13

Wall Mount Hand Sinks With Side Splashguards

HS-1615S

HS-1615S-N

HS-1615S-HF & HS-1615S-N-HF:
Include AA-515HF



Item No.	Faucet	D x W x H (in)	BD x BW x BH (in)	S (in)	G. W. (lb)
HS-0810S	4" Faucet	12-1/4 x 12 x 12-3/4	8 x 10 x 5	7-1/4	10
HS-1217S	4" Faucet	17-7/8 x 12-5/8 x 13-3/8	13-1/4 x 9-3/4 x 5-5/8	9-3/4	14
HS-1615S	4" Faucet	15-1/4 x 15-3/4 x 13-3/8	9-3/4 x 12-1/2 x 5-5/8	8-3/4	14
HS-1615S-HF	Hands-Free faucet	15-1/4 x 15-3/4 x 13-3/8	9-3/4 x 12-1/2 x 5-5/8	8-3/4	14
HS-2017S	4" Faucet	17-1/2 x 20-1/2 x 14-3/4	12-3/4 x 17-3/4 x 7	9-3/4	17
HS-1615S-N	4" Faucet	15-1/4 x 15-3/4 x 13-3/8	9-3/4 x 12-1/2 x 5-5/8	8-3/4	14
HS-1615S-N-HF	Hands-Free faucet	15-1/4 x 15-3/4 x 13-3/8	9-3/4 x 12-1/2 x 5-5/8	8-3/4	14
HS-1715S-N	4" Faucet	15-3/4 x 17 x 13-3/8	10-1/8 x 14-1/4 x 5	8-7/8	15


Drop-In Hand Sink

Drop-In Hand Sink With 3 Side Splashguards

HS-1410IS



- 3 Side splashguards, 2 sides and rear
- Polished stainless steel
- All-welded construction
- Includes 4" deck mount faucet
- 1-7/8" NPS drain outlet
- Faucet & strainer included




Item No.	D x W x H (in)	BD x BW x BH (in)	Cut-out Size (in)	G. W. (lb)
HS-1014IS	19-1/8 x 13-1/8 x 16	14 x 10 x 10	18-3/8 x 12-1/8	13.2
HS-1410IS	15-1/4 x 17-1/4 x 16	10 x 14 x 10	14-1/2 x 16-3/8	13.2

Regular Drop-In Hand Sink

HS-0810I



- Faucet & strainer included



Order No.	D x W x H (in)	BD x BW (in)	Cut-out Size w/ 2-3/4 Radius (in)	G. W. (lb)
HS-0810I	13 x 13 x 5	8 x 10	12-1/2 x 12-1/2	6
HS-1317I	17-1/2 x 13 x 6-3/8	13-1/2 x 11	16-1/2 x 12-1/2	7
HS-1615I	15-3/4 x 15-1/4 x 6-1/2	11-1/4 x 13-1/2	13-1/2 x 14-1/8	7
HS-2017I	17 x 20-1/4 x 7-1/2	12-3/4 x 17-7/8	14 x 18-1/2	10

Hand Sink Splashguards

Deck Mount





Wall Mount



Item No.	W x H (in)	Mounting Style	For Hand Sink	G. W. (lb)	Qty./Case
SP-S1506	15 x 6	Deck Mount	HS-1317I, HS-1615I, HS-2017I	15	10
SP-S1512	12 x 15	Wall Mount	HS-1615W	30	10
SP-S1520	20 x 15	Wall Mount	HS-1615W	44	10
SP-S1712	12 x 17	Wall Mount	HS-1217W	33	10

- 18 Gauge stainless steel mounting splashguard for hand sink



Foot & Knee Operated Faucet

Foot Operated & Hands-Free Hand Sinks w/ Faucet & Soap Dispenser


HS-1615F

HS-1615FS-HF






- Faucet, foot operated valve & soap dispenser included
- Removable front cover for easy installation and plumbing access

Replacement:



Optional:



Item No.	Description	Included Items	G. W. (lb)
HS-1615F	Hand Sink w/ Foot Operated Valve	AA-202G, AA-515G, AA-138, AA-141	35
HS-1615FS	Hand Sink w/ Foot Operated Valve & Splashguards	AA-202G, AA-515G, AA-138, AA-141	38
HS-1615F-202GSM	Hand Sink w/ Foot Operated Single Faucet	AA-202GSM, AA-515G, AA-138, AA-141	34
HS-1615FS-202GSM	Hand Sink w/ Foot Operated Single Faucet & Splashguards	AA-202GSM, AA-515G, AA-138, AA-141	37
HS-1615F-HFM	Hand Sink w/ Hands-Free Sensor Faucet	AA-515HF, AA-138, AA-141	32
HS-1615FS-HFM	Hand Sink w/ Hands-Free Sensor Faucet & Splashguards	AA-515HF, AA-138, AA-141	35

Knee Operated & Hands-Free Hand Sinks w/ Faucet & Soap Dispenser

HS-1615K

HS-1615KS-203GS


- Faucet, knee operated valve & soap dispenser included






HS-1615KS-HF



HS-1615K Models




HS-1715K Models



Optional:



Replacement:



Item No.	Description	Included Items	G. W. (lb)
HS-1615K	Hand Sink w/ Knee Operated Valve	AA-203G, AA-515G, AA-138, AA-141	21
HS-1615KS	Hand Sink w/ Knee Operated Valve & Splash Guards	AA-203G, AA-515G, AA-138, AA-141	24
HS-1615K-HF	Hand Sink w/ Hands-Free Sensor Faucet	AA-515HF, AA-138, AA-141	18
HS-1615KS-HF	Hand Sink w/ Hands-Free Sensor Faucet & Splash Guards	AA-515HF, AA-138, AA-141	21
HS-1615K-203GSM	Hand Sink w/ Knee Operated Single Faucet	AA-203GSM, AA-515G, AA-138, AA-141	20
HS-1615KS-203GSM	Hand Sink w/ Knee Operated Single Faucet & Splash Guards	AA-203GSM, AA-515G, AA-138, AA-141	23
HS-1715K-203GSM	Hand Sink w/ Knee Operated Single Faucet	AA-203GSM, AA-515G, AA-138, AA-141	22
HS-1715KS-203GSM	Hand Sink w/ Knee Operated Single Faucet & Splash Guards	AA-203GSM, AA-515G, AA-138, AA-141	25

Sinks with Towel & Soap Dispenser


Wash Station w/ Hands-Free Faucet & Soap Dispenser




HS-1615FSD-202GSM **HS-1615FSD-HF**

- Allows washing and rinsing within one station
- Hands-free soap dispensers and the hands-free faucet included
- 120V water heater for cold water supply only (optional)

Optional:



Replacement:



Item No.	Description	Dimension (in)	G. W. (lb)
HS-1615FSD-HF	Hands-Free Sensor Faucet & Soap Dispenser included	15-5/8 x 17 x (34+23)	56
HS-1615FSD-202GSM	Foot Operated Valve & Soap Dispenser included	15-5/8 x 17 x (34+23)	56

Splash Guard Hand Sink w/ Towel, Faucet & Soap Dispenser






HS-1824TR



HS-1217TS

(Faucet & strainer included)



Item No.	Description	G. W. (lb)
HS-1824TR	Under Mount 8" Paper Roll, Front Deck Mount Soap Dispenser & Wall Mount Faucet	26
HS-1217TS	Under Mount C-Fold Paper Towel & Deck Mount Soap Dispenser	26
HS-1615TS	Standard Under Mount Paper Towel & Deck Mount Soap Dispenser	26
HS-2017TS	Extra Wide Under Mount Paper Towel & Deck Mount Soap Dispenser	32

Hand Sink Unit w/ Towel Dispenser



(Faucet & strainer included)

Item No.	Dimension (in)	Description	G. W. (lb)
HS-1615C	15 x 16-1/8 x 28-1/2	Hand Sink With Towel Dispenser (HS-CFO)	23

Knee Operated Unit w/ Towel & Soap Dispenser



(Faucet & strainer included)

Item No	Dimension (in)	Description	G. W. (lb)
HS-1615KC	15 x 16-1/8 x 34	Knee Operated	27
HS-1615KC-HS	15 x 16-1/8 x 34	Hands-Free	24
HS-1615KC-203GS	15 x 16-1/8 x 34	Single Knee Operated	26

Dipperwell Sinks

Drop-In Style Round Dipperwell Sink

Item No.	Bowl Size (in)	Dimension (in)	G. W. (lb)	Qty./Case
----------	----------------	----------------	------------	-----------

HS-DSROG	Ø5-1/2 x 5-1/2	Ø7 x 5-1/2	3	12
----------	----------------	------------	---	----

- Ø1-7/8" Drain opening
- 1-1/2 NPS drain outlet



Replacements:



AA-503G



AA-141
AA-141-A



AA-503G-Stem

Rectangle Dipperwell Sink

Item No.	Bowl Size (in)	Dimension (in)	G. W. (lb)	Qty./Case
----------	----------------	----------------	------------	-----------

HS-DSREG	9-1/2 x 5-1/2 x 4	10 x 6 x 4	2.7	12
----------	-------------------	------------	-----	----

- Wall Mount
- Drain pipe 1" NPT



Replacements:



AA-503G



AA-503G-Stem

new

Mobile Hand Wash Station

HS-M3024A



HS-M3024



- All Hands-Free
- Convenience for indoor and outdoor sanitation
- Water Temperature: 120 Degrees F
- Sink bowl: 12" W x 12" L x 5" D
- 13 gallon waste water tanks
- Included hands-free faucet & soap dispenser

Replacement:



KP5113



AA-515HFD



AA-141
AA-141-A



BX-MR8



AA-138A

Order No.	Dimension (in)	Included	Fresh Water Tank	Waste Water Tank	Volt	Watt	G. W. (lb)
HS-M3024A	26 x 30 x 54	Hands-free faucet, soap dispenser, Towel dispenser	22 Gallons	23 Gallons	120	800	177
HS-M3024	26 x 30 x 40	Hands-free faucet, soap dispenser	12 Gallons	13 Gallons	120	1000	192

Towel & Soap Dispenser


AA-145



AA-138



HS-CFO



Item No.	Description	G. W. (lb)	Qty./Case
AA-145	Wall Mount Soap Dispenser 30 oz. For Hand Sink	0.8	1
AA-138	Deck Mount Soap Dispenser 12 oz. For Hand Sink	0.5	1
HS-CFO	C-Fold Towel Dispenser	13	1


See page 47 for more.

Mop Sinks

Janitorial Mop Sink Cabinet



- All stainless steel construction provides longevity
- Floor mount design for ultimate in sanitation
- Shelf with 3 mop holders included
- Recommended service faucet AA-840 (not included)
- Top slanted at a 9.5° angle



Shelf with mop holders

Included:
SE2424FM-UP



Replacement:
AA-153S




Item No.	D x W x H (in)	Sink Bowl Size (in)	Pipe Dia. (in)
CSE2424FM	25-1/2 x 24 x 78-1/4	20 x 20 x 10	Ø2-1/4

Floor Mount Mop Sink





SE2024FM

Front Open



SE2024FM-UP

- All stainless steel construction provides longevity and easy maintenance
- Floor mount design for ultimate in sanitation
- Plastic basket strainer included
- Recommended service faucet AA-840 (not included)




Optional custom made splashguards for SE2024FM & SE2024FM-UP

Replacement Part:
AA-153S




Item No.	Description	Dimension (in)	Sink Bowl Size (in)	Pipe Dia. (in)	A (in)	B (in)	G. W. (lb)
SE2024FM	Floor Mount Mop Sink	20 x 24 x 14	16 x 20 x 10	Ø2-1/4	10	12	30
SE2424FM	Floor Mount Mop Sink	24 x 24 x 14	20 x 20 x 10	Ø2-1/4	12	12	39
SE2024FM-UP	Floor Mount Mop Sink w/ 1" Upturn	20 x 24 x 15	16 x 20 x 10	Ø2-1/4	10	12	31
SE2424FM-UP	Floor Mount Mop Sink w/ 1" Upturn	24 x 24 x 15	20 x 20 x 10	Ø2-1/4	12	12	40

Convertible Mop Sink Splash Guards



- Polished finish stainless steel
- Rolled edge on splash guards edge
- Easy assembly, no mounting hardware required



Item No.	For Mop Sink Model	D x W x H (in)	G.W.(lb)
SE2024FM-SP	For SE2024FM-UP	18-1/2 x 19-1/2 x 19-1/2	8
SE2424FM-SP	For SE2424FM-UP	22-1/2 x 23-1/2 x 19-1/2	12

Rice Cooker Stand Series


Rice Warmer Cart



KS4113 (4" w/ brake)



- Holds a large rice warmer/ cooker (up to 110 cups / Ø16-1/2")
- Both shelves are adjustable
- Shipped knock-down, easy to assemble and clean



Item No.	Dimension (in)	Load Cap. (lb) Top Shelf/ Under shelf	G. W. (lb)
ES-RC15	15 x 15 x 30	200 / 200	28


Rice Cooker Stand



Optional Caster:
KS6113 (6" w/ Brake)



- S/S top, galvanized leg, undershelf, and gussets are standard
- Top reinforced with welded on "hat" channel frame
- Adjustable ABS bullet feet
- easy to assemble and clean
- Shipped knock-down



Item No.	Dimension (in)	Load Cap.(lb) Top Shelf/ Under shelf	G. W. (lb)
ES-RC20	20 x 20 x 20-1/2	150 / 110	23


Rice Cooker Stand w/ Dolly

Replacement:



ES-RC3024-D

KP4112 (side brake)



- 200 lb loading capacity on top
- 150 lb load capacity on 4" casters dolly
- Sliding shelves that extends a full 16 inches
- Easy to assemble and clean
- Shipped knock-down


Item No.	Dimension (in)	Load Cap. (lb)	G. W. (lb)
ES-RC3024	24 x 30 x 29	Top: 200 / Dolly: 100	62

Three Sides Upturn Equipment Stands

Three Sides Upturn Equipment Stands

- 1" Upturn on 3 sides
- Quality S/S unsurpassed strength and durability
- Top reinforced with welded-on hat channel
- Sound-deadened between top and channels
- Shipped knock-down (except ES-PxxxxW)
- Rolled edge construction
- Adjustable ABS bullet feet (ES-PxxxxW is S/S bullet feet)
- Gussets are recessed into channel to reduce lateral movement

Optional Caster:
KS6113



ES-Exxxx:

18 Ga. Galvanized Table Top
18 Ga. Galvanized Under Shelf
18 Ga. Galvanized Legs

ES-Sxxxx:

16 Ga. 430 S/S Table Top
18 Ga. Galvanized Under Shelf
18 Ga. Galvanized Legs


ES-Pxxxx:

16 Ga. 430 S/S Table Top
18 Ga. 430 S/S Under Shelf
S/S Legs

ES-PxxxxW (All-welded):

16 Ga. 430 S/S Table Top
18 Ga. 430 S/S Under Shelf
S/S Legs

Equipment stands length 60" and above have 6 legs




Item No.				D x W x H (in)	Load Cap. (lb)		Approx. Weight (lb)
Knock-Down	Knock-Down	Knock-Down	All-welded		Top Shelf	Under Shelf	
	ES-S2412			24 x 12-1/2 x 24	130	80	24
	ES-S2418			24 x 18-1/2 x 24	195	110	29
	ES-S2424			24 x 24-1/2 x 24	260	150	38
	ES-S2436			24 x 36-1/2 x 24	350	200	48
	ES-S2448			24 x 48-1/2 x 24	400	240	57
	ES-S2460			24 x 60-1/2 x 24	450	270	68
	ES-S2472			24 x 72-1/2 x 24	420	250	81
ES-E3012	ES-S3012	ES-P3012		30 x 12-1/2 x 24	195	120	27
ES-E3018	ES-S3018	ES-P3018		30 x 18-1/2 x 24	230	130	38
ES-E3024	ES-S3024	ES-P3024		30 x 24-1/2 x 24	390	230	47
ES-E3036	ES-S3036	ES-P3036	ES-P3036W	30 x 36-1/2 x 24	420	250	59
ES-E3048	ES-S3048	ES-P3048	ES-P3048W	30 x 48-1/2 x 24	480	280	68
ES-E3060	ES-S3060	ES-P3060	ES-P3060W	30 x 60-1/2 x 24	540	320	84
ES-E3072	ES-S3072	ES-P3072	ES-P3072W	30 x 72-1/2 x 24	500	300	106

Work Table Series

Flat Top Work Tables

- Quality S/S unsurpassed strength and durability
- Top reinforced with strengthened hat channel
- Sound-deadened between top and channels
- Rolled edge construction
- Adjustable ABS bullet feet
- Shipped knock-down




WT-Exxxx:

16 Ga. 430 S/S Table Top
18 Ga. Galvanized Undershelf
18 Ga. Galvanized Legs

WT-Pxxxx:

16 Ga. 201 S/S Table Top
18 Ga. 430 S/S Undershelf
S/S 201 Legs




WT-EExxxx:

18 Ga. 430 S/S Table Top
18 Ga. Galvanized Undershelf
18 Ga. Galvanized Legs

WT-EPxxxx:

18 Ga. 430 S/S Table Top
18 Ga. 430 S/S Undershelf
18 Ga. Galvanized Legs

Work tables length 72" and above have 6 legs



Optional Caster:
KS6113




Item No.		D x W x H (in)		# of Channels		Load Cap. (lb)		A (in)	B (in)	Approx. Weight (lb)	
				Top Shelf	Undershelf	Top Shelf	Undershelf				
		WT-E1836	WT-P1836	18 x 36 x 35	3	1	295	170	12-1/8	29-1/8	38
		WT-E1848	WT-P1848	18 x 48 x 35	3	1	300	180	12-1/8	41-1/8	47
		WT-E1860	WT-P1860	18 x 60 x 35	3	1	330	190	12-1/8	53-1/8	52
		WT-E1872	WT-P1872	18 x 72 x 35	3	1	310	180	12-1/8	65-1/8	67
WT-EE2412	WT-EP2412	WT-E2412	WT-P2412	24 x 12 x 35	2	1	130	80	18-1/8	6-1/8	28
WT-EE2418	WT-EP2418	WT-E2418	WT-P2418	24 x 18 x 35	2	1	195	120	18-1/8	12-1/8	33
WT-EE2424	WT-EP2424	WT-E2424	WT-P2424	24 x 24 x 35	2	1	260	150	18-1/8	17-1/8	38
WT-EE2430	WT-EP2430	WT-E2430	WT-P2430	24 x 30 x 35	2	1	320	190	18-1/8	23-1/8	43
WT-EE2436	WT-EP2436	WT-E2436	WT-P2436	24 x 36 x 35	3	1	350	200	18-1/8	29-1/8	50
WT-EE2448	WT-EP2448	WT-E2448	WT-P2448	24 x 48 x 35	3	1	400	240	18-1/8	41-1/8	65
WT-EE2460	WT-EP2460	WT-E2460	WT-P2460	24 x 60 x 35	3	1	450	270	18-1/8	53-1/8	78
WT-EE2472	WT-EP2472	WT-E2472	WT-P2472	24 x 72 x 35	3	1	420	250	18-1/8	65-1/8	96
WT-EE2484	WT-EP2484	WT-E2484	WT-P2484	24 x 84 x 35	3	1	420	250	18-1/8	77-1/8	112
WT-EE2496	WT-EP2496	WT-E2496	WT-P2496	24 x 96 x 35	3	1	400	240	18-1/8	89-1/8	125
WT-EE3012	WT-EP3012	WT-E3012	WT-P3012	30 x 12 x 35	2	1	195	120	24-1/8	5-1/8	32
WT-EE3018	WT-EP3018	WT-E3018	WT-P3018	30 x 18 x 35	2	1	230	130	24-1/8	11-1/8	36
WT-EE3024	WT-EP3024	WT-E3024	WT-P3024	30 x 24 x 35	2	1	390	230	24-1/8	17-1/8	41
WT-EE3030	WT-EP3030	WT-E3030	WT-P3030	30 x 30 x 35	3	1	460	270	24-1/8	23-1/8	48
WT-EE3036	WT-EP3036	WT-E3036	WT-P3036	30 x 36 x 35	3	1	420	250	24-1/8	29-1/8	56
WT-EE3048	WT-EP3048	WT-E3048	WT-P3048	30 x 48 x 35	3	1	480	280	24-1/8	41-1/8	71
WT-EE3060	WT-EP3060	WT-E3060	WT-P3060	30 x 60 x 35	3	1	540	320	24-1/8	53-1/8	86
WT-EE3072	WT-EP3072	WT-E3072	WT-P3072	30 x 72 x 35	3	1	500	300	24-1/8	65-1/8	110
WT-EE3084	WT-EP3084	WT-E3084	WT-P3084	30 x 84 x 35	3	1	500	300	24-1/8	77-1/8	122
WT-EE3096	WT-EP3096	WT-E3096	WT-P3096	30 x 96 x 35	3	1	480	280	24-1/8	89-1/8	138

Work Table Series


Rear Upturn Work Tables

- Quality S/S unsurpassed strength and durability
- Top reinforced with strengthened hat channel
- Sound-deadened between top and channels
- Gussets are recessed into channel to reduce lateral movement
- 1-1/2" (WT-EBxxxx) & 4" (WT-PBxxxx) rear upturn with radius at intersection
- Rolled edge construction
- Adjustable ABS bullet feet
- Shipped knock-down



WT-EBxxxx:


16 Ga. 430 S/S Table Top
18 Ga. Galvanized Under shelf
18 Ga. Galvanized Legs



WT-PBxxxx:

16 Ga. 201 S/S Table Top
18 Ga. 430 S/S Under Shelf
S/S 201 Legs

Work tables length 72" and above have 6 legs



Optional Caster:
KS 6113




Item No.		D x W x H (in)	# of Channels		Load Cap. (lb)		A (in)	B (in)	Approx. Weight (lb)
1-1/2" Upturn	4" Upturn		Top Shelf	Under Shelf	Top Shelf	Under Shelf			
WT-EB2412	WT-PB2412	24 x 12 x 35	2	1	130	80	18-1/8	9-1/4	28
WT-EB2418	WT-PB2418	24 x 18 x 35	2	1	195	120	18-1/8	15-3/8	33
WT-EB2424	WT-PB2424	24 x 24 x 35	2	1	260	150	18-1/8	17-1/8	39
WT-EB2430	WT-PB2430	24 x 30 x 35	2	1	320	190	18-1/8	23-1/8	45
WT-EB2436	WT-PB2436	24 x 36 x 35	3	1	350	200	18-1/8	29-1/8	51
WT-EB2448	WT-PB2448	24 x 48 x 35	3	1	400	240	18-1/8	41-1/8	62
WT-EB2460	WT-PB2460	24 x 60 x 35	3	1	450	270	18-1/8	53-1/8	79
WT-EB2472	WT-PB2472	24 x 72 x 35	3	1	420	250	18-1/8	65-1/8	99
WT-EB2484	WT-PB2484	24 x 84 x 35	3	1	420	250	18-1/8	77-1/8	111
WT-EB2496	WT-PB2496	24 x 96 x 35	3	1	400	240	18-1/8	89-1/8	125
WT-EB3012	WT-PB3012	30 x 12 x 35	2	1	195	120	24-1/8	5-1/8	31
WT-EB3018	WT-PB3018	30 x 18 x 35	2	1	230	130	24-1/8	11-1/8	38
WT-EB3024	WT-PB3024	30 x 24 x 35	2	1	390	230	24-1/8	17-1/8	39
WT-EB3030	WT-PB3030	30 x 30 x 35	3	1	460	270	24-1/8	23-1/8	50
WT-EB3036	WT-PB3036	30 x 36 x 35	3	1	420	250	24-1/8	29-1/8	57
WT-EB3048	WT-PB3048	30 x 48 x 35	3	1	480	280	24-1/8	41-1/8	73
WT-EB3060	WT-PB3060	30 x 60 x 35	3	1	540	320	24-1/8	53-1/8	88
WT-EB3072	WT-PB3072	30 x 72 x 35	3	1	500	300	24-1/8	65-1/8	109
WT-EB3084	WT-PB3084	30 x 84 x 35	3	1	500	300	24-1/8	77-1/8	126
WT-EB3096	WT-PB3096	30 x 96 x 35	3	1	480	280	24-1/8	89-1/8	141

Work Table Series


Open Base Work Table

- Quality S/S unsurpassed strength and durability
- Top reinforced with strengthened hat channel
- Sound-deadened between top and channels
- Gussets are recessed into channel to reduce lateral movement
- Rolled edge construction
- Adjustable ABS bullet feet
- Shipped knock-down



WT-PxxxxxB:


16 Ga. 201 S/S Table Top
S/S 201 Legs
Aluminum Crossbracing



WT-PBxxxxxB:

16 Ga. 201 S/S Table Top
S/S 201 Legs
Aluminum Crossbracing

Work tables length 72" and above have 6 legs.




Optional Caster:
KS 6113



Item No.	Item No.	D x W x H (in)	# of Channels Top Shelf	A (in)	B (in)	Load Cap. (lb)	Approx. Weight (lb)
Flat top	4" Rear Uprturn						
WT-P2424B	WT-PB2424B	24 x 24 x 35	2	18-1/8	17-1/8	260	31
WT-P2430B	WT-PB2430B	24 x 30 x 35	2	18-1/8	23-1/8	320	37
WT-P2436B	WT-PB2436B	24 x 36 x 35	3	18-1/8	29-1/8	350	43
WT-P2448B	WT-PB2448B	24 x 48 x 35	3	18-1/8	41-1/8	400	54
WT-P2460B	WT-PB2460B	24 x 60 x 35	3	18-1/8	53-1/8	450	71
WT-P2472B	WT-PB2472B	24 x 72 x 35	3	18-1/8	32-1/2	420	90
WT-P2484B	WT-PB2484B	24 x 84 x 35	3	18-1/8	38-1/2	420	100
WT-P2496B	WT-PB2496B	24 x 96 x 35	3	18-1/8	44-1/2	400	110
WT-P3012B	WT-PB3012B	30 x 12 x 35	2	24-1/8	5-1/8	195	23
WT-P3018B	WT-PB3018B	30 x 18 x 35	2	24-1/8	11-1/8	230	30
WT-P3024B	WT-PB3024B	30 x 24 x 35	2	24-1/8	17-1/8	390	36
WT-P3030B	WT-PB3030B	30 x 30 x 35	3	24-1/8	23-1/8	460	42
WT-P3036B	WT-PB3036B	30 x 36 x 35	3	24-1/8	29-1/8	420	49
WT-P3048B	WT-PB3048B	30 x 48 x 35	3	24-1/8	41-1/8	480	65
WT-P3060B	WT-PB3060B	30 x 60 x 35	3	24-1/8	53-1/8	540	80
WT-P3072B	WT-PB3072B	30 x 72 x 35	3	24-1/8	32-1/2	500	98
WT-P3084B	WT-PB3084B	30 x 84 x 35	3	24-1/8	38-1/2	500	115
WT-P3096B	WT-PB3096B	30 x 96 x 35	3	24-1/8	44-1/2	480	125

Drawers & Stainless Steel Pans

S/S Knock-Down Under Table Mounted Rack



- Stainless steel construction
- 7 level bun pan rack
- Designed for 30"D GSW work table



Item No.	Dimension (in)	Capacity
ASR-TM07	26 x 21-1/4 x 26	6 pans

Heavy Duty Table Drawers With S/S Pan



- All welded stainless steel construction
- Slotted, precise mounting holes offer quick easy installation
- Ball bearing slides
- Stainless steel pans
- Compatible with most work table



Single Hanging Drawer

Item No.	Dimension (in)	Pan Model	G. W. (lb)
DA-1320	16-1/4 x 23 x 6-3/4	-	19
DA-1520	19-1/4 x 23 x 6-3/4	DA-1520P	25
DA-2020	24-7/8 x 23 x 6-3/4	DA-2020P	36

- Hang under work table

Double Hanging Drawer

Item No.	Dimension (in)	Pan Model	G. W. (lb)
DA-2H1520	19-1/4 x 23 x 13-3/4	DA-1520P	50
DA-2H2020	24-7/8 x 23 x 13-3/4	DA-2020P	72

- Hang under work table

Triple Hanging Drawer

Item No.	Dimension (in)	Pan Model	G. W. (lb)
DA-3H1520	19-1/4 x 23 x 25-1/8	DA-1520P	73
DA-3H2020	24-7/8 x 23 x 25-1/8	DA-2020P	104

- Sit on top of worktable undershelf

Replacement Stainless Steel Pan




- Replacement pan for work table drawer
- Strong, tapered corners for easy scooping and pouring
- Great for buffets, hotels, and restaurants
- Impact resistant

Item No.	Dimension (in)	G. W. (lb)
DA-1520P	15 x 20 x 5	5
DA-2020P	20 x 20 x 5	6

Work Table Stands & Prep-Table w/ Sink

S/S Adjustable Work Surface Stands



- Adds a convenient work surface to work table
- Mounts to equipment stands
- Double shelf w/ adjustable undershelf
- Adjustable height
- Designed for GSW work table

Item No.	D x W x H (in)	Pack /case	G. W. (lb)
WT-S1024	16 x 24 x 24	1	40
WT-S1036	16 x 36 x 24	1	47
WT-S1048	16 x 48 x 24	1	54
WT-S1060	16 x 60 x 24	1	61
WT-S1072	16 x 72 x 24	1	68


4" Rear Upturn Prep Table With Sink

WT-PS3048L



- 16 Gauge 304 stainless steel
- Unsurpassed strength and durability
- Top reinforced w/ welded-on hat channel
- Sound-deadened between top and channels
- Gussets are recessed into channel to reduce lateral movement
- 4" rear upturn w/ radius at intersection
- Ø1" holes for 4" deck mount faucet
- Adjustable ABS bullet feet
- 72" and up models have 6 legs for extra strength

WT-PS3048L with Linear Drain



Item No.	D x W x H (in)	Sink Bowl	G. W. (lb)
WT-PS3048L	30 x 48 x 35	Left	91
WT-PS3060L	30 x 60 x 35	Left	106
WT-PS3072L	30 x 72 x 35	Left	127
WT-PS3048R	30 x 48 x 35	Right	91
WT-PS3060R	30 x 60 x 35	Right	106
WT-PS3072R	30 x 72 x 35	Right	127

Optional Accessories:

KS6113
(6" w/ Brake)



AA-420-G




AA-139



AA-139D



Linear Drain WT-PSxxS (Available in 30", 36", 42", 48" & 60")
See Dimension On Page 31



Custom Made Work Tables

Special Order - Custom made Worktables



Commercial Electric Ranges

Automatic Roller Wok



- Durable 304 stainless steel structure
- Ceramic non-stick pot, no PTFE
- 360° automatic rotation
- Multi-function stir fry evenly
- High working efficiency
- Save time and labor



360° Automatic Rotation

Item No.	Description	Dimension (in)	Pot Size	Voltage	Watts
AEI-RCMA	Induction Electric, Right Side Control Box	22 x 19-3/4 x 29-1/2	Ø11-3/4	220	3500
AEI-RCRL	Induction Electric, Both side Control Box	24 x 24 x 29-1/2	Ø11-3/4	220	5000
AEI-RCGA	Works w/ Gas NG/LP	16-1/2 x 25-1/4 x 29-1/2	Ø11-3/4	220	-

Automatic Stir-Frying Wok



- Durable 304 stainless steel structure
- 8 modes programmed timer
- 9 power levels
- Adjustable 5 speeds
- Save time and labor
- Simplified operation
- High working efficiency



Automatic Stir-Frying

Item No.	Dimension (in)	Voltage	Watts
AEI-CC	15-3/4 x 20-5/8 x 15-3/4	220	5000

Commercial Electric Ranges

Chinese Induction Wok Cooker



**Custom Made
Sizes Available**

- Durable stainless steel structure
- 9 power levels
- Corrosion-resistant and easy to clean
- Easy to operate and maintain
- Heavy duty burner with stable flame



AE-I-WR-1



AE-I-WR-2

Item No.	Dimension (in)	Wells No.	Burner	Voltage	Watts
AEI-WR-1	22-5/8 x 30 x 12	1	1	120	8000
AEI-WR-2	22-5/8 x 44 x 12	2	2	120	15000

Automatic Induction Soup Cooker



- Durable 304 stainless steel structure
- 9 power levels
- High-grade durable glass-ceramic panel
- Removable stainless steel faucet

Replacement:



Item No.	Dimension (in)	Voltage	Watts
AEI-SP	25-5/8 x 29-1/2 x (17-3/4+29-1/2)	380	15000

Food Warmer Series



Built-in Drain

Sealed Well

- Features a built-in drain for easy cleanup
- Water is added directly to the well (no spillage pans required)
- Drain valve 1/2" NPT



Open Well

- Can be used for moist or dry heat holding
- More cost effective up front
- Requires the use of spillage pans (must be emptied after use)
- Keep foods and liquid away from the wells

S/S Electric Open Wells & Sealed Wells Hot Food Tables with Cutting Board

new



- Undershelf provides additional space for utensils, pans or lids
- 8" removable polyethylene cutting board with full support shelf for stability
- Optional: Stainless steel spillage pan for open well steaming use

Item No.						
Open Wells	Sealed Wells	Dimension (in)	Wells No.	Voltage	Amps	Watts
ST-2WOE-120	ST-2WSE-120	30-3/8 x 30 x 35	2	120	8.3	1000
ST-3WOE-120	ST-3WSE-120	30-3/8 x 44 x 35	3	120	12.5	1500
ST-4WOE-240	ST-4WSE-240	30-3/8 x 58 x 35	4	240	14.42/16.67	3000/4000
ST-5WOE-240	ST-5WSE-240	30-3/8 x 72 x 35	5	240	18.03/20.84	3750/5000

S/S Electric Sealed Wells Hot Food Enclosed Tables with Cutting Board




- 8" removable polyethylene cutting board with full support shelf for stability
- Undershelf provides additional space for utensils, pans or lids
- Optional: Stainless steel spillage pan for steaming use

Item No.	Dimension (in)	Wells No.	Voltage	Amps	Watts
ST-2WCE-120	30-3/8 x 30 x 35	2	120	8.3	1000
ST-3WCE-120	30-3/8 x 44 x 35	3	120	12.5	1500
ST-4WCE-240	30-3/8 x 58 x 35	4	240	14.42/16.67	3000/4000
ST-5WCE-240	30-3/8 x 72 x 35	5	240	18.03/20.84	3750/5000

Optional Accessories for Hot Food Equipments

new



Hot Food Equipment Sneeze Guard

Item No.	D x W x H (in)	Fit for	G. W. (lb)
ST-2SG	16 x 30 x 19-1/4	2 wells	32
ST-3SG	16 x 44 x 19-1/4	3 wells	39
ST-4SG	16 x 58 x 19-1/4	4 wells	48
ST-5SG	16 x 72 x 19-1/4	5 wells	62

- 3-side tempered glass
- Stainless steel construction top



Double Over-Shelf

Item No.	D x W x H (in)	Fit for	Load Cap. (lb)	G. W. (lb)
DS-1630	16 x 30 x 30	2 wells	200	32
DS-1644	16 x 44 x 30	3 wells	200	39
DS-1658	16 x 58 x 30	4 wells	200	48
DS-1672	16 x 72 x 30	5 wells	200	62

- Shipped knock-down

Food Warmer Series

S/S Electric Sealed Well Drop-In Style Hot Food Warmer



- Ultimate versatility for any buffet, banquet hall, or cafeteria style restaurant
- Option: Stainless steel spillage pan for steaming use

Item No.	Dimension (in)	Wells No.	Voltage	Amps	Watts
ST-2WEI-120	22-5/8 x 30 x 12	2	120	8.3	1000
ST-3WEI-120	22-5/8 x 44 x 12	3	120	12.5	1500
ST-4WEI-240	22-5/8 x 58 x 12	4	240	14.42/16.67	3000/4000
ST-5WEI-240	22-5/8 x 72 x 12	5	240	18.03/20.84	3750/5000

S/S Electric Drop-In Hot Food Single Tank



- Accommodates from 1 to 5 full size food pans

Item No.	Dimension (in)	Voltage	Watts
ST-1WEIS-120	17-1/2 x 25-3/8 x 11	120	1000
ST-2WEIS-120	32 x 25-3/8 x 11	120	1500
ST-3WEIS-240	46 x 25-3/8 x 11	240	2000
ST-4WEIS-240	60 x 25-3/8 x 11	240	1500/2000
ST-5WEIS-240	73 x 25-3/8 x 11	240	2250/3000

S/S Electric Portable Heated Shelf Warmer

- Blanket-type element for even heating

**Custom Made
Sizes Available**



Item No.	Dimension (in)	Voltage/Watts
ST-WP1218	12 x 18 x 2	120/200
ST-WP1224	12 x 24 x 2	120/250
ST-WP1236	12 x 36 x 2	120/350
ST-WP1248	12 x 48 x 2	240/500
ST-WP1260	12 x 60 x 2	240/600
ST-WP1272	12 x 72 x 2	240/700

Item No.	Dimension (in)	Voltage/Watts
ST-WP2018	20 x 18 x 2	120/300
ST-WP2024	20 x 24 x 2	120/375
ST-WP2036	20 x 36 x 2	120/525
ST-WP2048	20 x 48 x 2	240/750
ST-WP2060	20 x 60 x 2	240/900
ST-WP2072	20 x 72 x 2	240/975

7 Qt. Electric Soup Warmer

Item No.	Dimension (in)	Style	Voltage	Watts
ST-WS	11 x 11 x 12	Countertop	120	380
ST-WSI	11 x 11 x 12	Drop-In	120	380



S/S Electric Portable French Fry Warmer

Item No.	Dimension (in)	Voltage	Watts
ST-WFF	13 x 22 x 19	120	800



Food Warmer Series

Countertop Heated Display Warmer with Sliding Doors



- Durable stainless steel body and racks with a sleek black finish
- Independent light switch; 2 interior lamps to illuminate wrapped food

Item No.	Dimension (in)	Voltage	Amps	Watts
ST-HFM-19	19 x 25 x 19	120	7.21/8.33	1500/2000
ST-HFM-26	26 x 25 x 19	120	10.82/12.50	2250/3000
ST-HFM-36	36 x 25 x 19	120	14.42/16.67	3000/4000
ST-HFM-48	48 x 25 x 19	120	18.03/20.84	3750/5000

S/S Overhead Ceramic Infrared Food Warmers



Replacement Part:
ST-HCP



- Powerful ceramic infrared heating elements
- Holds food at their maximum temperatures

Item No.	Dimension (in)	No. of Heaters	Voltage	Watts
ST-H30CS	6 x 30 x 2-1/2	3	120	450
ST-H42CS	6 x 42 x 2-1/2	4	120	600
ST-H54CS	6 x 54 x 2-1/2	5	120	750
ST-H66CS	6 x 66 x 2-1/2	6	120	900

- Customizable length and width provides unlimited flexibility for your kitchen

S/S Overhead Metal Sheathed Food Warmers



Replacement Part:
ST-HCP



- Durable metal sheathed elements
- Intense heat to keep foods at peak serving temperatures w/o overcooking

Item No.	Dimension (in)	Voltage	Watts
ST-H30MS	6 x 30 x 2-1/2	120	500
ST-H42MS	6 x 42 x 2-1/2	120	700
ST-H54MS	6 x 54 x 2-1/2	120	950
ST-H66MS	6 x 66 x 2-1/2	120	1200

- Customizable length and width provides unlimited flexibility for your kitchen

S/S Overhead Food Display Light



Replacement Part:
ST-HLB



- Perfect for displaying food in cafeterias, restaurants, or banquet halls

Item No.	Dimension (in)	No. of Bulbs	Voltage	Watts
ST-H30L	3 x 30 x 2-1/2	4	120	32
ST-H42L	3 x 42 x 2-1/2	6	120	48
ST-H54L	3 x 54 x 2-1/2	8	120	64
ST-H66L	3 x 66 x 2-1/2	10	120	80

- Customizable length and width provides unlimited flexibility for your kitchen
- Option: None adjustable 2700K LED light for steam table or 5000K adjustable LED light for cold table

Stock Pot Range Series & Accessories

Heavy Duty Gas Stock Pot Range Series

- All stock pot range available for natural gas (NG) and liquid propane (LP)

new

Most Efficient



AESP1-28D-24(18)
AESP1-3R18-24(18)



AESP1-28D-24(18):
28 Duck Tips Burner



AESP1-3R18-24(18):
Ring Burner w/ 18
Duck Tips Burner

AESP1-3R18



AESP1-3R24



AESP1-18D24



Item No. (Natural gas)	Item No. (Liquid propane)	Dimension (in)	Description	BTU/HR	Inlet (in)	G. W. (lb)
AESP1-3R18NG	AESP1-3R18LP	18 x 21 x 18 Height	3 Rings Burner	90,000	3/4	98
AESP1-3R24NG	AESP1-3R24LP	18 x 21 x 24 Height	3 Rings Burner	90,000	3/4	104
AESP1-18D24NG	AESP1-18D24LP	18 x 21 x 24 Height	18 Duck Tips Burner	125,000	3/4	82
AESP1-23J24NG	AESP1-23J24LP	18 x 21 x 24 Height	23 Tips Jet Burner	125,000	3/4	82
AESP1-28D24(18)NG	AESP1-28D24(18)LP	24 x 28 x 20 Height	28 Duck Tips Burner	180,000	3/4	175
AESP1-3R18-24(18)NG	AESP1-3R18-24(18)LP	24 x 28 x 20 Height	Ring Burner w/ 18 Duck Tips Burner	180,000	3/4	172

AESP2-3R18



AESP2-3R24



AESP2-18D24
AESP2-28D24



AESP2-23J24



Item No. (Natural gas)	Item No. (Liquid propane)	Dimension (in)	Description (2 Burners)	BTU/HR	Inlet (in)	G. W. (lb)
AESP2-3R18NG	AESP2-3R18LP	18 x 42 x 18 Height	3 Rings Burner	180,000	3/4	186
AESP2-3R24NG	AESP2-3R24LP	18 x 42 x 24 Height	3 Rings Burner	180,000	3/4	200
AESP2-18D24NG	AESP2-18D24LP	18 x 42 x 24 Height	18 Duck Tips Burner	250,000	3/4	153
AESP2-23J24NG	AESP2-23J24LP	18 x 42 x 24 Height	23 Tips Jet Burner	250,000	3/4	153
AESP2-28D24NG	AESP2-28D24LP	18 x 42 x 24 Height	28 Duck Tips Burner	360,000	3/4	164

AESP-TG1821



AESP-AD14



FT-SS6-



Item No.	Dimension (in)	Description	G. W. (lb)
AESP-TG1821	18 x 21 x 3	Stock Pot Stove Top Grate	28.8
AESP-TG2428	24 x 28 x 3	Stock Pot Stove Top Grate	50
AESP-AD14	Ø14-3/8 x 4-5/8" Height	Wok Ring for Stock Pot Stove, Fit For Ø16" & Ø18" Wok	5.8
AESP-AD14-NS	Ø14-3/8 x 3-3/4" Height	Wok Ring for Stock Pot Stove, Fit For Ø20", Ø22" & Ø24" Wok	5
FT-SS6-	Ø1-5/8 x 6	6" Stainless Steel Adjustable Leg	1.7


Hot Plate Series & Broiler Series

Counter Top Hot Plate



- Available in NG/ LP gas
- Durable stainless steel structure
- Corrosion-resistant and easy to clean
- Easy to manipulate and maintain
- Heavy duty burner with stable flame
- Independent manual controls to save energy

Optional & Replacement Accessories:




Item No. (Natural gas)	Item No. (Liquid propane)	Dimension (in)	Description	BTU/HR	Inlet (in)	G. W. (lb)
AEHP12NG	AEHP12LP	12 x 30 x 10	2 Burners Counter Hot Plates	64,000	3/4	71
AEHP24NG	AEHP24LP	24 x 30 x 10	4 Burners Counter Hot Plates	128,000	3/4	130
AEHP36NG	AEHP36LP	36 x 30 x 10	6 Burners Counter Hot Plates	192,000	3/4	186
AEHP48NG	AEHP48LP	48 x 30 x 10	8 Burners Counter Hot Plates	256,000	3/4	240
AEHP60NG	AEHP60LP	60 x 30 x 10	10 Burners Counter Hot Plates	320,000	3/4	305
AESP-AD10		Ø10 x 3	Wok Ring for Hot Plate			3.3
AEHP-TG1212		12 x 12	Hot Plate Top Grate			13

Counter Top Broiler



- Radiant gas counter broiler
- Durable stainless steel structure
- Corrosion-resistant and easy to clean
- Easy to manipulate and maintain
- Thick stainless steel radiant plate for even heating
- Independent manual controls to save energy

Optional & Replacement Accessories:



Item No. (Natural gas)	Item No. (Liquid propane)	Dimension (in)	Description	BTU/HR	Inlet (in)	G. W. (lb)
AEBR-12NG	AEBR-12LP	12 x 30 x 10	2 Burners Counter Broiler	30,000	3/4	78
AEBR-18NG	AEBR-18LP	18 x 30 x 10	3 Burners Counter Broiler	45,000	3/4	108
AEBR-24NG	AEBR-24LP	24 x 30 x 10	4 Burners Counter Broiler	60,000	3/4	136
AEBR-36NG	AEBR-36LP	36 x 30 x 10	6 Burners Counter Broiler	90,000	3/4	198
AEBR-48NG	AEBR-48LP	48 x 30 x 10	8 Burners Counter Broiler	120,000	3/4	268
AEBR-60NG	AEBR-60LP	60 x 30 x 10	10 Burners Counter Broiler	150,000	3/4	338

Griddle Series & Kebob Broilers

Counter Top Griddles



- Available in NG/LP gas
- Durable stainless steel structure
- Corrosion-resistant and easy to clean
- Easy to manipulate and maintain

Optional & Replacement Accessories:



Item No. (Natural gas)	Item No. (Liquid propane)	Dimension (in)	Description	BTU/HR	Inlet (in)	G. W. (lb)
AEGR-12NG	AEGR-12LP	12 x 30 x 10	1 Burner Counter Griddle	30,000	3/4	100
AEGR-18NG	AEGR-18LP	18 x 30 x 10	1 Burners Counter Griddle	30,000	3/4	156
AEGR-24NG	AEGR-24LP	24 x 30 x 10	2 Burners Counter Griddle	60,000	3/4	206
AEGR-36NG	AEGR-36LP	36 x 30 x 10	3 Burners Counter Griddle	90,000	3/4	266
AEGR-48NG	AEGR-48LP	48 x 30 x 10	4 Burners Counter Griddle	120,000	3/4	336
AEGR-60NG	AEGR-60LP	60 x 30 x 10	5 Burners Counter Griddle	150,000	3/4	403


Counter Top Char-Rock Gas Kebob Broilers



- Removable skewer blade (adjustable)
- Stainless steel front, sides and serving top

Replacement:

Char-rock



Item No. (Natural gas)	Item No. (Liquid propane)	Dimension (in)	Adjustable Skewer Blade	BTU/HR	Inlet (in)	G. W. (lb)
AEKR-C24NG	AEKR-C24LP	17 x 24 x 11	5" ~ 7" Spacing	36,000	3/4	145
AEKR-C36NG	AEKR-C36LP	17 x 36 x 11	5" ~ 7" Spacing	45,000	3/4	200
AEKR-C36WNG	AEKR-C36WLP	31 x 36 x 11	10" ~ 16" Spacing	90,000	3/4	295



Counter Top Radiant Gas Kebob Broilers



- Removable skewer blade can adjust 5"~ 7" space
- Stainless steel front, sides and serving top

Replacement

Radiant



Item No. (Natural gas)	Item No. (Liquid propane)	Dimension (in)	Adjustable Skewer Blade	BTU/HR	Inlet (in)	G. W. (lb)
AEKR-R24NG	AEKR-R24LP	17 x 24 x 11	5" ~ 7" Spacing	36,000	3/4	145
AEKR-R36NG	AEKR-R36LP	17 x 36 x 11	5" ~ 7" Spacing	45,000	3/4	200
AEKR-R36WNG	AEKR-R36WLP	31 x 36 x 11	10" ~ 16" Spacing	90,000	3/4	295

Heavy Duty Wok Ranges

Heavy Duty Wok Ranges



Free Standing:
CWR-18D30 NG/LP
CWR-23J30 NG/LP



Counter Style:
CWR-23J10 NG/LP

Counter Style:
CWR-23J10S NG/LP

- Available in NG/ LP gas
- Durable stainless steel structure
- Gradual slope design to reduce spill overs
- Continuous pilot for instant ignition
- Easy to manipulate and maintain

Item No. (Natural gas)	Item No. (Liquid propane)	Dimension (in)	Opening	Style	Burner	Rim (in)	BTU/HR	Inlet (in)	G. W. (lb)
CWR-18D30NG	CWR-18D30LP	18 x 21 x 30	Ø13in	Free Standing	18 Duck Tips Burner	Ø13in	125,000	3/4	74
CWR-28D30NG	CWR-28D30LP	18 x 21 x 30	Ø16in	Free Standing	28 Duck Tips Burner	Ø16in	180,000	3/4	74
CWR-23J30NG	CWR-23J30LP	18 x 21 x 30	Ø13in	Free Standing	23 Tips Jet Burner	Ø13in	125,000	3/4	74
CWR-23J10NG	CWR-23J10LP	18 x 30 x 10	Ø13in	Counter Style	23 Tips Jet Burner	Ø13in	125,000	3/4	70
CWR-23J10SNG	CWR-23J10SLP	18 x 24 x 10	Ø13in	Counter Style	23 Tips Jet Burner	Ø13in	125,000	3/4	70
WR-CIR135	5" Openings 13" Cast Iron Rim								8

Hot Plate with Foldable Board



- Available in NG/ LP gas
- Durable stainless steel structure
- Corrosion-resistant and easy to clean
- Easy to manipulate and maintain
- Heavy duty burner with stable flame
- Independent manual controls to save energy

**Custom Made
Sizes Available**

Item No.	Diameter (in)
AEHP36-3F	60 x 19 x 32

S/S Hood Filter Tank With Cover



- Soak and clean hood filters,
- Waste drain valve with handle included
- Top cover included

Caster:
KP4114
(4" casters)



Item No.	Diameter (in)	G. W. (lb)
FF-TANK	22-7/8 x 18-7/8 x 30	42

BBQ Oven

Stainless Steel Chinese BBQ Oven

EQ-36L



- Stainless steel construction
- Insulated double walls
- Adjustable stainless steel bullet feet
- Waste pan included
- GSW provides custom made service for optional accessories according to your needs (accessories sold separately)




Gas Requirement:

- Consumption: 100,000 BTU/HR
- Natural gas pressure: 5" water column
- Liquid propane pressure: 10" water column


Specification Clearances:

- Non-combustible: 0"
- Combustible: side 6" Rear 3"

Replacements:



EQ-24R & EQ-30R



EQ-36L & EQ-48L


Item No.		D x W x H (in)	ID x IW x IH (in)	Hanger Type	BTU/HR	Gas Inlet	Burners	G. W. (lb)
Left Hinge Door	Right Hinge Door							
EQ-24L	EQ-24R	30 x 24 x 68	26-1/2 x 20 x 42	Fixed Bracket	53,000	3/4 NPT	2	460
EQ-30L	EQ-30R	30 x 30 x 68	26-1/2 x 26 x 42	Fixed Bracket	58,000	3/4 NPT	2	528
EQ-36L	EQ-36R	36 x 36 x 79	32 x 29-1/2 x 50-1/2	Carousel	63,000	1-1/4 NPT	4	620
EQ-48L	EQ-48R	48 x 48 x 82	43 x 41 x 53	Carousel	143,000	1-1/4 NPT	6	810

Mongolian BBQ

Mongolian BBQ Oven



- Heavy duty steel grill top plate 3/4" thick
- Stainless steel scrap ring
- Stainless steel legs w/adjustable bullet feet
- Full size galvanized grease drip pan
- Double wall insulated body construction
- Built in safety control valves and manual gas shut off valves
- Standard pilot light system




Please Note: MBG-60 is Not C.S.A and Not AGA Approved

Item No.	D1 (in)	D2 (in)	Gas Inlet	Ring Burners	BTU/ HR	G. W. (lb)
MBG-36	49	36	1-1/4" NPT	1	400,000	450
MBG-48	61	48	1-1/4" NPT	2	587,000	750
MBG-60	73	60	1-1/4" NPT	3	785,000	1200

Exhaust Hood

Mongolian B.B.Q. hood is designed to capture and containment of cooking vapor specifically in oriental style applications. Built to the highest commercial standards approved and certified in accordance with ETL.



- Hoods are fabricated entirely of 18 gauge 304 stainless steel
- Removable grease filters and cup for easy access and cleaning

Static Pressure : 14.7 psi

Item No.	Diameter (in)	Height (in)	CFM	Recommended for Order of Grill	G. W. (lb)
MBG-67H	67	20	1700	MBG-36 / MBG-42	251
MBG-73H	73	24/ 30	1910	MBG-42 / MBG-48	277
MBG-85H	85	24	2225	MBG-54 / MBG-60	307

Chinese Wok Ranges

Standard Chinese Wok Range

- L-shape gas off/on valve handle provides easy access for knee operation and hands free gas adjustment during cooking
- Independent galvanized drip tray under each burner for grease and debris collection
- 16-gauge stainless steel stove top
- Front drainage tunnel
- Front drain basket
- "Water fall back-splash" system
- Two Ø1" tubes rack on splash
- Manually controlled swing faucet between wok chambers
- Custom models available with up to 9" burners
- Safety pilot valve

**Custom Made
Sizes Available**

Single Chamber Chinese Wok Range

Included Accessories:



Item No.	Dimension	Diameter (in)	BTU/ HR	Gas Inlet (in)	G. W. (lb)
CWR-1-13	43"D x 30"W x 62"H	Ø13 Fry only	125,000	3/4	211
CWR-1-20	43"D x 34-1/2"W x 62"H	Ø20 Fry only	160,000	3/4	215



2-Chambers Chinese Wok Range

Included Accessories:



Item No.	Diameter (in)	BTU/ HR total	Gas Inlet (in)	G. W. (lb)
CWR-2-1320	Ø13 Fry (left) Ø20 Fry or Soup (right)	285,000	1	344
CWR-2-2013	Ø20 Fry or Soup (left) Ø13 Fry (right)	285,000	1	344



Overall Dimension:
43" D x 52" W x 62" H

Type of Gas: Specify when order

____ Natural Gas.

____ Liquid Propane Gas

* If elevation above 2000 ft., Specify _____ ft.

Manifold Pressure:

Natural Gas: - 5 W.C.

Liquid Propane Gas: - 10.0 W.C.

Clearances:

* Combustible: Side: 6 inches Rear: 3 inches

* Non-combustible: 0 inches 0 inches

Chinese Wok Range Accessories

Multi-Drawers Steamer

Item No.	Dimension (in)	Description
PT-SC3	6-1/4 x 18	3 Layers

- For rice roll & seafood steamer



new

Single Rice Roll Steamer

Item No.	Dimension (in)	G.W.(lb)
CA-ND	21 x 23-1/2 x 11	34

- Special designed bottom for 24" hand made wok (WK-24 Page. 41)
- Fit for PT-2317 & PT-2317N series



Sauce Pan

Item No.	Dimension
P-SAPA6	20" x 12" x 3-3/4"

- 7-3/4" mounting space between legs



3.6 lb
10 /case

Basket Holder

Item No.	Dimension
B-BH9	Ø9"
B-BH11	Ø11"


- Fits Vegetable basket on Page 40



3.6 lb
20 /case

Wok Range Reducer



Item No.	Reduce to	ØA	G. W. (lb)
WR-RE1813	From 18" to 13"	20"	19
WR-RE2013	From 20" to 13"	22"	20
WR-RE2213	From 22" to 13"	24"	21



Chinese Wok Range Guard

Item No.	Width (in)	Height (in)	Description
GRE-SP18L	6-1/4 & 18	8-1/2 & 18	Life Side
GRE-SP18R	6-1/4 & 18	8-1/2 & 18	Right Side

- Fit for chinese wok range




Wok Range Soup Pot

Item No.	ØA	Heat Up Time	G. W. (lb)
PT-2317	16-1/4"	18 minutes	29
PT-2319	19"	25 minutes	31



PT-2317



Steam Pot

Item No.	ØA	Heat Up Time	G. W. (lb)
PT-2317N	16-1/4"	12 minutes	33
PT-2319N	19"	14 minutes	35



PT-2317N

Wok Range Burners

Burners

NG/LP: Natural Gas/ Liquid Propane



35 lb
12 /case

Ø12mm 10 Tips Jet Burner

WR-JBR10NG	3/8" Pipe & 80,000BTU
WR-JBR10LP	3/8" Pipe & 80,000BTU



39 lb
6 /case

Ø12mm 23 Tips Jet Burner

WR-JBR23NG	1/2" Pipe & 125,000BTU
WR-JBR23LP	1/2" Pipe & 125,000BTU



62 lb
6 /case

Ø12mm 32 Tips Jet Burner

WR-JBR32NG	3/4" Pipe & 160,000BTU
WR-JBR32LP	3/4" Pipe & 160,000BTU



64 lb
6 /case

Ø12mm 36 Tips Jet Burner

WR-JBR36NG	3/4" Pipe & 180,000BTU
WR-JBR36LP	3/4" Pipe & 180,000BTU



19 lb
2 /case

2 Rings Burner (with Air Shutter)

WR-RB2	1-1/4" Pipe & 35,000BTU
WR-RB3A-S	1-1/4" Air Shutter



25 lb
1 /case

3 Rings Burner (with Air Shutter)

WR-RB3	1-1/2" Pipe & 90,000BTU
WR-RB3A-S	1-1/4" Air Shutter
WR-RB3A-L	1-1/2" Air Shutter



49 lb
6 /case

18 Tips Anti-Clogging Duck Burner

WR-JBD18NG	1/2" Pipe & 125,000BTU
WR-JBD18LP	1/2" Pipe & 125,000BTU



13 lb
1 /case

28 Tips Anti-Clogging Duck Burner

WR-JBD28NG	3/4" Pipe & 180,000BTU
WR-JBD28LP	3/4" Pipe & 180,000BTU



23 lb
1 /case

Rings Burner (with Air Shutter)

WR-3R18D	1/2" & 1-1/2" Pipe & 185,000BTU
WR-RB3A-L	1-1/2" Air Shutter



17 lb
2 /case

Ø12mm Tips Speed Burner with Cap

WR-JBC9NG-15	9" Dia. 1/2" Pipe & 130,000BTU
WR-JBC9LP-15	9" Dia. 1/2" Pipe & 130,000BTU
WR-JBC9NG-20	9" Dia. 1/2" Pipe & 130,000BTU
WR-JBC9LP-20	9" Dia. 1/2" Pipe & 130,000BTU
WR-JBC9C	Burner Cap For WR-JBC9



31 lb
2 /case

Ø15mm Tips Speed Burner with Cap

WR-JBC10NG	10" Dia. 3/4" Pipe & 160,000BTU
WR-JBC10LP	10" Dia. 3/4" Pipe & 160,000BTU
WR-JBC10C	Burner Cap For WR-JBC10



26 lb
1 /case

High Performance 3 Rings Burner

WR-RB3-N	1" & 3/4" Pipe, 90,000BTU
WR-RB-AM114	1-1/4" Air Shutter
WR-RB-AM1	1" Air Shutter


Chinese Wok Range Replacements

Adjustable Pilot Elbow Valve		Adjustable Pilot Dual Valve		Adapter Straight Fitting					
Item No.	Description	Item No.	Description	Item No.	Description				
WR-PVE	1/8" NPT x 3/16" O.D Tube	WR-PVD	1/8" NPT x 3/16" O.D Tube	WR-FS	3/16" NPT x 3/8" O.D Tube				
 0.05 lb/ pc		 0.11 lb/ pc		 0.05 lb/ pc					
Orifice Holder Elbow Fitting		Orifice Holder Straight Fitting		Orifice Holder "T" Fitting					
Item No.	Description	Item No.	Description	Item No.	Description				
WR-FOE	3/8" NPT x 3/8" O.D Tube	WR-FOS	3/8" NPT x 3/8" O.D Tube	WR-FT	3/16" NPT x 3/16" O.D Tube				
 0.17 lb/ pc		 0.15 lb/ pc		 0.09 lb/ pc					
Wok Range Gas Valve		On/Off Gas Valve		Adjustable Pilot Valve					
Item No.	Description	Item No.	Description	Item No.	Description				
WR-GV	1/2" NPT x 1/2" NPT	WR-HLV	#57 Orifice	WR-PVS	1/8" NPT x 3/16" O.D Tube				
 0.12 lb/ pc		 2 lb 20 /case		 2 lb 20 /case					
Anti-Clogging Jet Tip		Ø12mm Jet Burner Tip		Ø15mm Jet Burner Tip					
Item No.	For Burner Model	Item No.	For Burner Model	Item No.	For Burner Model				
WR-DTNG	WR-JBD18	WR-JTNG	WR-JBC9, WR-JBR23, WR-JBR32	WR-JTCNG	WR-JBC10				
WR-DTLP	WR-JBD18	WR-JTLP	WR-JBC9, WR-JBR23, WR-JBR32	WR-JTCLP	WR-JBC10				
 0.12 lb/ pc		 0.1 lb/ pc		 0.06 lb/ pc					
4FT Adj. Propane Regulator with Pressure Gauge				Pressure Regulator					
Item No.	psig(mbar)	po-wc	Gas Type	Item No.	NPT (in)	psig (mbar)	po-wc	Gas Type	lb/ ea.
WR-52-LP4	1(70)	po 5"-12" wc	Liquid Propane	WR-52-1011	3/4	1/2 (35)	po 3"-6" wc	Natural Gas	0.54
 1.2 lb/ pc				WR-52-1012	3/4	1/2 (35)	po 5"-12" wc	Liquid Propane	0.54
				WR-52-1032	1	1 (70)	po 3"-6" wc	Natural Gas	3.8
				WR-52-1033	1	1 (70)	po 5"-12" wc	Liquid Propane	3.8
				WR-52-1034	1-1/4	1 (70)	po 3"-6" wc	Natural Gas	3.8
				WR-52-1035	1-1/4	1 (70)	po 5"-12" wc	Liquid Propane	3.8
				WR-52-1044	1-1/2	1 (70)	po 3"-6" wc	Natural Gas	5
				WR-52-1045	1-1/2	1 (70)	po 5"-12" wc	Liquid Propane	5
									

Chinese Wok Range Replacements

Wok Range Rectangle Frame

Item No.	Dimension (in)	G. W	Qty.
GRE-WSF8	L x H: 6-1/8" x 8-1/2" L1 x H1: 8-1/2" x 10-1/2"	40 lb	40 /case
GRE-WSF13	L x H: 11-1/2" x 8-1/2" L1 x H1: 13-5/8" x 10-1/2"	50 lb	40 /case



Rim for Woks

Item No.	Size	Description	G. W. (lb)
WR-CIR133	Ø13-1/4" opening	Cast Iron Rim	7
WR-CIR13A	Ø13-1/4" opening	Steel Rim	5
WR-CIR14A	Ø14-1/4" opening	Steel Rim	6
WR-CIR16A	Ø16-1/4" opening	Steel Rim	6
WR-CIR18A	Ø18-1/4" opening	Steel Rim	8
WR-CIR20A	Ø20-1/4" opening	Steel Rim	9
WR-CIR22A	Ø22-1/4" opening	Steel Rim	10



1 /case

Fry Splash Guard

Item No.	Description
SP-2018	For 20" x 18" Fry Master



5 lb
1 /case

Gas Valve Handle

Item No.	Description
WR-GVH	For WR-GV



6 lb
24 /case

Stock Pot Stove Knob

Item No.	Description
AESP-KNOB	For Stock Pot Stove Series



12 lb
50 /case

Chrome Plated Metal Knob

Item No.	Description
WR-KN1	For WR-HLV



10 lb
50 /case

Fryer Connector Strip

Item No.	Description
CS-PC23	23" x 1-1/2" For Fry Master Pico
CS-FM45	20-3/8" x 2" For Fry Master MJ45



14 lb
50 /case

Pilot Tubing w/ Head, Nut&Ferrule

Item No.	Dimension (in)	G. W. (lb)
WR-PTC22	Ø3/16" x 22"	2
WR-PTC27	Ø3/16" x 27"	2
WR-PTC34	Ø3/16" x 34"	2



20 /case

Special Order Form



GSW[®]
www.GSW-USA.com

Custom Order

All custom pieces need deposit or PO for official drawing

Customer: _____ **Date:** ____ / ____ / ____

Company Name: _____

Contact Number: _____

E-mail Address: _____

Ship To: _____

(Shipping fee not included)

Salesman: _____ **Drawing By:** ____ / ____ / ____

Quote Amount: _____


Deposit: _____ **Purchase Order #:** _____

Rough sketch here

Approved By: _____ **Date:** _____

Special Order Projects

We make various kind of custom made stainless steel products, sinks, cabinets, worktables and many more!



Los Angeles, California
4177 Rowland Ave #B, El Monte, CA 91731

Tel: 1-800-897-5999 1-626-291-5599
Fax: 1-626-286-0166
Email: sales@gsw-usa.com

Houston, Texas
13551 Lew Briggs Rd, Houston, TX 77047

Atlanta, Georgia
1858 Meca Way, Norcross, GA 30093

Tel: 1-678-209-0808
Fax: 1-678-209-0809
Email: salesga@gsw-usa.com

YOUR FOODSERVICE EQUIPMENT LEADER **ALWAYS THE BEST FOR LESS!**

Manufacturer And Distributor Of Quality Food Service
And Custom Made Equipment



Los Angeles, California
4177 Rowland Ave #B, El Monte, CA 91731

Tel: 1-800-897-5999 1-626-291-5599
Fax: 1-626-286-0166
Email: sales@gsw-usa.com

Houston, Texas
13551 Lew Briggs Rd, Houston, TX 77047

Atlanta, Georgia
1858 Meca Way, Norcross, GA 30093

Tel: 1-678-209-0808
Fax: 1-678-209-0809
Email: salesga@gsw-usa.com